

Ref. H.

SUMMARY OF MOTOR AND TROLLEY BUS DATA
FOR THE 7th FOUR-WEEK PERIOD ENDED JULY 15, 1967
WITH ACCUMULATIONS TO JULY 15, 1967

SUMMARY OF MOTOR AND TROLLEY BUS DATA FOR THE 7th FOUR-WEEK PERIOD ENDED
JULY 15, 1967 WITH ACCUMULATIONS TO JULY 15, 1967

DIESEL BUSES

Bus Series	Description	No. Pass.	Year Purch.	*No. of Veh.	Total Miles This Period#	Gal. Fuel Consumed**	M.P.G.	Pts. Oil Added	M.P.P.	Bus Life Miles in Thousands			Refer to Pages:
										Accum. Total	Avg. Per Bus	Avg. Eng. Miles	
100- 249	GM TDH-5301	50	1961	150	461,963	103,685	4.45	9,121	51	39,898.7	266.0	257	1- 4
300- 449	GM TDH-5301	50	1962,63	150	328,561	81,951	4.01	4,332	76	22,391.5	149.3	148	4- 8
500- 600	GM TDH-5502	55	1948	78	63,958	13,834	4.62	1,200	53	53,465.1	685.5	152	8, 9
601- 700	GM TDH-5103	51	1950,51	99	151,466	39,226	3.86	4,144	37	58,029.2	586.2	158	10-12
800- 804	GM TDH-5303 A/C	50	1965	5	8,460	1,816	4.66	61	139	333.4	66.7	67	12
1400-1464	GM TDH-4507	45	1947,48	36	76,780	15,344	5.00	1,613	48	19,201.5	533.4	145	12,13
3000-3238	Flexible F2D6V-401-1	50	1965	239	677,430	161,434	4.20	6,169	110	20,988.3	87.8	88	13-19
3239	Cummins F2DV8C-401	50	1965	1	3,127	565	5.53	11	284	73.9	73.9	74	19
3240-3244	Flexible F2D6V-401-1 A/C	50	1965	5	7,867	2,151	3.66	62	127	344.0	68.8	69	19
3300-3449	Flexible F2D6V-351-1	42	1966	150	485,878	110,076	4.41	2,664	182	7,048.8	47.0	47	19-22
3500-3694	Flexible F2D6V-401-1	50	1966	195	625,335	145,247	4.31	3,730	168	4,608.3	23.6	24	22-27
3695-3699	Cummins F2DV8C-401-1	50	1966	5	8,878	2,032	4.37	62	143	58.5	11.7	12	27
6501-6630	GM TDH-4506 & 4507	45	1946,47	1	0	0	-	0	-	809.1	809.1	188	49
8499	Twin Coach F2D6V-401-	48	1960	1	1,108	476	2.33	24	46	126.4	126.4	21	61
8500-8650	Twin Coach F2D6V-401-1	50	1961	151	367,844	96,270	3.82	9,876	37	37,535.2	248.6	235	61-64
9000	Flexible 6V53	35	1967	1	641	213	3.01	4	160	3.9	3.9	4	68
Total Diesel Buses				<u>1,267</u>	<u>3,269,296</u>	<u>774,320</u>	<u>4.22</u>	<u>43,073</u>	<u>76</u>	<u>264,915.8</u>	<u>209.1</u>	<u>128</u>	

PROPANE BUSES

5000-5499	Twin Coach 52-S-2-Hydr.	52	1950,51	420	932,186	369,663	2.52	13,520	69	229,614.6	546.7	179	27-37
5500-5999	Twin Coach FL-2-P-40	52	1953	497	1,289,826	618,826	2.08	20,448	63	256,579.4	516.3	209	37-49
7200-7299	Mack C-49 PGT	49	1956,57	100	183,402	110,809	1.66	2,502	73	44,747.4	447.5	129	49-51
8000-8149	Twin Coach FT2-P40	50	1956,57	150	364,408	169,268	2.15	5,182	70	56,808.9	378.7	195	51-55
8200-8349	Twin Coach FT2-P40	50	1958,59	150	405,073	188,217	2.15	7,011	58	51,523.2	343.5	183	55-58
8400-8498	Twin Coach FT2-P35	44	1959	99	213,788	97,913	2.18	2,347	91	29,933.8	302.4	215	58-61
8700-8847	Flexible F2P-401-1	50	1963	148	518,753	233,799	2.22	4,126	126	27,652.2	186.8	146	64-68
8848	Flexible F2P-401-1												
	(Cummins-Vale V8	50	1963	1	4,584	2,566	1.79	26	176	165.4	165.4	10	68
8849	Flx. GMC-TORO-Flow-V8	50	1963	1	2,720	1,308	2.08	11	247	133.9	133.9	25	68
Total Propane Buses				<u>1,566</u>	<u>3,914,740</u>	<u>1,792,369</u>	<u>2.18</u>	<u>55,173</u>	<u>71</u>	<u>697,158.8</u>	<u>445.2</u>	<u>186</u>	

TROLLEY BUSES

<u>Bus Series</u>	<u>Description</u>	<u>No. Pass.</u>	<u>Year Purch.</u>	<u>*No. of Veh.</u>	<u>Total Miles This Period#</u>	<u>Bus Life Miles in Thousands</u>		<u>Refer to Pages</u>
						<u>Accum. Total</u>	<u>Avg. Per Bus</u>	
9203-9322	A.C.F. Brill	44	1948	77	86,618	40,675.2	528.2	69,70
9323-9367	Pullman	44	1948	8	11,168	4,009.4	501.2	70,71
9368-9412	St. Louis	44	1948	23	44,158	16,586.0	721.1	71
9413-9761	Marmom-Herrington	49	1951,52	<u>331</u>	<u>855,151</u>	<u>184,058.6</u>	<u>556.1</u>	71-79
Total Trolley Buses				<u>439</u>	<u>997,095</u>	<u>245,329.2</u>	<u>558.8</u>	
Total Surface Buses				<u>3,272</u>	<u>8,181,131</u>	<u>1,207,403.8</u>	<u>369.0</u>	

* Does not include buses authorized to be scrapped.

** Dispenser correction for propane buses included here and in the individual bus listing.

Effective October 1, 1963, Mileage calculated on Hubodometer Readings.

NOTES: #1 - The number to the left in columns for Engine Change, Head Change and Converter Change indicates the number of Units that have been used in the Vehicle, Viz., "3" means that two Units have been removed and the third Unit is now in operation. Certain CTA buses and former Motor Coach Buses do not show this typed number as our records do not go back to the time the original Units were removed.

#2 - "H" in the Head Change Box indicates a High Compression Head.

<u>Location</u>	<u>Abbreviation</u>	<u>7th Four-Week Period Mileage Comparison Ended July 15, 1967</u>				
Archer	ARH		<u>Hubodometer</u>	<u>Schedule</u>		
Beverly	BEV		<u>Reading</u>	<u>Miles</u>	<u>Difference</u>	<u>%</u>
Forest Glen	FGL					
Kedzie	KED	Motor Bus	7,184,036	6,978,619	205,417	2.94
Keeler	KEL					
Lawndale	LWD	Trolley Buses	<u>997,095</u>	<u>1,023,021</u>	<u>(25,926)</u>	<u>(2.53)</u>
Limits	LIM					
North Avenue	NAV	Total	<u>8,181,131</u>	<u>8,001,640</u>	<u>179,491</u>	<u>2.24</u>
North Park	NPK					
52nd	52					
69th	69					
77th	77					

Accounting Department,
July 26, 1967

() Denotes Red Figures

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE				
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR			
100	LWD	3677	4.3	85	250			2	14	2	14				2	20		B 18S	B 18X	N 4-61
101	LWD				248										2	45		B 18S	B 18X	N 4-61
102	LWD	3610	3.9	39	244										2	29		B 13S	B 13S	N 4-61
103	LWD	2355	4.1	51	234							52			2	67		B 1D	B 1X	N 4-61
104	LWD	3827	4.0	39	255										2	57		B 73D	B 73D	N 4-61
105	LWD	3210	4.1	38	245										2	113		B 39X	B 39S	N 4-61
106	LWD	2367	4.2	39	239										2	57		B 22S	B 22X	N 5-61
107	LWD	3818	4.3	54	241										2	57		B 51D	B 51S	N 5-61
108	LWD	3574	4.0	66	270	2	100		3	100	4	100			4	22		B 58S	B 58D	N 5-61
109	LWD	3372	3.6	17	237				2	34					2	77		B 28D	B 28S	N 4-61
110	LWD	3813	3.9	40	236										3	127		B 4S	B 4X	N 5-61
111	LWD	3660	4.1	27	250										3	49		B 23S	B 23S	N 4-61
112	LWD	2249	4.3	41	245				44	2	44	2	44		4	9		B S	B X	N 5-61
113	LWD	3252	3.5	30	230					2	151				4	13		B 23S	B 23D	N 5-61
114	LWD	3540	3.7	34	253					2	16	3	16		2	6		B 15D	B 15S	N 5-61
115	LWD	2249	4.0	66	247				46	2	46	2	46		4	10		B 69D	B 69D	N 5-61
116	LWD	3632	3.9	61	252					2	81				2	60		B 15S	B 15X	N 4-61
117	LWD	3473	4.0	44	253				46	3	46	3	46	242	2	43		B 4X	B 4X	N 5-61
118	LWD	3167	4.2	38	233										2	58		B 31D	B 31S	N 5-61
119	LWD	2084	3.1	27	235						17		16		2	29		B 42D	B 42S	N 5-61
120	LWD	4058	4.3	63	241	2	91		4	91	4	91			4	91		B 39D	B 39X	N 5-61
121	LWD	3154	3.8	20	236							17			3	17		39X	58S	N 4-61
122	LWD	3947	3.5	27	262					2	134				3	20		B 7S	B 7X	N 4-61
123	LWD	1091	3.5	60	216					2	8	2	8		2	34		B 35D	B 35D	N 5-61
124	LWD	3578	4.8	51	239					2	136	2	136		3	12		B 5S	B 5X	N 4-61
125	LWD	3252	3.6	34	239					2	147	2	147		3	59		B 9S	B 9S	N 5-61
126	LWD	3214	3.9	41	244					3	9	2	9		3	9		B 42D	B 42S	N 5-61
127	LWD	3985	4.0	28	265					3	29	2	233		2	68		B 46D	B 46S	N 5-61
128	LWD	1767	3.5	65	235									1	2	83		B 30X	B 30S	N 5-61
129	LWD	2950	4.0	95	240	2	21		2	21	2	21			3	66		B 50D	B 50D	N 5-61
130	LWD	3788	4.1	44	281					2	20				4	46		B 25S	B 25X	N 5-61
131	LWD	3753	4.1	39	294					3	173	3	111	56	2	130		B 50D	B 50X	4-61
132	LWD	3825	4.0	54	282									4		34		B 16X	B 16X	5-61
133	LWD	3563	4.5	34	282										3	131		B 4X	B 4D	5-61
134	LWD	3747	4.1	41	278										3	14		B 25S	B 25S	4-61
135	LWD	3323	4.7	32	294					2	68				3	66		B 3S	B 3S	5-61
136	LWD	3647	4.3	39	281										5	68		B 58X	B 58X	5-61
137	LWD	2744	3.8	53	262		19	2	19						2	200		B 2S	B 2X	4-61
138	LWD	4738	4.9	38	283										2	143	208	B 72D	B 72D	5-61
139	LWD	2815	4.0	62	290							36			3	35		B 22S	B 22X	4-61
140	LWD	3429	3.9	36	284				3	63	3	63		92	4	96		B 40D	B 40D	5-61
141	LWD	2639	4.4	69	272				42	2	42	2	42	105	4	89		B 38X	B 38S	5-61

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR	
142	LWD	3508	3.8	36	282					48				3 52		B 23X	B 23X	N 4-61
143	LWD	4097	3.9	36	280									4 21		B 28X	B 28X	N 5-61
144	LWD	3844	4.5	75	266		67	2 67	2 67					3 30		B 36D	B 36X	N 5-61
145	LWD	3446	4.2	26	278									3 58		B 8S	B 8X	N 4-61
146	LWD	3806	4.0	33	288			2 77	2 77					2 182		B 35S	B 35X	N 5-61
147	LWD	3142	4.4	241	276	3	23	4 23	5 23					4 32		B 3D	B 3S	N 5-61
148	LWD	4061	4.3	37	269									2 44		B 47X	B 47D	N 5-61
149	LWD	2807	4.1	48	280									3	114	B 14X	B 14D	N 5-61
150	LWD	3721	4.5	93	276		5		2 5	103				4 7		B 15S	B 15S	N 5-61
151	LWD	2863	4.5	130	275			2 8	2 8					2 101		B 2D	B 2X	N 5-61
152	LWD	3613	3.9	157	274	2	17	3 17	3 17				92	3 27		B 7S	B 7D	N 5-61
153	LWD	3473	4.0	29	291			2 29		22				3 74		B 18X	B 18D	N 5-61
154	LWD	3194	3.8	31	275									3 57		B 1X	B 1D	N 5-61
155	LWD	3676	4.0	56	289									5 42		22S	3X	N 4-61
156	LWD	2303	5.3	59	253					19	185			3 68		B 38S	B 38X	N 5-61
157	LWD	2847	4.8	63	280									3 37		B 21D	B 21D	N 5-61
158	LWD	3485	5.5	77	273								81	3 51		B 16S	B 16S	N 4-61
159	LWD	3341	5.1	74	276									3 3		B 24S	B 24S	N 5-61
160	BEV	2588	4.9	66	218						76			2 27		B 3S	B 3S	N 4-61
161	BEV	4005	5.5	250	216	3	12	3 12	3 12		8			2 81		B 25D	B 25S	N 5-61
162	BEV	1608	6.1	76	209			3 58	2 67		86			2 18	17	B 66X	B 66D	N 5-61
163	BEV	3056	4.5	87	211			3 99	2 99							B 69X	B 69D	8-65
164	BEV	3791	5.1	55	228					15			174	2 24		B 32X	B 32S	N 5-61
165	77	4258	4.6	36	217					80				5 10		B 9D	B 9S	6-67
166	77	2787	4.3	35	218					52				2 76		B 2D	B 2D	6-67
167	77	3544	4.5	47	221									2 30		B 7X	B 7S	6-67
168	77	3094	4.7	40	219			2 115		22				2 3		B 2X	B 2S	6-67
169	77	2383	4.3	55	222		4	2 14	2 4	48				3 23		B 2S	B 2S	6-67
170	77	3383	4.2	66	216											B 16D	B 16S	6-67
171	77	4071	5.1	64	232			3 66	2 197	16			15	2 78		B 15D	B 15S	6-67
172	77	3595	4.4	70	205			2 98	2 98	48	79			3 18		4D	60D	6-67
173	77	3421	3.5	33	238									2 83		B 8D	B 8S	6-67
174	77	2866	4.2	53	276									2 62		B 61X	B 61D	6-67
175	77	3080	4.4	49	206			2 86		29	77					B 3X	B 3S	6-67
176	77	3437	5.0	79	201									2 4		B 45X	B 45D	6-67
177	77	3595	5.0	83	192		31	2 31	2 31							B 5D	B 5S	6-67
178	77	3040	4.6	64	191			2 69	2 69	60				3 21		B 13D	B 13S	6-67
179	77	4880	8.0	110	200						64			2 61		B 4X	B 4S	6-67
180	BEV	3421	5.3	56	200			2 161	2 161		55			2 9		B 51X	B 51D	N 5-61
181	77	2963	4.6	44	171											B 44X	B 44D	6-67
182	77	3807	4.8	60	184						52			2 29		43X	4S	6-67
183	77	2196	3.5	52	194									2 137		B 5D	B 5S	6-67

BUS MILEAGE DATA
PERIOD 7 ENDING JULY 15 1967

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE										PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.		BRAKE RELINE	
								LEFT OR SINGLE	RIGHT		Box	Column					FRONT	REAR
184	77	4607	5.4	47	194								2 11		B 54X	B 54D	6-67	
185	BEV	4239	5.7	57	191						12		2 78		54X	4D	N 5-61	
186	BEV	1889	3.6	48	194						69		2 35	128	B 58D	B 58D	N 5-61	
187	BEV	2604	4.8	53	189								3 9		B 5D	B 5S	N 5-61	
188	BEV	3721	4.8	46	185						69				B 7D	B 7D	N 5-61	
189	BEV	3090	5.6	60	181		174			19			2 135	107	B 51X	B 51D	N 5-61	
190	BEV	3137	4.6	49	261					21			2 22		B 7S	B 7S	N 5-61	
191	BEV	1660	4.3	42	271					43			2 96		B 3D	B 3D	N 5-61	
192	BEV	3440	4.7	81	267		82	2 82	2 82				3 30		B 76D	B 76D	N 5-61	
193	BEV	2591	4.6	63	270					10			3 27		B 2X	B 2X	N 5-61	
194	BEV	2180	6.9	83	261								4 50		B 29X	B 29X	N 5-61	
195	BEV	1188	4.8	28	242			2 46		13			3 41		B 13S	B 13X	N 5-61	
196	BEV	3749	5.8	33	278			2 238	2 238				2 27		B 15X	B 15D	N 5-61	
197	BEV	2750	5.3	94	286		18	2 18	2 18				3 12		B 29S	B 29D	N 5-61	
198	BEV	997			264			2 49	3 49				3 44		B 33S	B 33X	N 5-61	
199	BEV	3230	4.5	53	272					22			3 31		B 35S	B 35S	N 5-61	
200	BEV	3411	4.9	106	257		30	4 30	3 63			46	3 30		56D	26X	N 5-61	
201	BEV	3088	5.2	114	275		37	2 62	3 27				2 24		B 25X	B 25X	N 5-61	
202	BEV	2868	4.7	61	272					21			2 34		B 29S	B 29D	N 5-61	
203	BEV	1965	5.2	44	263			2 226	2 226	22			2 70		B 1X	B 1S	N 5-61	
204	BEV	3067	5.3	51	315								2 30		B 35D	B 35S	N 5-61	
205	BEV	2884	4.4	58	263					228			3 30		B 26D	B 26D	N 5-61	
206	BEV	3349	5.1	65	274			2 137	2 137	49			3 36		B 12D	B 12S	N 5-61	
207	BEV	3467	5.5	60	278				2 5	7	91		2 75		B 30D	B 30D	N 5-61	
208	BEV	1853	4.9	154	291		29	3 7	2 29	23					34D	1D	N 5-61	
209	BEV	2546	4.3	63	272								3 39		B 29D	B 29D	N 5-61	
210	BEV	1513	5.4	216	268			2 66	2 66				4 23		X	D	N 5-61	
211	BEV	3456	5.7	246	266		4	3 4	2 4	18			3 3		B 26X	B 26X	N 5-61	
212	BEV	3124	4.3	62	269								3 20		B 3X	B 3X	N 5-61	
213	BEV	2424	4.2	42	271								4 2		B 30X	B 30S	N 5-61	
214	BEV	3586	5.4	50	259								3 38		B 10X	B 10X	N 5-61	
215	BEV	3041	5.2	42	267								4 87		B 28X	B 28S	N 5-61	
216	BEV	2048	5.3	75	276					89			3 15		B 1D	B 1X	N 5-61	
217	BEV	3005	5.4	40	270					21		77	2 31		B 31D	B 31S	N 5-61	
218	BEV	2883	5.5	51	273			2 220	2 220				2 21		B 4X	B 4D	N 5-61	
219	BEV	3452	4.8	37	287			2 26					3 113		B 16S	B 16X	N 5-61	
220	BEV	3165	4.5	54	345							3	5 14	273	B 3S	B 3S	N 5-61	
221	BEV	2330	3.3	89	327	2 44		2 44	2 44				3 44		B 8X	B 8D	N 5-61	
222	BEV	1928	5.2	58	338				2 277	9			3 89		B 44S	B 44X	N 5-61	
223	BEV	3992	5.6	76	328		53	3 53	3 53				4 66		B 10X	B 10D	N 5-61	
224	BEV	3187	5.5	88	346			2 307	2 307			90	2 101		B 29X	B 29S	N 5-61	
225	BEV	3466	4.9	65	321		37	2 37	2 37	75			3 29		B 46S	B 46X	N 5-61	

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED				
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE					
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT		REAR			
226	BEV	1504	4.6	88	334			2	99	2	99	62				3	96		B 32D	B 32D	N 5-61
227	BEV	2467	4.9	51	325											5	10		B 21X	B 21S	N 5-61
228	BEV	3658	4.9	70	336											3	43		B 40X	B 40D	N 5-61
229	BEV	2060	5.2	52	340			3	237	3	237	11			86	3	41		B 1X	B 1D	N 5-6
230	BEV	3860	4.5	110	331								280			4	53		B 42S	B 42D	N 5-61
231	BEV	3259	5.0	42	334							22				5	24		B 10X	B 10D	N 5-61
232	BEV	1599	5.1	45	320			3	132	3	132				89	3	36		B 44D	B 44X	N 5-61
233	BEV	1774	5.7	177	321		27	2	27	2	27	96				6	27		B 35S	B 35X	N 5-61
234	BEV	3737	6.1	60	326										78	3	152	66	28X	8X	N 5-61
235	BEV	2933	4.6	55	334			3	165	3	165					2	89		B 15S	B 15X	N 5-61
236	BEV	3929	5.3	55	313	2	79	2	79	2	79					2	79	109	B 37X	B 37X	N 5-61
237	BEV	2334	4.5	53	327											3	32		B 22S	B 22X	N 5-61
238	BEV	2926	4.4	43	331									74	3	33	108	B 34S	B 34X	N 5-61	
239	BEV	3483	5.2	66	329							76		96	3	20		B 18X	B 18D	N 5-61	
240	BEV	3539	4.1	43	320										3	25		B 6X	B 6D	N 5-61	
241	BEV	3130	4.2	37	330							62			5	28		B 35S	B 35D	N 5-61	
242	BEV	1130	3.3	51	329										3	102	50	B D	B X	N 5-61	
243	BEV	3506	4.4	58	330										4	29		B 46S	B 46X	N 5-61	
244	BEV	3249	4.8	75	331			2	231	2	231				3	179		B 33X	B 33D	N 5-61	
245	BEV	3632	4.2	59	238			2	298	2	298	20			4	57		B 29D	B 29D	N 5-61	
246	BEV	2172	4.9	135	304			2	33	2	33	58				2	54	221	B S	B D	N 5-61
247	BEV	741	3.6	61	329	2		2		2						2	88		B 30X	B 30X	N 5-61
248	BEV	3061	5.3	69	333										3	72		B 15D	B 15D	N 5-61	
249	BEV	2919	4.7	64	338									9	6	9		B 9X	B 9S	N 5-61	
300	LIM	2474	4.1	74	121							4						B 2D	B 2D	N 1-63	
301	LIM	2517	5.1	314	113							6				2	23		B 19X	B 19D	N12-62
302	LIM	2197	4.1	99	128							7						B 10D	B 10D	N12-62	
303	LIM	2416	4.4	96	115							38						B 17D	B 17D	N 1-63	
304	LIM	2227	3.7	131	123							14	21					B 60X	B 60X	N 1-63	
305	LIM	1881	4.3	85	120							6				2	62		B 48X	B 48X	N12-62
306	LIM	1748	3.8	76	122			2	69			5						B 32X	B 32X	N 1-63	
307	LIM	1606	4.0	69	120							4						B 5X	B 5D	N12-62	
308	LIM	1423	4.2	88	117							11						B 13X	B 13D	N12-62	
309	LIM	2014	4.3	183	125							11	16					B 2X	B 2D	N 1-63	
310	LIM	2240	3.9	160	125							6						B 50X	B 50X	N12-62	
311	LIM	2457	4.3	175	129			2	30			8	6					B 6D	B 6D	N 1-63	
312	LIM	1793	4.3	149	130							6						B 33X	B 33D	N12-62	
313	LIM	2050	3.9	85	125							6				2	1		B 19X	B 19D	N 1-63
314	LIM	1308	3.4	218	117							12						B 48X	B 48X	N 1-63	
315	LIM	2335	3.9	97	114							2	14					B 42S	B 42X	N12-62	
316	LIM	1988	4.3	94	123							15						B 49S	B 49X	N12-62	
317	LIM	1311	4.5	93	122							4						B 1D	B 1D	N 1-63	

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT		REAR
318	LIM	1577	4.1	92	122					6						B 22D	B 22D	N12-62
319	LIM	1686	4.1	76	112					5						B 50X	B 50X	N 1-63
320	LIM	2025	3.9	81	124					7						B 2X	B 2X	N12-62
321	LIM	2037	4.6	49	124					61						B 49S	B 49D	N12-62
322	LIM	2105	4.3	116	129					8						B 4X	B 4D	N 1-63
323	LIM	1551	4.1	59	122					4			2 30			B 4X	B 4D	N12-62
324	LIM	2421	4.0	89	125					7						B 4D	B 4D	N12-62
325	LIM	1754	3.7	292	117					12	57					B 22X	B 22D	N12-62
326	LIM	1448	3.9	206	122					4						B 48S	B 48X	N12-62
327	LIM	1901	3.5	105	122					5						B 5X	B 5S	N 1-63
328	LIM	1872	4.3	133	117					11						B 3X	B 3D	N 1-63
329	LIM	2792	4.0	69	129					6						B 37D	B 37X	N 1-63
330	LIM	2982	4.0	85	124					5						B 12X	B 12D	N 63
331	LIM	1684	4.3	129	124					6			2 9			B 24X	B 24S	N 1-63
332	LIM	1688	4.3	99	110					10						B 1D	B 1D	N12-62
333	LIM	6			117											B 5X	B 5D	N 1-63
334	LIM	1893	4.2	55	126					18			2 11			B 12D	B 12D	N 1-63
335	LIM	2155	3.9	51	126					4	2					B 52X	B 52X	N 1-63
336	LIM	2835	3.7	55	122					9			29			B 32X	B 32X	N 1-63
337	LIM	1935	4.7	62	119					5						B 51X	B 51X	N 1-63
338	LIM	1896	3.7	57	123					8	4					B 8D	B 8D	N 1-63
339	LIM	2631	3.9	154	129					15			27			B 29X	B 29S	N 1-63
340	LIM	2339	3.9	80	125					8						B 2D	B 2D	N 1-63
341	LIM	1747	3.7	109	118					10						B 34X	B 34D	N 1-63
342	LIM	1830	4.4	73	130					14			2 18			B 12D	B 12D	N 1-63
343	LIM	2180	4.0	109	119					13			2 43			B 33X	B 33D	N 1-63
344	LIM	23			107					15						B D	B S	N 1-63
345	LIM	2573	4.1	55	121					13			2 1			B 44X	B 44X	N 1-63
346	LIM	1685	3.6	64	124					5			2 54			B 19D	B 19D	N 1-63
347	LIM	1330	3.7	66	113					11			2 10			B 10D	B 10D	N 1-63
348	LIM	2742	4.0	57	122					5	33					B 13X	B 13D	N 1-63
349	LIM	2676	3.9	60	124					14	22					B 25X	B 25S	N 1-63
350	LIM	1542	3.8	57	111					8	4		2 2			B 3D	B 3D	N 1-63
351	LIM	2825	4.4	65	121				2 57	13			2 10			B 3D	B 3D	N 1-63
352	LIM	1468	4.1	81	125					9						B 17X	B 17S	N 1-63
353	LIM	1704	3.9	113	115					10						B 1D	B 1D	N 1-63
354	LIM	1850	4.0	61	118					8	24					B 18D	B 18D	N 1-63
355	LIM	2341	3.9	123	121			2 15	2 15	11						B 27X	B 27S	N 1-63
356	LIM	2200	4.1	84	121				2 10	5						B 20D	B 20D	N 1-63
357	LIM	2042	4.2	102	132					4	5					B 19D	B 19D	N 1-63
358	LIM	2597	4.0	41	126			2 35	2 35	6						B 6D	B 6D	N 1-63
359	LIM	2139	4.1	62	122					4						B 4D	B 4D	N 1-63

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE			
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR		
360	LIM	1339	3.1	83	123			2	35		4					B 28X	B 28D	N 1-63	
361	LIM	2242	3.8	72	128											B 11D	B 11D	N 1-63	
362	LIM	2527	4.2	78	121						25					B 12X	B 12D	N 1-63	
363	LIM	580	4.2	52	124						3					B 51S	B 51X	N 1-63	
364	LIM	2047	4.3	292	123				2	26	4			2	6	B 20D	B 20S	N 1-63	
365	LIM	1113	4.0	55	108						5			2		B 5D	B 5D	N 1-63	
366	LIM	2227	3.8	45	112						7			3	5	B 14X	B 14D	N 1-63	
367	LIM	2250	4.1	125	119						13	16			20	B 4D	B 4D	N 1-63	
368	LIM	1964	3.5	65	126						4	51			2	9	B 30D	B 30D	N 1-63
369	LIM	1485	4.1	99	115				2	83						55X	55X	8-65	
370	LIM	2701	5.4	180	120						8	2			2	10	B 18X	B 18X	N 1-63
371	LIM	1904	3.9	90	125						4				2	6	B 13D	B 13D	N 1-63
372	LIM	1925	3.8	68	119						8				3	10	B 17X	B 17D	N 1-63
373	LIM	1727	4.0	49	122						15					B 5D	B 5D	N 1-63	
374	LIM	1026	4.1	73	121			2	85		3				2	10	B 37X	B 37X	N 1-63
375	LIM	1705	3.9	68	106						10				2	3	B 50X	B 50X	N 1-63
376	LIM	2187	3.6	54	117						10		21			B 10D	B 10X	N 1-63	
377	LIM	1903	4.4	82	121						5					B 5X	B 5D	N 1-63	
378	LIM	2098	3.7	55	129						7	9				B 15X	B 15D	N 1-63	
379	LIM	1459	4.2	364	121											B 1D	B 1D	N 1-63	
380	LIM	1706	3.8	131	122						10					B 4D	B 4D	N 1-63	
381	LIM	2532	4.7	76	122						15				2	19	B 22X	B 22D	N 1-63
382	LIM	1672	3.8	66	128											B 35X	B 35D	N 1-63	
383	LIM	374	4.2	20	116						12				2	17	B 49S	B 49X	N 1-63
384	LIM	1768	3.5	70	122						8				2	19	B 32D	B 32D	N 1-63
385	LIM	2605	3.9	51	126						9					B 12X	B 12D	N 1-63	
386	LIM	2381	4.4	62	126						10	1				B 26X	B 26D	N 1-63	
387	LIM	1734	4.3	59	125											B 51X	B 51X	N 1-63	
388	LIM	1947	3.9	67	125						10					B 16D	B 16D	N 1-63	
389	LIM	2037	3.8	107	119						11	5			2	8	B 3D	B 3D	N 1-63
390	LIM	1428	4.3	52	125						1					B 9X	B 9D	N 1-63	
391	LIM	1830	4.3	52	120						5					B 5X	B 5D	N 1-63	
392	LIM	2195	4.1	70	124						8					51	B 15X	B 15D	N 1-63
393	LIM	1293	3.9	143	119						1						B 1D	B 1D	N 1-63
394	LIM	2267	4.0	103	123			2	42			3				B 19X	B 19D	N 1-63	
395	LIM	2121	4.3	66	117						7					B 8X	B 8D	N 1-63	
396	LIM	1971	4.2	65	122						5					B 4X	B 4D	N 1-63	
397	LIM	2654	4.9	47	123						9				2	31	B 25D	B 25D	N 1-63
398	LIM	2298	3.7	71	116						10	37				47S	2D	N 1-63	
399	LIM	1557	4.4	67	127							3				B 3D	B 3D	N 1-63	
400	LIM	1192	4.0	51	129						7				2	B 31D	B 31D	N 1-63	
401	LIM	2240	3.8	60	137						9					B 18D	B 18D	N 1-63	

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT		REAR
402	LIM	2335	3.7	59	146					9						B 32D	B 32D	N 1-63
403	LIM	3072	4.9	59	146					13						B 25X	B 25D	N 1-63
404	LIM	3229	4.2	65	154					17				2 41		B 19X	B 19D	N 1-63
405	LIM	3299	4.4	80	182				2 110					2 41		B 43D	B 43D	N 1-63
406	LIM	2956	4.3	109	193				2 113							B 35D	B 35S	N 1-63
407	LIM	3399	4.0	65	191					25	40			2 40		B 4S	B 4S	N 1-63
408	LIM	3587	4.2	91	217					6				2 43		B 7D	B 7X	N 1-63
409	LIM	5827	6.1	84	192					15				2 39		B 21X	B 21S	N 1-63
410	LIM	3785	4.4	66	186				2 48	12				2 56		B 12S	B 12S	N 1-63
411	LWD	2372	4.7	62	189					7				2 48		B 22D	B 22D	N 1-63
412	LWD	1433	3.7	110	168		32	2 43	2 32	8				2 54		B 44X	B 44D	N 1-63
413	LWD	1315	3.8	59	188				2 179	1				2 19		B 66X	B 66D	N 1-63
414	LWD	1663	3.8	72	175											B 14S	B 14S	N 1-63
415	LWD	1857	4.7	168	206					12						B 69D	B 69D	N 1-63
416	LWD	916	3.5	305	202	2 13		2 13	2 13	13						B 38S	B 38S	N 1-63
417	LIM	2001	3.8	105	208				2 17							B 18D	B 18S	N 1-63
418	LIM	2119	4.2	62	183					9						B 25S	B 25S	N 1-63
419	LIM	3031	4.0	58	199									3 37		B 25D	B 25S	N 1-63
420	LIM	4691	5.5	109	233					45				2 84		B 18X	B 18D	N 1-63
421	LIM	4125	4.7	58	240					21				3 8		B 36S	B 36X	N 1-63
422	LIM	3476	4.2	56	228					14				2 96		B 26S	B 26X	N 1-63
423	LIM	141	1.0	14	229									4 19		B 38D	B 38X	N 1-63
424	LIM	583	2.8	30	212					9				2 32		B 39X	B 39D	N 1-63
425	LIM	1590	3.8	88	214					1				3 37		B 24D	B 24X	N 1-63
426	LIM	4051	4.5	77	220					11				2 79		B 6S	B 6D	N 1-63
427	LIM	2312	4.0	77	228				2 49	20				3 2		B 2D	B 2D	N 1-63
428	LIM	3342	5.0	83	223								6	2 42		B 6X	B 6D	N 1-63
429	LIM	3621	4.4	157	235			2 170		11						B 20S	B 20X	N 1-63
430	LIM	3684	4.4	85	209					11				2 48		B 28S	B 28X	N 1-63
431	LIM	4151	4.2	56	207				2 93	12	26			2 59		B 18X	B 18X	N 1-63
432	LIM	2611	4.3	76	197				2 75	14	24			3 41		B 2S	B 2X	N 1-63
433	LIM	3748	4.2	197	218					12	27			2 35		B 102X	B 102D	N 1-63
434	LIM	1552	4.7	97	193					23						B X	B X	N 1-63
435	LIM	3381	3.9	55	216					14						B 5X	B 5X	N 1-63
436	LIM	1770	4.3	39	187			2 45						2 36		B 31D	B 31S	N 1-63
437	LIM	2541	4.0	127	196				2 120	7	63			2 29		B 39D	B 39S	N 1-63
438	LIM	1550	4.1	50	178					6	15					B 12X	B 12X	N 1-63
439	LIM	803	4.8	200	179									3 12		47D	X	N 1-63
440	LIM	1478	3.8	86	222		97				26			2 46		B 19S	B 19X	N 1-63
441	LIM	1192	3.2	70	226					6						B 84S	B 84D	N 1-63
442	LIM	1615	3.6	47	235											B 21X	B 21D	N 1-63
443	LIM	2528	4.1	84	224					6				2 49		B 12S	B 12X	N 1-63

BUS MILEAGE DATA
PERIOD 7 ENDING JULY 15 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT		REAR
444	LIM	3928	4.3	62	244					12	20			3 17		B 4S	B 4X	N 1-63
445	LIM	4076	4.5	88	236			4 37	2 37	13				2 77		B 16X	B 16X	N 1-63
446	LIM	3474	3.9	204	239		105	2 105	2 101	12	36			2 37		B 53S	B 53X	N 1-63
447	LIM	3826	4.1	98	234					10	48			2 138		B 48X	B 48S	N 1-63
448	LIM	4132	4.0	89	247					9	27			3 27		27S	5D	N 1-63
449	LIM	3490	3.6	74	238					11				2 63		B 3X	B 3D	N 1-63
500	NAV	2892	4.2	103	516	3 33		33		34	190		257	34 78		B 10S	B 10X	11-66
501	77	1			680	173		127		351	9		107	46 25		B 16X	B 16X	7-65
502	77	799	4.0	47	649	207		134		374	375		335	123 34		B 30S	B 30X	6-63
506	ARH				617	156		156		3	192		30 4 3	115		B 30S	B 30X	1-66
507	77	1541	4.2	256	650	57		57		11	256		121	42 325		B 36X	B 36D	11-65
508	ARH				644	120		120		424	28		79	61 88		B 79X	B 79S	4-64
509	ARH				646	54		54		263	123		255	135 11		B 61D	B 61S	10-62
510	ARH				669	385	125	31		275	374			30 16		B 54S	B 54S	9-62
511	NAV				672	121		68		1	164		303	59 26		B 55D	B 55S	9-62
512	ARH				673	86		48		14	74		262	86 88		B 28X	B 28D	11-48
513	NAV				675	46		46		314	9		42	12 171		B 42S	B 42X	11-65
514	ARH				668	121		121			137		24	56 135		B 24X	B 24X	2-65
515	77	3104	5.3	206	692	117		73		394	14		198	103 28		B 26D	B 26S	2-64
516	ARH				698	318	3	7 3		37	190		324	42 192		B 9X	B 9S	2-66
518	NAV				672	46		46		177	54	60	289	28 81		B 16X	B 16S	5-65
520	ARH	3012	4.7	81	729	213	30	30		6	363		233	337 37		B 66S	B 66X	3-65
521	77				674	122		29		371	369		415	125 357		B 29X	B 29S	10-65
522	ARH				678	152	2	37		2	17			178 381		B 9D	B 9S	5-6
523	77	256	3.3	21	668	176		72		287	214		310	285 96		B 42S	B 42X	1-64
525	ARH				695	276	3	8		413	440		106 4 7	336		B 7X	B 7S	7-65
526	ARH				664	48		48		410	144		248	135 162		B X	B S	3-64
529	ARD				671	154	15	15		365	93		241	33 24		B 15S	B 15X	N 9-65
530	77	2430	4.2	36	689	64		64		395	34			65 46		B 6D	B 6X	1-60
531	ARH				672	91		91		2	235		121	91 84		B 12X	B 12D	2-64
533	ARH				670	145		12			175		298	13 88		B 12X	B 12X	6-64
535	NAV				735	347	160	26		3	361		48 7 38	39		B 48S	B 48X	6-63
537	ARH				748	411	11	11		156	155		126	31 72		B D	B S	2-65
539	ARH				792	63		63		434	190			129 72		B 31X	B 31X	12-64
541	77	2680	5.3	52	758	143		85		14	199		129	42 198		B 54X	B 54X	9-65
543	NAV				767	46		46		1	122		98 6 5	27		B 20X	B 20D	4-62
544	77	3014	4.1	52	802	98		98		285	78		181	98 178		B 39S	B 39D	7-66
545	ARH				745	71		71		244	436		147	23 232		B 30X	B 30X	12-64
546	77	2808	4.6	90	763	34		34		386	430		201	191 95		B 40D	B 40X	4-62
547	52				773	174	27	64		32	147		340	125 202		B 80S	B 80S	5-63
548	77	2235	4.5	62	770	142		59			112		109	286 178		B 39D	B 39X	1-64
549	77	3334	20.3	208	789	38		38		48	106		73	38 180		B 38D	B 38D	1-66

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR	
550	77	694	2.8	38	776	140		140		229	160		300	92	86	B X	B S	3-62
551	52				751	173	25	38		273	127		339	31	41	B 80D	B 80S	10-63
552	52				764	217		98		145	125		282	41	275	B 26X	B 26S	2-62
553	52				764	190	28	28		722	414			174	48	B 85D	B 85S	1-61
554	77	2074	6.5	25	775	158		74		352	74		83	118	245	8X	58D	6-63
555	52				733	124		124		123	332		251	13	265	B 19X	B 19X	4-63
556	77	2250	4.7	27	748	94		71		14	98		45	92	172	B 45S	B 45X	3-63
557	77				739	151		151		50	72		86	316	376	B 22X	B 22X	4-62
558	52				697	368	144	144		28	29		148	104	46	B 82X	B 82X	4-62
559	52				690	134		134		348	78		324	13	27	B 70X	B 70X	9-63
562	77	907	4.2	45	698	104		104		326	66		152	110	232	B 41D	B 41D	8-61
563	77				685	81		81		47	341		187	274	140	B 71S	B 71D	7-58
564	77	1732	4.5		688	45		45		332	68		272	87	92	B 55S	B 55X	5-65
565	52				683	57		57		48	214		205	223	55	B 31X	B 31D	3-66
566	77	2318	4.7	39	685	81		81		138	298		101	9	15	B 18S	B 18S	3-64
567	77	1662	4.8	39	711	130		130		69	315		293	5	7	B 34D	B 34S	12-61
570	77	1916	4.6	31	692	119	3	3		156	238		184	119	58	B 19S	B 19X	8-58
572	52	237	2.3	5	703	386	157	158		386	290		272	5	12	B 89S	B 89D	1-62
573	77	1484	5.6	67	707	106		106		106	250		188	85	165	B 57X	B 57D	12-61
574	52				683	385	136	136		90	270		221	56	385	B 53S	B 53S	12-61
575	52				692	273	160	160		129	45		255	156	372	B 23D	B 23X	3-65
576	52				703	368	110	110		3	352		267	110	153	B 91D	B 91X	12-61
577	77	2808	3.7	25	710	150		150		58			234	3	6	B 22S	B 22S	6-66
578	52				706	72		72		37	134		284	72	50	B 25D	B 25D	12-61
579	52				693	192		153		36	299			50	85	B 31S	B 31X	1-62
580	77	1485	4.2	123	625	76		3	4	317	72		321	6	4	B 15D	B 15S	4-63
581	77				628	97		79		323	239		170	120	22	B 57D	B 57X	3-62
582	77	3452	5.1	84	622	50		50		89	69		50	47	75	B 69D	B 69D	1-65
584	77	1960	3.9	57	618	4	76	34		122	66			7	3	B 28S	B 28X	5-63
585	52				618	333	174	291		6	170		146	64	347	B 43D	B 43D	12-61
587	77	811	4.6		628	2	29	29		29	133		55	46	374	B 35S	B 35X	12-61
588	52				624	2	374	233		233	102		219	158	62	B 54S	B 54X	11-61
589	52				619	46		46		353	56		275	51	55	B 86X	B 86X	5-63
590	52				610	3	163	63		387	50			32	121	B 73S	B 73D	3-62
591	52				594	236		236		48	90		91	130	50	47X	4X	4-63
592	52				616	94		5	2	206	299		275	37	89	B 67X	B 67X	2-62
593	77	3303	4.6	51	613	69		69		27	271		80	69	151	B 48X	B 48D	1-62
596	77	3263	4.3	50	610	46		46		335	287		214	46	80	B 45S	B 45S	5-65
597	52	3496	4.7	60	612	348	4	5	4	28	65		132	7	4	B 12X	B 12X	9-66
598	52				622	102		102		12	301		277	171	359	B 55X	B 55S	6-65
599	52				601	8		8		56	250		333	52	51	B 63S	B 63X	3-65
600	52				617	327	96	96		27	118		113	8	8	B 42S	B 42S	2-65

BUS MILEAGE DATA

PERIOD 7 ENDING JULY 15 1967

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE														PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE				
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR			
601	KEL	973	4.0	243	557	3	24		24	364	164		281	204	187	B 30X	B 30X	8-62		
602	KEL	866	5.4		566		30		30	16	178		91	28	35	B 42S	B 42D	9-65		
603	KEL	942	3.6	72	560		123		123	272			233	28	27	B 34X	B 34X	4-65		
604	KEL	1081	4.1	28	580	2	165		26	308	170		71	7	6	126	B 6S	B 6X	10-62	
605	KEL	1182	4.0	23	576	2	325	127	69	325	181		113	4	5	35	B 12X	B 12D	12-63	
606	KEL	1246	4.3	41	616	5	49		49	396	133		88	5	186	30	B 9D	B 9D	2-66	
607	KEL	1092	4.4	109	580		24		24	24	178		262	6	24	323	B 43X	B 43S	2-66	
608	KEL	1006	4.0	125	558	4	116	28	28	45	181				137	410	B 33D	B 33S	7-64	
609	KEL	976	4.3	195	572	6	3		7	3	31		3		173	35	B 3D	B 3X	3-65	
610	KEL	1090	3.7	54	584	2	133		24	376	43		116		34	78	B 58X	B 58S	4-65	
611	KEL	1155	4.2	96	576	3	82		82	82	165				58	216	B 12S	B 12X	1-64	
612	KEL	1157	4.1	16	624	4	298	151	91	298	186				19	421	4D	42D	7-62	
613	KEL	1209	5.1	93	599	4	192	75	75	192	146				246	13	B 57X	B 57X	3-65	
614	KEL	128	4.1	9	568	2	99		8	123	94		210		32	309	B 5D	B 5X	5-64	
615	KEL				596	3	97		97	418	224				15	174	B 52X	B 52X	5-63	
616	KEL	1104	3.8	138	579		90		42	166	158			5		131	B 27X	B 27S	2-64	
617	KEL	1059	3.6	42	581	3	123	42	123	5	172		60	8	8	227	B 2X	B 2S	4-64	
618	KEL	1256	4.1	25	588	4	81		81	330	114		48		239	54	B 48S	B 48D	2-63	
619	KEL	1063	4.3	32	592		58		58	388	121		308		57	218	B 37D	B 37X	6-62	
620	KEL	915	3.6	9	594	2	395	159	2	24	162				211	187	B 10X	B 10S	9-64	
621	KEL	1253	4.2	30	583	2	172		71	345	150		125		46	332	B 7D	B 7D	6-63	
622	KEL	896	3.4	32	598	2	76		76	39	187		50		127	396	B 50X	B 50X	12-63	
623	KEL	907	4.0	27	592	3	73		8	364	200		181		45	177	B 32X	B 32S	6-63	
624	KEL	306	5.5	16	579	4	87	21	69	5	131		298	6	312	256	B 28X	B 28S	12-65	
625	KEL	1126	4.0	86	580	2	138		5	105	21		321		345	342	B 36S	B 36X	11-65	
626	KEL	1079	4.2	25	629	2	306		139	306	29		224		199	36	B 26D	B 26X	9-64	
627	KEL	1018	4.1	56	583	3	174	22	22	57	229		41		35	61	B 41X	B 41S	6-57	
628	KEL	895	4.0	13	609		288		247	175	40		115		17	108	13D	24D	11-65	
629	KEL	316	1.0	12	591		75		144	18	171		161		95	25	B 3D	B 3S	7-64	
630	KEL	1219	4.2	174	596	2	195	25	65	425	80		322	4	278	43	B 67X	B 67D	12-65	
631	KEL	1047	3.7	32	604	5	36		9	6	177		174		48	175	B 18D	B 18D	12-64	
632	KEL	787	3.1	25	579	2	145		74	369	271		229		164		B 2S	B 2S	1-64	
633	KEL	904	3.7	50	578	4	39		39	32	125		184		296	386	B 32X	B 32X	4-64	
634	KEL	1130	4.1	16	592	3	362	132	142	362	131		156		64	66	B 42X	B 42S	10-58	
635	KEL	1080	4.8	17	600	2	165		95	32	165		181	5	1	412	B 29S	B 29S	7-62	
636	KEL	1333	4.3	40	603	2	125		5	43	99			3	209	43	B 25S	B 25D	7-62	
637	KEE	276	9.5	30	581	3	130		6	313	5		162	7	152	180	B 64X	B 64D	6-67	
638	KEL	1068	3.9	133	640		43		43	319	251		195		67	138	B 20S	B 20X	2-65	
639	KEL	1050	4.1	37	643	2	99	49	49		268		49		44	285	B 49X	B 49X	12-63	
640	KEE	1158	4.0	8	634	4	380	120	120	380	44		253	7	9	223	B 29D	B 29S	5-67	
641	LWD	1110	4.5	50	628	3	57		57	153	98		125		25	260	B 3X	B 3D	10-64	
642	LWD	310	3.7	38	621	3	40		8	348	235		330		22	308	B 32X	B 32X	2-62	

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor		DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column		FRONT	DIFF.		FRONT		REAR
643	LWD	1999	3.8	105	633	4 26		26		37	85		324	45	35	B 31X	B 31X	11-64	
644	LWD	1467	4.2	183	635	37		37		39	126		129	37	10	B 13D	B 13D	11-64	
645	LWD	1634	3.5	52	651	159		8 8		60	11		36	5 159	175	B 36S	B 36X	6-62	
646	LWD	2759	4.3	59	656	4 7		8 7		7	8		156	10 7	446	11X	49D	6-62	
647	LWD	2622	4.1	119	644	3 49		49		176	56		229	49	391	B 37S	B 37D	8-62	
648	LWD	2182	3.6	16	638	2 178		178		25	166		275	68	275	B 11D	B 11X	11-62	
649	LWD	2270	3.8	23	629	87		42		291	74			67	4	B 10X	B 10S	3-64	
650	LWD	2158	3.9	58	645	144		87		333	175		304	31	170	B 42X	B 42X	8-65	
651	LWD	1857	4.0	77	560	3 131		131		360	214		199	70	225	B 67D	B 67S	3-62	
652	LWD	2028	3.5	22	559	2 193		95		43			96	38	164	B 23D	B 23D	5-66	
653	LWD	1723	3.6	55	537	2 157		103			44		269	35	317	1D	47X	7-64	
654	LWD	1197	3.6	79	570	2 296	172	103		230	40		202	4 177	89	B 1X	B 1X	10-62	
655	LWD	2142	3.4	20	574	3 126		6 3		244	122		63	29	191	B 63S	B 63S	10-65	
656	LWD	2358	4.2	42	581	2 170		44		385	255		264	5 47	157	B 15D	B 15D	7-65	
657	LWD	1997	4.1	105	647	3 64		3		212	243		116	6 64	122	B 48X	B 48X	1-65	
658	LWD	2253	3.8	17	641	2 167		5 1		47	37		49	4	114	B 49X	B 49X	5-59	
659	LWD	2346	3.8	42	616	3 140		4 18		49	40			56	155	B 13S	B 13X	5-65	
660	LWD	2149	3.9	51	631	3 150		7 8		33	36		256	24	231	B 26D	B 26S	10-65	
661	LWD	2365	4.1	63	625	4 67		67		40	124			10 3	89	B119X	B119S	1-65	
662	LWD	2294	4.0	47	618	619	211	84		206	40			99	254	B 8X	B 8S	5-65	
663	LWD	1843	3.5	153	641	2 39		39		237	21		151	20	139	B 46X	B 46X	2-66	
664	LWD	2491	3.7	15	632	3 149		7 2		42	392		77	6 135	236	B 23X	B 23S	4-64	
665	LWD	2182	3.6	77	645	3 62		62			149		262	62	137	B 42X	B 42D	3-64	
666	LWD	1890	3.7	157	628	4 66		7 17		181	19		73	66	93	B 12D	B 12D	9-65	
667	LWD	2008	3.3	83	631	3 184	45	45		371	276		250	8 19	475	B 45D	B 45X	5-65	
668	LWD	1854	3.3	14	633	633	188	5 1		447	42		151	5 186	231	B 39D	B 39D	12-64	
669	LWD	1780	3.6	68	614	2 82		57		437	45		252	5 10	334	B 4S	B 4X	3-64	
670	LWD	1803	4.5	150	658	2 145		120		258	14		70	22	118	B 22X	B 22D	1-65	
671	LWD	2268	4.2	30	657	657	134	4		7	59		221	252	3	B 6S	B 6D	10-64	
672	LWD	2442	3.8	59	641	2 46		46		424	267		219	284	528	B 42X	B 42X	12-65	
673	LWD	1954	4.0	22	634		212	64		436	255		100	4 10	88	B 37D	B 37S	4-66	
674	LWD	1798	3.6	26	546	2 322	140	2		14	29			6 1	293	18S	65D	4-61	
675	LWD	1434	3.9	57	538	2 170	66	66		16	137		243	10	369	B 14S	B 14X	10-65	
676	LWD	2294	3.9	24	533	3 229	17	117	24	319	198			19	358	B 67D	B 67X	12-64	
677	LWD	1747	3.6	22	537	3 137		65		29	38		112	3 142	201	B 23D	B 23D	10-62	
678	LWD	1634	3.6	35	543	126		69		406	12		223	9 29	355	B 50X	B 50X	9-57	
679	LWD	1242	7.7	112	534	3 152	11	4 11		288	138		115	52	443	B 2X	B 2D	3-62	
680	LWD	2371	3.5	24	548	2 144		16		35	42			3 264	360	B 21D	B 21D	4-62	
681	LWD	2208	4.6	69	529	4 103		9 5		288	59		73	9 22	451	B 15X	B 15X	5-61	
682	LWD	1158	4.5	25	530	3 194		9 6		321	216		169	44	309	B 51S	B 51S	12-64	
683	LWD	2208	3.1	59	555	2 141		115		38	16		352	65	411	B 18D	B 18S	6-65	
684	LWD	386	3.6		515	2 90		90		374	186		75	53	335	B 36X	B 36X	7-65	

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR	
686	LWD	1066	3.8	24	528	3	170		71	50	190		144	34	324	1D	42S	12-51
687	LWD	1878	4.1	67	531		96		16	405	134		110	5	140	B 18S	B 18D	4-65
688	LWD	2158	4.3	37	530	2	168		63	168	18		386	63	277	B 28X	B 28S	7-66
689	LWD	2072	3.7	42	521	2	165		79	387	189		85	5	212	B 28D	B 28S	6-62
690	LWD	1699	4.1	42	529	2	134		4	49	192		240	6	15	B 66S	B 66D	4-62
691	LWD	2059	4.4	47	528	4	68		68	319	158		158	4	261	B 16X	B 16X	2-65
692	LWD	2147	4.1	39	512	2	153		31	45	181		119	24	389	B 56D	B 56D	2-59
693	LWD	1772	3.8	26	528	3	7		6	140	34		189	66	246	B 57X	B 57S	3-62
694	LWD	1996	4.2	32	529	2	235	102	73	44	14		160	103	140	B 6S	B 6X	4-66
695	LWD	2328	4.5	45	516	2	96		67	65	182		228	55	299	B 46X	B 46S	12-58
696	LWD	1822	4.6	56	519		142		60	275	180		1	52	92	B 1X	B 1S	7-66
697	LWD	2165	3.8	44	524			216	51	394	17		199	124	116	B 24D	B 96X	2-66
698	LWD	849	3.7	38	531	2	130		3	39	177		174	8	9	B 65S	B 65D	10-64
699	LWD	2426	3.7	32	521	2	119		33	59	154		145	47	85	B 19X	B 19X	3-66
700	LWD	2466	3.9	57	533	2	182		64	57	128		260	7	23	B 27X	B 27D	7-58
800	BEV	1609	4.4	134	65											B 14S	B 14X	N 4-65
801	BEV	1681	5.3	70	67											B 15X	B 15X	N 4-65
802	BEV	1658	4.1	150	65											B 13X	B 13X	N 4-65
803	BEV	1693	5.0	211	65											B 14X	B 14X	N 4-65
804	BEV	1819	5.1	303	67											B 13X	B 13X	N 4-65
1400	LWD	2480	4.1	34	568		145	70	42	37			252	104	30	B 12S	B 12S	11-60
1401	LWD	1170	6.1	130	576		30		30	6		297	247	8	6	B 56X	B 56S	3-61
1403	LWD	2278	4.6	91	532	3	7		8	239	13		213	45	47	B 18D	B 18D	9-65
1404	LWD	2773	5.7	106	549		66		66	50			18	33	249	B 18D	B 18X	7-65
1405	LWD	2585	4.9	43	540		99		99	5			109	36	190	B 19X	B 19D	4-62
1406	LWD	2664	5.3	102	567		351	13	7	46	265		113	46	117	B 19S	B 19D	3-62
1407	LWD	2351	4.9	156	552		70		70	34	189		114	74	296	B 78X	B 78X	8-65
1408	NAV	3679	5.8	15	566		90		19	56			296	77	96	56X	47D	9-65
1409	NAV				534		305	28	4	2			34	89	252	B 34X	B 34D	4-62
1411	NAV	2573	5.4	49	581		135	71	46	21			4	48	137	B 4X	B 4D	7-65
1413	NAV	2595	5.6	38	561		86		86	33	213		66	53	130	66X	82X	1-62
1416	NAV	2233	4.6	22	502	3	104		79	13			223	40	24	B 13D	B 13D	1-48
1418	NAV	2755	4.8	57	426		62		62	36			107	86	61	B 39X	B 39D	N 1-48
1419	NAV	2078	5.1	61	409	4	21		6	1	243		128	5	19	B 66S	B 66S	5-67
1422	NAV	2780	5.3	126	400		68		68	31	114		228	69	252	B 20S	B 20X	8-61
1424	NAV	2527	5.9	39	394	2	377	119	3	207			6	80	76	B 6X	B 6X	3-65
1426	NAV	24			403	2	87		87				138	32	147	B 59S	B 59S	6-67
1428	NAV	2304	4.7	64	408	4	353	203	97	15	134			6	2	B 52D	B 52D	7-65
1429	NAV	3229	6.1	58	420	2	259	132	58	1			125	57	265	B 45X	B 45X	N 1-48
1432	NAV	1854	4.3	80	414		61		61	22			69	80	130	B 1X	B 1X	11-58
1434	NAV	2484	4.4	77	555		419	36	36	260	186		87	4	422	B 46S	B 46S	2-66

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE													PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE			
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR		
1436	NAV	2133	4.5	62	571	263	139	4	9	230			49	7	9	216	B 49D	B 49S	10-62
1441	NAV	1056	6.0	176	606	137			105	35		239	72		104	124	B 72S	B 72X	6-62
1443	NAV	2596	5.6	51	605	139			26	71		235	64		47	252	B 64D	B 64X	11-61
1444	NAV	1836	5.3	59	601	85			85			153	85		58	145	B 1D	B 1S	8-61
1446	NAV	1878	4.3	25	587	144			77			174	85		53	91	B 85X	B 85X	2-65
1448	NAV	1584	5.5	226	601	48			48	2			292		57	72	B 76S	B 76D	1-62
1451	NAV	2718	5.0	42	603	177	19		14	258			299		117	195	B 78X	B 78D	11-58
1454	NAV	2491	5.0	54	602	292	40		40	10		136	241	5	11	224	B 39X	B 39X	1-57
1455	NAV	1448	4.4	65	591	192	52		52			154	186		45	46	39S	60D	6-67
1456	NAV	1087	5.5	77	581	106			106	68		112	65	6	2	221	B 17D	B 17D	3-62
1457	NAV	1068	5.9	82	556	126			76	6			59		2	227	B D	B D	7-65
1458	NAV	1937	6.0	53	563	4	16	6	16	19			281		40	183	B 20D	B 20X	6-67
1460	NAV	1802	4.3	18	570	121			95	242			290		88	428	B 47S	B 47D	2-62
1462	NAV	2582	4.6	46	546	101			101	10		166	133		51	62	B 33X	B 33S	10-65
1463	NAV	3148	5.5	59	543	76			76	321			182		52	56	B 48X	B 48X	6-61
3000	BEV	4044	5.3	101	114									4	10		B 11X	B 11S	N 3-65
3001	BEV	4343	5.1	96	114									4	28		55S	6D	N 2-65
3002	BEV	3662	5.7	61	120												B 9X	B 9D	N 2-65
3003	BEV	1303	3.0	144	117									5			B 33D	B 33D	N 2-65
3004	BEV	4020	5.7	129	120												B 21X	B 21S	N 2-65
3005	BEV	3855	5.9	124	117						3						B 36X	B 36D	N 2-65
3006	BEV	4504	6.7	107	116						57						B 30X	B 30D	N 3-65
3007	BEV	3768	4.9	179	122												B 35D	B 35D	N 2-65
3008	BEV	3178	5.7	132	118									2	15		B 40X	B 40D	N 2-65
3009	BEV	5078	5.0	112	118												B 6D	B 6S	N 2-65
3010	BEV	2247	4.8	72	105												45S	2D	N 3-65
3011	BEV	3928	5.2	151	116									2	115		B 12D	B 12D	N 3-65
3012	BEV	3776	4.4	99	113						8						B 54S	B 54X	N 2-65
3013	BEV	3598	4.5	78	114									4	19		B 25X	B 25D	N 2-65
3014	BEV	3760	4.8	117	120												B 34D	B 34S	N 3-65
3015	BEV	3384	5.0	69	110									2	107		B 9X	B 9S	N 2-65
3016	BEV	4067	5.4	84	118												37X	4S	N 3-65
3017	BEV	2703	5.1	117	119												B 43X	B 43X	N 3-65
3018	BEV	3776	5.0	85	116									2	112		B 21X	B 21D	N 3-65
3019	BEV	4411	5.2	183	116						107			3	26		B 61S	B 61X	N 3-65
3020	BEV	2758	4.9	183	118												B 25X	B 25D	N 3-65
3021	BEV	4118	4.5	105	111										47		49X	5S	N 3-65
3022	BEV	4371	5.1	112	113									3	30		B 11X	B 11D	N 3-65
3023	BEV	4683	4.7	161	122												B 20D	B 20D	N 3-65
3024	BEV	2853	5.2	79	105												B 42S	B 42X	N 3-65
3025	BEV	4284	5.5	99	100									3	68		B 12X	B 12D	N 3-65
3026	BEV	4516	5.0	155	95									2	28		B 13D	B 13D	N 3-65

BUS MILEAGE DATA

PERIOD 7 ENDING JULY 15 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE										PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.		BRAKE RELINE	
								LEFT OR SINGLE	RIGHT		Box	Column					FRONT	REAR
3027	BEV	4731	5.3	168	96											B 10X	B 10D	N 3-65
3028	ARH	2203	3.7	73	93						32			37		B 40S	B 40	N 3-65
3029	ARH	2608	4.1	84	88						2					B 3X	B 3D	N 3-65
3030	ARH	2499	4.4	166	92											B 2D	B 2D	N 3-65
3031	ARH	2386	4.2	149	85						1		2	42		B 28S	B 28X	N 3-65
3032	ARH	2035	4.4	169	90											B 4X	B 4D	N 3-65
3033	ARH	2948	4.1	122	94					73						52S	4D	N 3-65
3034	ARH	2184	3.7	104	90						17					B 5D	B 5D	N 3-65
3035	ARH	2198	3.8	199	90											B 21D	B 21D	N 3-65
3036	ARH	2919	4.3	153	86						5					B 7X	B 7D	N 3-65
3037	ARH	2490	4.6	166	94											B 41X	B 41X	N 3-65
3038	ARH	653	4.5	93	86											30X	S	N 3-65
3039	ARH	2605	5.1	100	92											B 10X	B 10D	N 3-65
3040	ARH	2792	3.9	155	94						15					B 20X	B 20S	N 3-65
3041	ARH	3043	4.3	276	92						7					50S	24S	N 3-65
3042	ARH	2409	4.4	301	33								2	38		B 33X	B 33X	N 3-65
3043	ARH	2676	4.9	157	92								2			B 44S	B 44X	N 3-65
3044	ARH	2437	4.3	135	93						47			35		B 39X	B 39X	N 3-65
3045	ARH	2594	4.1	235	90						65					B 9D	B 9D	N 3-65
3046	ARH	2583	4.4	99	93											B 19S	B 19X	N 3-65
3047	ARH	2282	4.5	134	85								3	29		B 25S	B 25X	N 3-65
3048	ARH	2786	3.5	73	90						1					B 4X	B 4X	N 3-65
3049	ARH	2549	3.3	74	88						10					46S	2D	N 3-65
3050	ARH	2704	4.2	104	89						6					B 3D	B 3D	N 3-65
3051	ARH	1174	3.7	117	91								3	8		B 13X	B 13S	N 3-65
3052	ARH	2767	4.2	98	94									38		B 4X	B 4D	N 3-65
3053	ARH	2539	3.7	70	89											B 5X	B 5D	N 3-65
3054	ARH	3429	4.7	103	92									40	33	B 43X	B 43X	N 3-65
3055	ARH	3265	4.1	163	91											B 6D	B 6D	N 3-65
3056	ARH	2924	4.0	116	85											B 44S	B 44X	N 3-65
3057	ARH	2325	4.6	116	88											B 12X	B 12D	N 3-65
3058	ARH	1625	4.8	60	91									38		B 40S	B 40X	N 3-65
3059	ARH	2880	4.2	169	90										26	41X	28X	N 3-65
3060	ARH	277	.3	27	72								2	18		B 20X	B 20X	N 3-65
3061	ARH	3347	4.1	104	92						27					B 48X	B 48D	N 3-65
3062	ARH	2512	4.3	157	81											B 33S	B 33X	N 3-65
3063	ARH	3442	4.4	344	92											B 4X	B 4S	N 3-65
3064	ARH	3057	4.3	82	90											B 5D	B 5D	N 3-65
3065	ARH	2306	3.9	128	86								2	84		B 24X	B 24D	N 3-65
3066	ARH	2549	3.6	141	90											44X	16D	N 3-65
3067	ARH	2753	4.1	152	83								2	2		B 22X	B 22X	N 3-65
3068	ARH	3834	4.8	294	87						11			39		42X	29D	N 3-65

BUS MILEAGE DATA
PERIOD 7 ENDING JULY 15 1967

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE										PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.		BRAKE RELINE	
								LEFT OR SINGLE	RIGHT		Box	Column					FRONT	REAR
3069	ARH	2381	3.6	125	88						2			3 34		B 35X	B 35X	N 3-65
3070	ARH	2383	3.6	125	92						7					B 36S	B 36X	N 3-65
3071	ARH	3352	4.7	124	93											40X	27D	N 3-65
3072	ARH	2036	4.7	339	87						13			37		B 1X	B 1D	N 3-65
3073	ARH	2650	4.2	132	92						20					B 12X	B 12D	N 3-65
3074	ARH	3055	4.0	66	94											B 4X	B 4D	N 3-65
3075	ARH	2259	4.2	118	89						68			4 7		33S	16D	N 3-65
3076	ARH	2795	4.3	77	90						47			36		B 3D	B 3D	N 3-65
3077	ARH	2975	3.9	78	92											B 23D	B 23D	N 3-65
3078	ARH	3227	4.2	111	87						87			39		B 12D	B 12D	N 3-65
3079	ARH	2477	4.3	107	89									2 67		B 4D	B 4D	N 3-65
3080	ARH	3329	4.6	158	87						3					B 34X	B 34X	N 3-65
3081	ARH	2545	4.6	133	95											B 5X	B 5S	N 3-65
3082	ARH	2274	4.3	174	92					14						B 11X	B 11D	N 3-65
3083	ARH	2899	5.4	241	82											B 5X	B 5D	N 3-65
3084	ARH	3372	4.3	281	89						6					B 36X	B 36X	N 3-65
3085	ARH	2298	4.3	91	86											B 15X	B 15D	N 3-65
3086	ARH	2844	4.4	72	87											B 4D	B 4D	N 3-65
3087	ARH	2773	4.0	126	88											B 3D	B 3D	N 3-65
3088	ARH	2788	3.9	232	80									3 19		B 41X	B 41X	N 3-65
3089	ARH	1709	4.0	142	81									2 78		B 25S	B 25X	N 3-65
3090	ARH	2227	3.6	76	84						12			2 31		B 41X	B 41X	N 3-65
3091	ARH	1399	3.6	233	84									35		38S	D	N 4-65
3092	ARH	2360	4.0	196	78											B 6X	B 6D	N 3-65
3093	ARH	2728	4.0	101	91									39		B 40S	B 40X	N 3-65
3094	ARH	2246	4.4	224	80											B 13X	B 13D	N 3-65
3095	ARH	2425	4.1	142	82											B 34S	B 34X	N 3-65
3096	ARH	2452	3.8	188	85											B 14D	B 14S	N 3-65
3097	ARH	3490	4.7	81	86						5					B 31X	B 31X	N 3-65
3098	ARH	2094	4.5	130	85											B 11X	B 11X	N 3-65
3099	ARH	2862	4.3	124	83											41X	27D	N 3-65
3100	ARH	3364	4.5	90	89									37		39S	22X	N 3-65
3101	ARH	2617	8.9	237	67						44					B 33S	B 33X	N 3-65
3102	ARH	1335	3.9	74	85						42					36S	D	N 3-65
3103	ARH	1249	4.1	96	85									34		B 38S	B 38X	N 3-65
3104	ARH	2204	3.0	100	83											38X	1D	N 3-65
3105	ARH	2337	3.7	111	86											B 5X	B 5D	N 3-65
3106	ARH	2015	3.7	83	85											2X	2X	N 3-65
3107	ARH	2505	4.9	100	95									3 4		49S	4S	N 3-65
3108	ARH	2875	4.7	261	86											B 15D	B 15X	N 3-65
3109	ARH	2608	6.2	186	84											B 38X	B 38X	N 3-65
3110	ARH	2133	3.6	82	80						12					B 21X	B 21X	N 4-65

BUS MILEAGE DATA PERIOD 7 ENDING JULY 15 1967

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE										PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.		BRAKE RELINE	
								LEFT OR SINGLE	RIGHT		Box	Column					FRONT	REAR
3111	ARH	2882	5.4	169	83											B 35X	B 35X	N 4-65
3112	ARH	2979	4.6	119	85											B 5X	B 5D	N 4-65
3113	ARH	2881	4.3	960	89											B 4X	B 4D	N 4-65
3114	ARH	2334	3.8	101	86						12			32		B 37S	B 37X	N 4-65
3115	ARH	2614	4.2	84	85											B 29S	B 29X	N 4-65
3116	ARH	2283	4.2	103	89											B 38S	B 38X	N 4-65
3117	ARH	2251	4.6	375	86						20					B 38S	B 38X	N 4-65
3118	ARH	2687	4.2	89	82								3 27			39X	3D	N 4-65
3119	ARH	2903	4.2	223	82								2 14			B 11X	B 11D	N 4-65
3120	ARH	1817	4.0	181	78											B 45S	B 45S	N 4-65
3121	ARH	2538	4.1	141	86											B 35X	B 35X	N 4-65
3122	KED	2977	4.3	50	89					87						B 56S	B 56X	N 4-65
3123	KED	1646	3.8	149	89								2 36			44S	D	N 4-65
3124	KED	3118	4.0	76	91								2 43			B 51S	B 51S	N 4-65
3125	KED	2924	4.7	108	84								39			B 41X	B 41X	N 4-65
3126	KED	1675	4.1	167	88						18					44X	D	N 4-65
3127	KED	2908	3.8	85	86											B 7X	B 7D	N 4-65
3128	KED	2726	3.9	118	93											B 38X	B 38X	N 4-65
3129	KED	2783	4.0	139	87						62					B 39S	B 39X	N 4-65
3130	KED	2942	4.2	98	87											B 6D	B 6D	N 4-65
3131	KED	3197	4.4	94	89											B 39X	B 39X	N 4-65
3132	KED	3020	3.9	137	86											B 37X	B 37S	N 4-65
3133	KED	2075	3.6	43	77						1					B 33X	B 33X	N 4-65
3134	KED	2634	3.8	87	88											B 55X	B 2D	N 4-65
3135	KED	3048	4.7	121	88											B 4X	B 4D	N 4-65
3136	KED	1659	4.0	82	86											44X	D	N 4-65
3137	KED	2953	4.0	123	91											B 41S	B 41X	N 4-65
3138	KED	2494	4.6	146	87					51						B 50S	B 50D	N 4-65
3139	KED	2572	4.0	160	81						2					B 47S	B 47S	N 4-65
3140	KED	2878	4.3	65	80											B 19X	B 19S	N 4-65
3141	KED	2828	4.0	404	84											B 54X	B 54X	N 4-65
3142	KED	3506	3.8	106	83					13						B 41S	B 41X	N 4-65
3143	KED	3150	4.3	68	79											B 7D	B 7D	N 4-65
3144	KED	2833	4.4	83	86								2 16			B 3X	B 3D	N 4-65
3145	KED	3181	3.9	72	79											B 38S	B 38X	N 4-65
3146	KED	2766	4.0	50	83									2		B 14X	B 14D	N 4-65
3147	KED	3104	3.9	221	82									75		B 12X	B 12S	N 4-65
3148	KED	2748	3.7	45	83											46X	2X	N 4-65
3149	KED	2657	3.7	204	81											B 22X	B 22D	N 4-65
3150	KED	2666	4.1	86	79											B 16D	B 16D	N 4-65
3151	KED	2924	4.5	83	82											B 5X	B 5X	N 4-65
3152	KED	3148	4.0	87	87											B 9X	B 9S	N 4-65

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT		REAR
3153	KED	2936	4.0	122	80									40		B 42S	B 42X	N 5-65
3154	KED	2932	4.4	97	82											B 10D	B 10S	N 5-65
3155	KED	3066	4.2	105	83											B 15X	B 15D	N 5-65
3156	KED	2849	3.9	61	80											44S	23D	N 5-65
3157	KED	3031	3.7	137	79											B 28D	B 28D	N 5-65
3158	KED	2981	4.1	64	83											B 15X	B 15D	N 5-65
3159	KED	2871	4.1	114	80								2	27		B 40S	B 40X	N 5-65
3160	KED	1684	3.2		77					76	45					B X	B S	N 5-65
3161	KED	2921	4.4	51	80											42X	18D	N 5-65
3162	KED	3023	4.1	94	79											30X	30D	N 5-65
3163	KED	3017	4.0	251	81											B 49X	B 49X	N 5-65
3164	KED	2661	4.1	126	78								3	77		B 13D	B 13D	N 5-65
3165	KED	3077	4.4	118	77											B 31S	B 31X	N 5-65
3166	KED	3067	4.1	71	82								2	56		B 13X	B 13D	N 5-65
3167	KED	2577	4.0	161	79											B 10X	B 10D	N 5-65
3168	KED	2879	4.8	110	79									39		B 40S	B 40X	N 5-65
3169	KED	1633	4.1		76								3	36		B 5X	B 5D	N 5-65
3170	KED	3109	3.9	194	79											B 15X	B 15D	N 5-65
3171	KED	4017	4.2	95	81											B 7D	B 7S	N 5-65
3172	KED	3132	4.1	58	79											B 7X	B 7X	N 5-65
3173	KED	2623	4.2	374	79											B 11X	B 11X	N 5-65
3174	KED	3255	5.1	125	82											B 16X	B 16D	N 5-65
3175	KED	3179	4.7	151	81											B 6X	B 6X	N 5-65
3176	KED				77									38		B 40S	B 40X	N 5-65
3177	KED	2849	4.1	60	78											B 3X	B 3X	N 5-65
3178	KED	2377	3.9	99	75									35		B 36S	B 36X	N 5-65
3179	KED	3061	3.6	85	83									42		B 45S	B 45X	N 5-65
3180	KED	3295	4.2	106	78											48X	4S	N 5-65
3181	KED	2937	3.4	133	77											43S	20D	N 5-65
3182	KED	3231	4.6	89	76					15						43X	3D	N 5-65
3183	KED	2849	4.0	284	79											B 19X	B 19D	N 5-65
3184	KED	3423	3.9	64	81											B 8X	B 8D	N 5-65
3185	KED	2776	4.6	138	80								2	3		38S	3D	N 6-65
3186	KED	3999	5.6	111	76											B 5X	B 5D	N 6-65
3187	KED	3042	4.0	138	79											B 13X	B 13D	N 6-65
3188	KED	3213	3.9	100	83								2	10		31X	31S	N 6-65
3189	KED	3520	4.0	34	75											B 38S	B 38X	N 6-65
3190	KED	3091	3.7	79	81											49S	30S	N 4-65
3191	KED	2839	4.8	177	85											B 22X	B 22S	N 4-65
3192	KED	2933	4.4	162	85											B 23D	B 23D	N 4-65
3193	KED	2474	4.5	137	80											B 5X	B 5S	N 4-65
3194	KED	2888	4.4	36	77								2	72		B 6X	B 6D	N 4-65

BUS MILEAGE DATA

PERIOD 7 ENDING JULY 15 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-BING	HEAD		Radiator or Wheel Flack	STEERING		FRONT AXLE	Connector or Transmission Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT		REAR
3195	KED	2699	4.2	87	83						7					B 6X	B 6S	N 4-65
3196	KED	3318	4.0	150	82											B 9X	B 9D	N 4-65
3197	KED	2806	4.1	90	78											B 8X	B 8D	N 4-65
3198	KED	2890	4.3	80	80											B 2X	B 2D	N 4-65
3199	KED	3108	3.8	75	84											B 41S	B 41X	N 4-65
3200	KED	2943	4.8	294	82											B 12X	B 12S	N 4-65
3201	KED	3145	4.0	149	78											B 7X	B 7D	N 4-65
3202	KED	3682	4.8	102	84											B 24S	B 24S	N 4-65
3203	KED	3706	4.3	105	80											48S	4S	N 4-65
3204	KED	2673	3.9	76	83								3	45		B 4X	B 4D	N 4-65
3205	KED	3634	4.3	113	83											B 15X	B 15D	N 4-65
3206	KED	2745	4.4	686	83								3	10		55S	22D	N 4-65
3207	KED	3218	4.0	107	81											B 10X	B 10S	N 4-65
3208	KED	3297	4.1	113	82											B 19X	B 19D	N 4-65
3209	KED	3373	4.1	198	85											42X	24D	N 4-65
3210	KED	3190	4.1	86	79								2	44		B 12X	B 12D	N 4-65
3211	KED	3132	4.4	313	63						39		2	12		B 11X	B 11D	N 4-65
3212	KED	2973	4.4	228	81											B 8X	B 8X	N 4-65
3213	KED	3226	3.6	124	82											B 11X	B 11S	N 4-65
3214	KED	2918	4.0	182	81									39		41S	3X	N 4-65
3215	KED	2557	4.3	142	81											50S	18S	N 4-65
3216	KED	2986	4.3	213	78											19X	19S	N 4-65
3217	KED	2645	4.0	110	79						7		2	35		B 2D	B 2S	N 4-65
3218	KED	2703	4.0	128	81											45S	36X	N 4-65
3219	KED	3207	4.2	82	85											49S	31D	N 4-65
3220	KED	2305	3.9	104	83											B 40S	B 40X	N 4-65
3221	KED	2820	4.1	564	82											B 10X	B 10D	N 4-65
3222	KED	2383	3.6	158	80											B 6X	B 6D	N 4-65
3223	KED	2064	2.9	66	84								2	53		B 12X	B 12D	N 4-65
3224	KED	2966	4.7	128	79			2	3				2	38		B 9X	B 9D	N 4-65
3225	KED	3570	4.0	91	80											B 10X	B 10D	N 5-65
3226	KED	1946	4.2	88	80											B X	B X	N 5-65
3227	KED	3106	4.3	103	81											B 9D	B 9D	N 5-65
3228	KED	3002	3.8	100	78						5					B 20X	B 20D	N 5-65
3229	KED	2894	4.1	93	82											44X	3D	N 5-65
3230	KED	2564	4.4	641	80								2	41		B 2X	B 2D	N 5-65
3231	KED	2981	4.2	175	80								3	26		B 6D	B 6D	N 5-65
3232	KED	2290	3.6	88	81											B 38S	B 38X	N 5-65
3233	KED	2776	4.1	111	84											B 16X	B 16D	N 5-65
3234	KED	2674	4.2	148	80											B 38X	B 38X	N 5-65
3235	KED	2548	4.0	91	79								3	2		B 2X	B 2D	N 5-65
3236	KED	527	.8	19	81								3	2		39S	2D	N 5-65

BUS MILEAGE DATA
PERIOD 7 ENDING JULY 15 1967

PAGE 19

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE										PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.		BRAKE RELINE	
								LEFT OR SINGLE	RIGHT		Box	Column					FRONT	REAR
3237	KED	2849	3.6	129	84									42		45X	3D	N 5-65
3238	KED	3275	4.1	112	78									3 28		B 10X	B 10D	N 5-65
3239	BEV	3127	5.5	284	73									3 43		B 17X	B 17D	N 8-65
3240	BEV	1674	3.6	128	67											B 32S	B 32S	N 4-65
3241	BEV	1621	4.0	124	70											B 30S	B 30X	N 4-65
3242	BEV	1666	4.3	138	68											B 25X	B 25X	N 4-65
3243	BEV	1507	3.2	94	69											B 31S	B 31X	N 4-65
3244	BEV	1399	3.5	174	67											36S	14D	N 4-65
3300	BEV	4436	5.1	211	63						17			2 46		B 17X	B 17X	N 4-66
3301	BEV	4270	4.5	305	65						18			4 39		B 22S	B 22X	N 4-66
3302	BEV	3635	4.4	181	66									2 62		B 33S	B 33S	N 4-66
3303	BEV	1791	1.6	105	60						14			3 51		26S	2D	N 4-66
3304	BEV	835	1.0	92	54									3 53		B 15S	B 15X	N 4-66
3305	BEV	5150	4.5	97	58						23			2 51		B 12S	B 12X	N 4-66
3306	BEV	3498	4.4	583	66						17			4 1		B 14S	B 14X	N 4-66
3307	BEV	4404	4.9	169	67						16			5 17		B 14X	B 14X	N 4-66
3308	BEV	4149	5.4	345	66						27			2 63		B 16S	B 16X	N 4-66
3309	BEV	4249	4.6	169	65						18			2 49		B 16X	B 16X	N 4-66
3310	BEV	3856	4.7	154	65					1	8			2 11		B 25S	B 25X	N 4-66
3311	BEV	2911	4.1	207	66						35			3		B 11X	B 11X	N 4-66
3312	BEV	3627	5.0	190	64									3 3		31S	3D	N 4-66
3313	BEV	4954	5.0	275	67									2 58		B 25X	B 25X	N 4-66
3314	BEV	2673	5.7	133	61						13			3 49		39S	39X	N 4-66
3315	BEV	4156	4.8	86	62						13			5 46		B 17X	B 17X	N 4-66
3316	BEV	4564	4.6	182	63						15			3 49		B 31X	B 31X	N 4-66
3317	BEV	4760	4.4	148	62									5 26		B 18S	B 18X	N 4-66
3318	BEV	4220	5.2	136	66						17			2 62		B 20X	B 20X	N 4-66
3319	BEV	4333	5.4	228	65									2 60		B 30X	B 30X	N 4-66
3320	BEV	4409	4.7	191	66						14			2 60		B 21S	B 21X	N 4-66
3321	BEV	4004	4.7	174	66						26			4 37		B 24X	B 24X	N 4-66
3322	BEV	4975	5.1	292	61									3 37		B 13S	B 13X	N 4-66
3323	BEV	4213	4.4	120	64					54	18					B 21S	B 21X	N 4-66
3324	BEV	4845	4.7	242	65									5 21		B 18S	B 18X	N 4-66
3325	BEV	4595	5.1	353	63						10			6 17		B 21S	B 21X	N 4-66
3326	BEV	4258	4.8	304	67									4 21		B 29X	B 29X	N 4-66
3327	77	4969	5.3	310	57									3 25		B 6S	B 6X	N 4-66
3328	77	3573	4.3	83	63									2				N 4-66
3329	77	4204	3.7	420	58									4 27				N 6-66
3330	77	2575	4.0	117	60									3 4				N 4-66
3331	77	4779	5.3	164	59									5 11		B 11S	B 11X	N 4-66
3332	77	5339	5.4	172	63									2 52				N 4-66
3333	77	3132	4.1	130	59									2 17		36S		N 4-66

BUS MILEAGE DATA

PERIOD 7 ENDING JULY 15 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE										PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.		BRAKE RELINE	
								LEFT OR SINGLE	RIGHT		Box	Column					FRONT	REAR
3334	77	5271	6.2	146	56									4 11				N 4-66
3335	77	4108	5.4	216	54									4 13	B 4X	B 4X	N 4-66	
3336	77	4181	4.7	232	54									3 9		37X	N 4-66	
3337	77	3492	3.1	50	62									2 50			N 4-66	
3338	77	4708	4.4	168	58									3 11	B 18X	B 18X	N 4-66	
						5 253	525	28 500	482	948				3 26			N	
3340	77	3649	4.8	228	58						18				B 15S	B 15X	N 4-66	
3341	77	4598	4.5	117	61									2 12	B 4S	B 4X	N 4-66	
3342	77	5008	4.8	135	65									2 19			N 4-66	
3343	77	4589	4.1	89	63										B 19S	B 19X	N 4-66	
3344	77	4236	4.2	176	57									3 17	B 5S	B 5X	N 4-66	
3345	77	4902	4.5	153	63										B 15S	B 15X	N 4-66	
3346	77	4144	4.3	81	60	2 25		2 25	2 25					2 48			N 4-66	
3347	77	3459	3.8		63												N 4-66	
3348	77	3222	4.4	82	57									2 9			N 4-66	
3349	77	3070	4.2	383	57									4 8	B 20S	B 20X	N 4-66	
3350	77	5641	5.6	176	60										B 16S	B 16X	N 4-66	
3351	77	5109	5.9	232	61									2 64	B 8S	B 8X	N 6-66	
3352	77	3829	4.2	239	61										B 6X	B 6X	N 4-66	
3353	77	1793	4.9	149	56									6 10	B 2S	B 2X	N 6-66	
3354	77	3464	5.0	346	63									2 14	B 2X	B 2X	N 5-66	
3355	77	4285	3.6	214	58										B 13S	B 13X	N 5-66	
3356	77	4070	4.0	53	61									2 9	B 22X	B 22X	N 5-66	
3357	77	5298	5.0	165	63									2 23	B 6X	B 6X	N 5-66	
3358	77	4678	5.0	212	51						23			2 5			N 6-66	
3359	77	4281	3.8	214	64										B 21X	B 21X	N 6-66	
3360	77	5372	5.3	92	61						27				B 17X	B 17X	N 5-66	
3361	77	4955	4.9	137	60									2 49	B 12S	B 12X	N 6-66	
3362	77	3965	4.9	136	62						23			2 15			N 5-66	
3363	77	4958	4.5	145	64									2 9	B 13X	B 13X	N 5-66	
3364	77	4847	4.9	255	56									2 44			N 6-66	
3365	77	4239	5.7	605	60									2 20	B 4X	B 4X	N 5-66	
3366	77	4620	6.1	165	61									2 18	B 11X	B 11X	N 6-66	
3367	77	4776	5.3	265	63									2 62	B 16X	B 16X	N 6-66	
3368	ARH	1691	4.4	563	28						8						N 6-66	
3369	ARH	1970	4.3	281	29									2 11			N 6-66	
3370	ARH	2023	4.4	337	28												N 6-66	
3371	ARH	1786	3.8	893	25						7						N 6-66	
3372	ARH	2040	4.1	1020	28												N 6-66	
3373	ARH	2242	5.3	249	28									2 3			N 6-66	
3374	ARH	2235	4.7	279	28												N 6-66	
3375	ARH	2112	4.9	528	29						10						N 7-66	

[illegible]

PERIOD 7 ENDING JULY 15 1967

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR	
3418	LWD	3940	4.4	562	43											B 6X	B 6X	N 6-66
3419	LWD	3789	4.1	315	47											B 5X	B 5X	N 6-66
3420	LWD	3655	4.5	203	49											B 17X	B 17X	N 6-66
3421	LWD	1682	4.2	70	48													N 6-66
3422	LWD	4007	4.1	200	43													N 6-66
3423	LWD	3952	4.2	1317	46								2 40			B 15X	B 15X	N 6-66
3424	LWD	3905	4.1	244	47								3 5			B 10X	B 10X	N 6-66
3425	LWD	3273	3.9	136	48								2 37			B 3X	B 3X	N 6-66
3426	LWD	2751	4.5	343	46											B 2X	B 2X	N 6-66
3427	LWD	1796	3.8	74	46								2 32			B X	B X	N 6-66
3428	LWD	3131	4.2	149	47											B 2X	B 2X	N 6-66
3429	LWD	2823	4.1	705	46											\$		N 6-66
3430	LIM	3768	3.9	221	39								4 14				4X	N 6-6
3431	LIM	3029	4.1	432	39								2 13				3X	N 6-66
3432	LIM	3374	4.1	306	51													N 6-66
3433	LIM	2443	4.4	305	33								4 19					N 6-66
3434	LIM	2012	4.5	503	27	2	4		2	4	2	4	2			3 6		N 7-66
3435	LIM	2348	4.2	213	36											2 16		N 6-66
3436	LIM	1832	4.3	610	30													N 6-66
3437	LIM	2801	4.5	350	32													N 6-66
3438	LIM	2074	4.8	115	34													N 6-66
3439	LIM	1721	4.5	156	31													N 6-66
3440	LIM	2822	4.7	117	33								6		2 10			N 8-66
3441	LIM	2098	4.4	161	28													N 6-66
3442	LIM	2195	4.7		31								18					N 6-66
3443	LIM	2615	4.4	373	30										2 10			N 6-66
3444	LIM	2245	4.4	102	28													N 6-66
3445	LIM	2500	4.8	312	29										3 9			N 7-66
3446	LIM	2371	4.6	395	29													N 7-66
3447	LIM	2730	4.8	273	28										2 10			N 7-66
3448	LIM	1820	3.4	260	28													N 8-66
3449	LIM	2288	4.4	457	24													N 8-66
3500	ARH	892	5.9	223	30								11					N10-

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM-ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT		REAR
3510	ARH	3092	4.3	309	29													N10-66
3511	ARH	3300	5.2	165	31						8							N10-66
3512	ARH	3969	4.1	248	29						8							N10-66
3513	ARH	3383	4.6	225	28						7							N10-66
3514	ARH	1359	4.0	104	29											S	X	N10-66
3515	ARH	3222	4.1	292	29													N10-66
3516	ARH	3390	4.7	339	29						3							N10-66
3517	ARH	2207	4.4	200	29											S	X	N12-66
3518	ARH	2695	4.6	207	26						5							N10-66
3519	ARH	2215	3.8	221	24												3X	N12-66
3520	ARH	3312	4.2	100	29						10							N10-66
3521	ARH	3028	4.4	275	27													N10-66
3522	ARH	2704	3.5	142	30													N10-66
3523	ARH	2912	4.4	194	32													N10-66
3524	ARH	4113	4.4	100	29													N10-66
3525	ARH	2726	4.8	227	31													N10-66
3526	ARH	3613	4.2	157	29													N12-66
3527	ARH	3030	4.9	233	29													N12-66
3528	ARH	2328	3.1	129	25													N10-66
3529	ARH	3814	4.4	115	31						8				3			N10-66
3530	ARH	3766	4.4	139	20									2	15			N10-66
3531	ARH	2670	4.0	178	28													N10-66
3532	ARH	1646	4.3	91	26													N10-66
3533	ARH	3110	5.1	194	30						15							N10-66
3534	ARH	3461	4.0	144	27						3							N12-66
3535	ARH	3981	4.1	124	29						4			3	19			N10-66
3536	ARH	3646	4.5	158	25													N12-66
3537	ARH	3083	4.8	106	28													N12-66
3538	ARH	2394	4.3	199	29													N12-66
3539	ARH	2723	4.0	170	29													N12-66
3540	ARH	3183	4.3	244	27						1							N12-66
3541	ARH	2853	5.0	475	28													N12-66
3542	ARH	2180	3.8	77	25						8			4	5			N12-66
3543	ARH	2826	4.2	141	28						14							N12-66
3544	ARH	3275	4.4	96	29						4							N12-66
3545	ARH	3756	4.5	536	25				2	16	2	16						N12-66
3546	ARH	3103	4.3	163	28													N12-66
3547	ARH	2976	4.1	228	24													N12-66
3548	ARH	3069	5.3	219	26						6							N12-66
3549	ARH	2889	4.2	137	26													N12-66
3550	ARH	2169	4.3	166	24						3							N12-66
3551	ARH	3210	4.2	214	25													N12-66

BUS NO.	LOCATION	CURRENT PERIOD				ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED
		MILES	FUEL MPG	OIL MPP	REBUILT ENGINE		ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR	
3552	ARH	2863	3.9	79	27						7							N12-66
3553	ARH	3324	4.7	302	29													N12-66
3554	ARH	3161	3.9	287	26						6							N12-66
3555	ARH	2906	4.9	103	24													N12-66
3556	ARH	2733	4.0	105	23						5							N12-66
3557	ARH	2989	3.7	373	27													N12-66
3558	ARH	3430	4.4	1143	23						14							N12-66
3559	ARH	3351	3.9	152	24													N12-66
3560	ARH	2976	4.4	496	25													N12-66
3561	ARH	3977	4.4	361	25						7		2	14				N12-66
3562	ARH	3047	4.2	761	21													N12-66
3563	ARH	3456	4.8	314	27													N12-66
3564	ARH	3241	4.1	249	26						13							N12-66
3565	ARH	2363	3.8	196	23						2							N12-66
3566	ARH	3777	4.7	251	27													N12-66
3567	ARH	2997	4.0	85	26													N12-66
3568	ARH	3257	4.3	250	23						7							N12-66
3569	ARH	1407	4.5	234	25										B 1S	B 1X		N12-66
3570	ARH	2839	4.1	218	23													N12-66
3571	ARH	3293	3.8	156	24						3							N12-66
3572	ARH	3509	4.5	250	24						10							N12-66
3573	ARH	3084	5.6	342	23													N12-66
3574	ARH	2836	4.0	97	26													N12-66
3575	ARH	3540	4.6	321	23								2	17	16			N12-66
3576	ARH	3319	4.7	144	24													N12-66
3577	ARH	2976	3.7	78	23													N12-66
3578	ARH	2850	4.6	142	26						10							N12-66
3579	ARH	2768	4.5	922	25						2		2	2				N12-66
3580	ARH	2463	4.0	76	23								2	16				N12-66
3581	ARH	3103	4.4	155	24						8							N12-66
3582	ARH	3201	4.6	94	25						11		2	16				N12-66
3583	ARH	3109	4.4	135	23						7							N12-66
3584	ARH	3895	5.1	649	24								2	11				N12-66
3585	ARH	3086	4.3	514	22						9							N12-66
3586	ARH	4662	4.6	291	27													N12-66
3587	ARH	2367	3.4	98	24													N12-66
3588	ARH	3559	4.7	254	25						9							N12-66
3589	ARH	3118	4.8	259	20													N12-66
3590	ARH	3277	4.7	252	21						8							N12-66
3591	ARH	3295	4.4	149	23						9				22			N12-66
3592	ARH	2678	4.3	76	22													N12-66
3593	ARH	2960	5.2	269	22													N12-66

BUS MILEAGE DATA

PERIOD 7 ENDING JULY 15 1967

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM-ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor		DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column		2	1		FRONT		REAR
3594	ARH	3060	3.7	36	24													N12-66	
3595	ARH	2287	3.6	175	24													N12-66	
3596	ARH	3568	4.9	209	23													N12-66	
3597	ARH	3960	4.5	180	25													N12-66	
3598	ARH	2559	3.2	213	23													N12-66	
3599	ARH	2715	4.5	129	22													N12-66	
3600	ARH	3882	4.2	155	24													N12-66	
3601	ARH	2821	4.6	104	23													N12-66	
3602	ARH	4330	4.6	333	23						8							N12-66	
3603	ARH	2586	4.3	103	25						1							N12-66	
3604	ARH	3323	4.5	255	17													N12-66	
3605	ARH	3240	4.1	87	23													N12-66	
3606	ARH	2783	4.1	115	24						2							N12-66	
3607	ARH	3832	3.9	136	25													N12-66	
3608	ARH	2522	4.6	1261	20										20			N12-66	
3609	ARH	3183	3.9	198	22						11							N12-66	
3610	ARH	2979	4.4	372	24													N12-66	
3611	ARH	2625	4.3	69	21						1							N12-66	
3612	ARH	3189	4.8	122	22						4							N12-66	
3613	ARH	3524	4.8	167	21						11			14				N12-66	
3614	ARH	3931	4.5	280	25								2	1				N12-66	
3615	ARH	3829	4.8	225	23													N12-66	
3616	ARH	3235	5.0	462	18								3	2				N 2-67	
3617	ARH	3768	4.1	342	23													N 2-67	
3618	ARH	3115	4.5	239	22						3			2	14			N12-66	
3619	ARH	3771	4.6	91	23						8							N12-66	
3620	ARH	3903	4.8	780	22						8			2	18			N12-66	
3621	ARH	4219	4.9	324	22									2	16			N 2-67	
3622	ARH	2769	4.5	213	23						2							N 2-67	
3623	ARH	4392	4.7	313	20						16			2	15			N12-66	
3624	ARH	3396	4.6	308	21													N12-66	
3625	ARH	3160	5.0	210	18													N12-66	
3626	ARH	2508	3.9	501	18													N12-66	
3627	ARH	3092	4.8	386	20													N12-66	
3628	ARH	2923	4.8	584	19									2	14			N12-66	
3629	ARH	3130	4.5	173	16									2	10			N12-66	
3630	52	1855	4.7	92	19													N12-66	
3631	52	3298	4.9	206	20									2	14			N12-66	
3632	52	3490	4.5	581	24													N12-66	
3633	52	3322	4.2	276	21													N12-66	
3634	52	3281	4.5	149	20													N 2-67	
3635	52	3057	4.4	145	20													N12-66	

BUS MILEAGE DATA

PERIOD 7 ENDING JULY 15 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE										PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.		BRAKE RELINE	
								LEFT OR SINGLE	RIGHT		Box	Column					FRONT	REAR
3636	52	2784	4.6	139	22													N12-66
3637	52	4393	4.3	219	23						4							N12-66
3638	52	4040	4.5	224	20													N 2-67
3639	52	3013	4.0	177	22													N 2-67
3640	52	2577	3.7	122	21													N12-66
3641	52	3062	4.2	122	19													N 2-67
3642	52	3381	3.9	112	23													N 2-67
3643	52	3399	3.8	141	21													N 2-67
3644	52	3440	4.0	172	22													N 2-67
3645	52	3662	4.0	130	19													N 2-67
3646	52	2938	3.9	183	20													N 2-67
3647	52	3360	4.6	1120	21													N 2-67
3648	52	3169	3.8	158	21						7							N 2-67
3649	52	3298	4.6	137	17								2	5				N 2-67
3650	52	3939	4.1	171	23													N 2-67
3651	52	3656	4.8	166	20													N 2-67
3652	52	2857	4.0	476	21													N 2-67
3653	52	3223	3.9	134	20													N 2-67
3654	52	3571	4.5	178	22													N 2-67
3655	52	2895	3.9	68	20													N 2-67
3656	52	3922	4.6	196	23				2	19								N 2-67
3657	52	3501	4.3	205	21													N 2-67
3658	52	2440	5.0	101	19													N 2-67
3659	52	2722	3.8	340	22													N 2-67
3660	52	2911	4.6	264	18								2	12				N 2-67
3661	52	3225	3.8	70	20													N 2-67
3662	52	3520	4.4	220	18													N 2-67
3663	52	4409	4.3	91	22													N 2-67
3664	52	3637	4.3	151	21													N 2-67
3665	52	3784	4.9	157	19													N 2-67
3666	52	2738	3.8	144	19													N 2-67
3667	52	3851	4.5	96	21													N 2-67
3668	52	3078	4.3	384	20													N 2-67
3669	52	3609	4.6	164	21													N 2-67
3670	52	3345	4.3	69	19													N 2-67
3671	52	3056	4.1	254	18													N 2-67
3672	52	3181	3.9	132	20													N 2-67
3673	52	3889	3.8	50	20													N 2-67
3674	52	3852	4.4	481	18													N 2-67
3675	52	3020	4.2	188	18													N 2-67
3676	52	2378	4.5	198	20													N 2-67
3677	52	4086	4.2	107	19													N 2-67

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE				
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR			
3678	52	3409	4.9	213	19													N 2-67		
3679	52	3517	4.2	586	18													N 2-67		
3680	52	3475	4.0	248	19													N 2-67		
3681	52	3326	4.2	415	18													N 3-67		
3682	52	3617	4.6	100	17													N 3-67		
3683	52	2503	4.1	166	19													N 2-67		
3684	52	3178	4.2	158	16													N 3-67		
3685	52	3938	4.0	246	18													N 2-67		
3686	52	3501	4.1	77	16													N 3-67		
3687	52	3387	4.1	112	15													N 3-67		
3688	52	2869	3.9	179	16													N 3-67		
3689	52	3662	4.4	110	18													N 3-67		
3690	52	2162	3.9	270	17													N 2-67		
3691	52	3394	4.2	188	19													N 2-67		
3692	52	2663	4.9	665	16													N 3-67		
3693	52	3400	4.2	103	17													N 3-67		
3694	52	3267	4.0	81	16													N 3-67		
3695	ARH	2236	4.8	223	11													N 2-67		
3696	ARH	2298	4.5	95	13													N 2-67		
3697	ARH	1797	4.9	359	11													N 2-67		
3698	ARH	221	2.0		9													N 2-67		
3699	ARH	2326	4.1	101	12													N 2-67		
5001	NPK	1214	1.9	101	499	3	274		17	16	47	58		42	18	1	157	B 42S	B 42S	8-65
5003	NPK	2180	2.7	218	499	2	62		12	9		138		165	13	4	26	B 43S	B 43S	8-64
5004	FGL	2978	3.0	53	503	3	129		16	15	129	103		53	15	24	85	B 53D	B 53D	9-62
5005	FGL	1907	2.6	79	496	2	47	46	12	47	26	61		184	16	5	8	B 10X	B 10D	8-65
5008	NPK	769	2.1	34	510			182	15	99		162		112	12	10	28	B 22D	B 22D	6-66
5010	NAV	2507	2.3	67	503	3	35		18	20	347	268		102	9	35	53	B 50S	B 50D	7-65
5016	NPK	2470	2.4	247	495	2	126	56	14	56		25		314	15	20	33	B 29S	B 29S	3-64
5020	NPK	2189	2.6	121	499	2	90		19	90		40		279	15	4	69	B 3X	B 3D	10-62
5021	NPK	1881	2.4	37	492	2	138		14	4		268		109	17	8	173	B 1X	B 1S	3-65
5025	NPK	2368	2.5	55	486			154	22	9		115		140	10	7	134	B 28D	B 28S	7-58
5033	NPK	2252	2.7	102	503	4	26		15	26	314	39			11	26	25	B 26X	B 26S	6-62
5034	NPK	2229	2.7	139	503	3	51		18	51		191		253	15	51	123	B 5S	B 5S	12-64
5035	NAV	2628	2.2	131	510	3	150		15	62		68		356	16	4	27	B 22X	B 22D	10-65
5036	NPK	2015	2.5	167	504	3	54		18	4	47	64		51	16	39	55	B 51X	B 51X	7-62
5040	NPK	2166	2.5	67	516	2	178		15	111	340	257		136	13	1	76	B 65S	B 65D	12-64
5041	NAV	2708	2.4	64	486	2	147		10	89	35	22		175	13	66	59	B 12X	B 12D	8-62
5042	NAV	2558	3.7	75	484	2	110		17	10	220	38		60	7	127	204	B 8D	B 8D	8-64
5043	NAV	2408	3.3	160	498	2	116		16	67	49	14		47	12	46	121	B 35S	B 35D	5-65
5045	FGL	1088	2.3	49	487			99	16	19		9		158	11	9	139	B 42D	B 42S	3-64
5046	FGL	2619	2.5	33	499			244	11	86	156	25		184	10	18		B 19S	B 19S	10-65

BUS MILEAGE DATA

PERIOD 7 ENDING JULY 15 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE														PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor		DIFF.	BRAKE RELINE					
								LEFT OR SINGLE	RIGHT		Box	Column		FRONT	REAR							
5047	FGL	2287	2.7	81	508	3	78		16	78		332	165		206	13	29	172	B 12D	B 12S	2-63	
5048	FGL	615	1.3	32	472	2	79		16	79		19	137		90	18	22	113	B 9X	B 9X	6-67	
5049	FGL	2669	2.6	76	481	2	105		12	2		3	42		173	13	53	2	B 38X	B 38S	7-64	
5050	FGL	2614	3.1	90	477	3	252	38	16	13			128		128	12	13	94	B 13X	B 13S	7-65	
5051	FGL				497	2	114		9	87					56	9	114	213	B 56S	B 56S	2-63	
5052	FGL	3049	3.1	127	507	2	165		16	12		53	35		219	13	32	201	32X	87X	11-65	
5053	NAV	553	1.4	69	475			152	17	96			1		353	14	5	29	B 23S	B 23D	6-67	
5054	FGL	2232	2.3	97	508	3	56		11	38		22	198		161	12	56	150	B 12S	B 12S	4-59	
5056	FGL	1277	3.8	98	493	2	33		10	33		14	83		81	13	13	38	B 22S	B 22D	2-59	
5057	FGL	1420	2.7	142	482	2	147	101	10	4			2		1	13	31	211	B 1S	B 1X	6-67	
5058	FGL	3139	2.6	68	483	2	192		12	36			167		166	11	31	94	B 12D	B 12S	10-65	
5060	NPK	1729	2.2	72	535	2	182		13	116			93		127	15	35	105	B 1D	B 1X	1-63	
5062	FGL	2506	2.9	167	511			159	12	112	13	25	6	34		111	9	1	157	B 34D	B 34X	3-65
5063	FGL	1814	2.4	37	498	3	15		14	15			30	15		305	14	7	166	B 1X	B 1X	8-65
5064	FGL	2113	2.1	32	495	2	107		14	72			5	65		79	11	20	25	B 22X	B 22S	6-65
5065	FGL	2373	2.4	91	512	2	145	42	12	145			41		370	9	10	11	B 20X	B 20D	4-64	
5066	FGL	2032	2.4	26	510	2	153		13	47				293		381	10	92	142	B 2X	B 2S	3-62
5067	NPK	2964	2.7	60	500	2	246		11	74			38	34		374	16	5	77	B 64S	B 64D	9-58
5068	NPK	2526	2.5	52	517	4	6		10	6				49		231	15	6	17	B 42X	B 42S	11-64
5070	NAV	2873	2.3	52	550	2	175		14	144			101		83	14	2	81	B 83S	B 83D	6-65	
5071	NPK	2246	2.1	280	520	2	113		15	41			45	61			11	74	247	B 35X	B 35S	8-64
5073	NPK	2739	2.4	152	551			219	10	157			375			264	12	6	119	B 82X	B 82S	10-63
5074	NPK	2668	2.7	156	546	3	78		17	79			310	53		98	18	78	45	B 54X	B 54D	4-63
5075	NPK	2926	2.3	57	555	2	457		14	44			373	101		170	15	96	24	B 42S	B 42X	4-63
5076	NPK	2554	2.4	182	547	2	134		10	57				68		108	11	30	275	B 48X	B 48S	8-62
5078	NPK	3524	3.0	176	560	2	69		18	69				37		69	17	66	37	B 3S	B 3D	11-64
5079	NPK	1497	2.2	93	543	2	56		18	56			56	159		416	13	56	136	B 1S	B 1S	3-63
5080	NPK	2522	2.4	180	562	3	84		14	47			47	233		439	17	63	29	B 26X	B 26S	5-64
5081	NPK	2526	2.9	70	548	3	89		15	12				134		175	11	13	9	B 46D	B 46D	3-63
5082	NPK	2640	2.6	293	554	3	124		14	60				36		182	9	110	164	B 60S	B 60D	6-64
5083	NPK	2762	3.2	92	527	4	47		19	47				40		306	13	14	29	B 31X	B 31S	8-65
5084	NPK	2210	2.6	138	574	3	577	339	19	83			359	93		432	19	13	19	B 38X	B 38D	1-63
5085	NPK	1768	1.8	294	592	2	368	180	22	8				253		393	10	147	41	B 1D	B 1S	3-65
5086	NPK	2427	2.3	115	573	3	56		13	56				93		15	18	20	250	B 15D	B 15X	10-65
5087	NPK				566	2	141		14	120				10		169	11	64	62	B 84S	B 84D	4-62
5088	NPK	3816	2.6	127	579	2	155		10	46				235		112	12	56	164	B 44S	B 44X	5-63
5090	NPK	2417	2.5	201	581			162	9	162				42		445	15	7	144	B 56S	B 56D	3-64
5093	NPK	457	2.3	76	571	2	112		14	112				90		119	12	47	53	B 49S	B 49S	3-65
5094	NPK	2098	2.2	262	555	5	103		15	103				82		88	19	24	1	B 25S	B 25S	1-64
5095	NPK	2228	2.1	117	559	2	113		19	96			163	21		183	13	100	186	B 72X	B 72D	4-62
5096	NPK	2066	2.4	206	551	4	45		15	45				24		424	15	9	46	B 5X	B 5D	5-66
5097	NPK	1315	2.6	187	554			158	15	98				106		180	10	137	43	31D		2-58

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED			
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor		DIFF.	BRAKE RELINE				
								LEFT OR SINGLE	RIGHT		Box	Column		FRONT	REAR						
5098	FGL	2411	2.4	83	584	2	217		20	101			30		458	10	91	91	B 8S	B 8S	2-58
5099	FGL	3043	2.5	58	587	2	164		13	89			268		89	11	46	15	B 44D	B 44S	12-63
5100	FGL				587			173	12	2			102		116	10	9	289	B 39S	B 39S	7-62
5101	FGL	1660	2.6	87	586	4	412	225	17	36			37		518	12	71	80	B 56D	B 56X	4-64
5102	FGL	2634	2.5	73	593	3	134		11	134		52	43		127	15	15	89	B 14S	B 14S	11-64
5103	FGL	3438	3.0	74	592	4	54		13	23		30	86		277	12	13	151	B 53D	B 53S	12-62
5104	NPK	2204	2.6	122	563			208	11	50			134		281	11	43	37	B 46X	B 46S	5-65
5105	NPK	2290	2.5	95	578	2	144		13	144			208		84	11	29	160	B 33D	B 33S	12-65
5106	FGL	2183	3.0	70	561	2	128		19	69		15	201		124	22	18	174	31D	13D	3-63
5107	FGL	2800	2.6	90	593	3	119		10	119			22		119	12	14	162	B 5D	B 5D	6-66
5109	FGL	2714	2.3	66	620	2	152		10	13			240		246	12	152	231	B 68S	B 68S	10-63
5110	FGL	2556	2.7	82	586	2	210		16	74			81		274	12	165	76	B 13D	B 13X	2-64
5111	FGL	1848	2.4	142	599	4	79		17	17		67	86		84	18	1	95	B 6X	B 6D	3-65
5113	FGL	1519	2.4	47	594	3	117		16	117		70	109		438	17	24	302	47D	D	9-62
5114	FGL	3271	2.8	81	563	2	174		13	132			91		201	10	44	224	B 30D	B 30X	6-65
5115	FGL	2497	2.6	31	574	2	209		17	102			48		362	12	16	78	B 56S	B 56X	8-63
5116	NAV	2478	3.3	165	560	4	96		21	96		315	9		322	17	11	165	39D	1X	12-62
5117	NAV	1774	2.2	55	568	3	10		9	10			149		210	19	9	183	B 28S	B 28S	1-66
5118	FGL	2732	2.9	105	573	2	255	114	18	80		21	39		7	18	6	187	B 7S	B 7S	4-65
5119	FGL	2641	2.6	88	562	3	346	8	16	8			225		198	19	8	14	B 3S	B 3D	12-63
5121	FGL	2944	3.2	65	586	2	133		13	12			334		223	13	57	184	B 25S	B 25D	8-62
5122	FGL	2899	2.9	120	576	4	66		15	66		331	142		457	14	48	109	40D	15X	1-66
5123	FGL	2681	2.8	116	589	2	187		11	187		39	35		427	11	6	280	B 55D	B 55D	9-62
5124	FGL	2498	2.4	37	577	2	321		15	86			96		413	16	83	238	B 6D	B 6S	6-63
5125	FGL	2136	2.4	49	580	2	147		15	1			70		189	15	56	58	B 32S	B 32D	2-63
5126	FGL	2374	2.5	169	587	2	156		15	156			219		406	14	12	202	B 20D	B 20X	4-63
5127	FGL	3739	2.9	116	586	5	73		18	73		50	42		240	15	16	77	B 42D	B 42S	12-64
5129	FGL	1650	2.5	103	564	3	38		12	38			46		288	17	1	30	B 7S	B 7S	1-64
5130	FGL	2168	2.4	47	565	3	134		11	88			2		166	19	95	82	B 64X	B 64X	10-63
5131	FGL	2806	2.7	73	588	2	222		12	12			14		165	14	5	253	B 18D	B 18S	11-57
5132	FGL	3053	2.8	92	580	2	113		14	113		67	99		194	9	40	311	B 6D	B 6D	4-63
5133	FGL	2625	2.9	72	571	2	110		14	110			133		191	16	110	77	B 8D	B 8S	7-64
5134	FGL	2711	2.5	67	587	2	162		12	65		386	282		95	11	1	159	B 37D	B 37S	6-64
5135	FGL	2695	2.8	29	550			204	16	12		17	155		194	13	52	16	B 59D	B 59D	12-64
5136	FGL	2300	2.7	53	581			237	13	86		54	155		277	13	116	202	B 53D	B 53S	7-64
5137	FGL	2464	2.9	61	582	2	125		11	125			74		143	18	41	248	B 41S	B 41X	6-62
5138	FGL	2457	2.2	49	595	3	212		12	142			123		136	14	60	53	B 14D	B 14X	10-65
5139	FGL	2938	2.3	66	612	2	229		22	93			65		11	12	135	11	B 11D	B 11X	5-64
5140	FGL	2375	2.8	59	588	3	163		13	156		163	188		434	17	43	64	B 82D	B 82S	7-62
5142	FGL	3039	3.0	233	585	2	201	86	13	21		63	84		404	11	115	217	B 13D	B 13X	3-60
5143	FGL	2374	2.2	46	584	2	219		15	75			54		232	14	4	222	B 36X	B 36X	10-64
5144	FGL	3036	2.9	40	570	2	352	132	10	72			26		151	12	33	135	B 4S	B 4D	8-64

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE										PAINTED								
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.		BRAKE RELINE							
								LEFT OR SINGLE	RIGHT		Box	Column					FRONT	REAR						
5145	FGL	13			566	2	360	148	12	117		40	2		344	16	75	122	B	X		B	X	5-63
5146	FGL	2634	2.9	119	589	2	54		13	54			141		190	14	47	105	B	23D		B	23S	2-66
5147	FGL	1541	2.5	61	586	2	187	55	14	115		33	111		88	12	7	157	B	D		B	S	7-63
5148	FGL	2256	2.6	322	581	2	229	218	12	109		5	191		310	13	24	151	B	12D		B	12X	3-63
5149	FGL	3145	2.9	51	576	3	159	111	20	73			27		151	15	18	48	B	4D		B	4X	11-57
5150	FGL	2654	3.0	165	567	2	192		16	98		61	179		381	15	29	20		49D			2D	12-63
5151	FGL	2767	2.6	72	580	2	198		15	59			119		247	12	18	313	B	53D		B	53S	11-62
5152	FGL	2769	2.7	37	571	2	179		17	89		35	63		133	14	77	7	B	13D		B	13X	12-65
5153	FGL	1979	2.5	68	583	2	267		14	141			142		129	14	42	218	B	63D		B	63X	5-63
5154	FGL	2124	2.8	75	552	2	177		16	132			104		5	12	35	55	B	5X		B	5D	2-64
5155	FGL	2060	2.5	114	564	3	56		16	56			244		210	13	11	289	B	61X		B	61X	8-62
5156	FGL	2709	2.4	75	614	2	232		12	80			43		479	10	85	187	B	6S		B	6D	1-66
5157	FGL	3568	2.8	50	586	2	224		11	127		31	227		158	12	6	142	B	6S		B	6S	8-62
5158	FGL	2750	2.8	88	576	4	60		14	60		72	65		120	13	60	123	B	17X		B	17S	1-66
5159	FGL	2881	2.5	57	612	2	217		10	138			87		91	15	16	200	B	33D		B	33D	10-58
5160	FGL	2404	2.6	64	575	2	214	117	11	136			222		131	15	29	238	B	39D		B	39D	1-58
5161	FGL	2749	2.7	94	586	3	72		9	72		69	79		197	15	72	69	B	53D		B	53S	1-58
5162	FGL	1518	2.9	138	581	2	176	113	16	91		33	64		189	17		16	B	14D		B	14S	10-64
5163	FGL	3093	2.9	103	583	3	73		12	5			208		200	11	56	107	B	15S		B	15D	4-66
5164	FGL	2433	2.6	46	601	5	132		16	170			129		446	11	184	9	B	5X		B	5X	1-64
5165	FGL	2659	2.4	78	586	2	194		11	151		62	53		217	17	19	116	B	14S		B	14D	6-67
5166	FGL	2904	3.4	50	572	3	137		15	4		38	192		378	14	137	10	B	60X		B	60S	9-64
5167	FGL	2342	2.9	50	588	2	236	19	16	19		45	225		229	15	42	42	B	18S		B	18X	9-64
5168	FGL				567	4	68		22	68		301	170		261	12	68	226	B	3X		B	3S	9-63
5169	FGL	2610	2.9	53	587			251	12	45			167		112	10	49	96	B	53X		B	53S	4-64
5171	FGL	2652	2.6	73	558	3	69		12	69		28	13		377	12	69	208	B	13D		B	13S	11-64
5172	FGL	1878	1.9	37	560	2	326		11	146		326	70		177	11	3	118	B	49X		B	49S	4-65
5173	FGL	1891	2.9	118	571	4	72		14	72		72	229		127	16	52	69	B	6D		B	6S	8-65
5174	FGL	2450	1.9	74	567	4	125		17	125		227	27		110	16	21	225	B	4D		B	4X	3-66
5175	FGL				563	2	114		18	13			27		112	13	14	75	B	50X		B	50S	12-63
5176	FGL				580	3	76		13	76		39	68		222	14	20	45	B	30D		B	30D	4-64
5178	FGL	2462	2.4	94	590	2	131		17	131		30	153		119	16	27	21	B	72X		B	72X	9-65
5179	FGL	3084	2.6	32	584	3	7		6	7		40	146		184	10	7	48	B	6S		B	6D	3-64
5180	FGL	2727	2.6	52	553	2	176		13	58			138		206	13	25	211	B	56X		B	56D	4-64
5181	FGL	2462	2.4	66	582	2	77		16	77			30		387	15	12	102	B	47D		B	47S	5-64
5182	FGL	3381	3.6	63	584	3	160		14	67			84		188	20	17	98	B	21S		B	21D	2-63
5183	FGL	2224	2.4	92	569	2	145		11	119			67		369	13	24	12	B	34S		B	34S	2-65
5184	FGL	2365	2.6	94	580			233	13	45			350		80	13	31	22	B	34X		B	34X	12-61
5185	FGL	2204	2.7	84	574										460	8	227	8	B	43X		B	43D	2-59
5186	FGL	2677	2.6	52	582	3	160		14	141		44	218		402	15	6	151	B	15X		B	15S	10-63
5187	FGL	2630	3.0	52	562	3	14		12	14			86		121	15	14	313	B	17X		B	17D	9-64
5188	FGL	1383	1.7	72	569	2	35		12	35			181		201	12	35	12	B	59S		B	59X	1-64

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor		DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column		FRONT	REAR				
5189	FGL	3024	2.7	120	578	2 112		15 112			147		426	11 57	34	B 37X	B 37X	12-64	
5190	FGL	2278	2.7	162	556	2 103		14 103			128		63	12 68	269	B 9D	B 9D	4-62	
5191	FGL	557	6.1	55	582	4 54		15 54			127		54	12 54	116	B 54X	B 54D	4-64	
5192	FGL				561	2 162		12 120		11	185		428	12 127	25	B 68X	B 68D	4-63	
5195	FGL	1810	2.9	31	580	2 349		11 139			26		229	14 28	109	B 17S	B 17D	10-64	
5196	FGL				561		189	11 48			217		83	10 53	84	B 25S	B 25X	6-63	
5197	FGL	2124	2.4	73	572	3 43	4	16 43			276		101	14 43	71	B 4D	B 4X	6-63	
5198	FGL	2412	2.5	100	572	3 135		17 12			137		179	14 17	49	B 12X	B 12D	6-63	
5199	FGL				585	2 317		12 180			9		397	12 57	89	B 28S	B 28X	7-63	
5200	FGL	2351	2.4	54	578	2 201	57	10 79		49	71		387	14 4	170	B 47X	B 47S	10-63	
5201	FGL	3413	3.0	89	575		263	10 156		36	177		240	11 34	17	B 18X	B 18X	10-64	
5202	FGL	2624	2.5	90	575	2 76		21 76		16	403			16 16	45	B 27D	B 27S	1-64	
5203	FGL	2629	2.5	57	602	2 193		15 99			51		86	10 32	99	B 14D	B 14S	10-64	
5204	FGL	2435	2.4	243	575	3 198	84	13 84		35	18		216	19 9	22	B 14X	B 14D	12-61	
5205	FGL	2728	2.7	59	565	3 82		14 82	15 33	193	132		102	10 82	72	B 48X	B 48S	11-62	
5206	FGL	2725	2.9	71	582	2 125		10 16			244		210	14 24	122	B 16S	B 16X	6-63	
5207	FGL	1817	2.4	139	565	2 96	48	15 48			254		60	11 21	15	B 26X	B 26D	3-64	
5208	FGL	2715	3.3	59	575	3 131		15 131			158		226	11 131	47	40D	3D	9-63	
5209	FGL	2727	2.6	66	558	2 99		12 36			101		61	13 24	258	B 3S	B 3X	3-58	
5210	FGL	3419	2.9	42	594	3 62		15 62			237		93	5 3	411	B 6D	B 6X	11-64	
5212	FGL	2379	2.9	52	611	2 251		9 68		73	227		109	14 6	6	B 2D	B 2S	5-66	
5213	FGL	2410	2.7	70	565	2 43		13 43		31	138		64	20 37	140	B 3D	B 3X	9-64	
5214	FGL	3416	2.9	66	562	3 127	43	16 16		44	276		179	14 45	13	B 72S	B 72S	6-66	
5215	FGL	2330	2.7	56	577	3 7		12 7			63		299	10 7	48	B 7D	B 7S	4-62	
5216	FGL	2374	3.2	131	585	3 141		13 50			163		74	13 17	25	B 6D	B 6D	6-67	
5217	FGL	2569	2.7	107	591	3 43		9 43			148		200	15 43	24	B 14D	B 14X	6-64	
5218	FGL	2283	2.7	71	579	2 130		11 85		54	89		156	11 100	80	B 18D	B 18D	5-63	
5220	FGL	2027	2.4	54	572	2 161		13 76			142		150	15 6	151	B 31D	B 31D	1-64	
5221	FGL	1889	2.1	125	567	3 34		10 34		34	199		47	16 34	101	B 1S	B 1D	2-64	
5222	FGL	3140	2.7	157	583	2 163		10 86			119		301	9 122	138	B 16S	B 16S	1-64	
5223	FGL	2371	2.5	81	562	2 144	87	13 103			356		395	9 144	13	B 16X	B 16D	5-63	
5224	FGL	3127	2.7	38	594						24		415	9 45	272	B 60S	B 60S	12-64	
5225	FGL	2849	2.6	33	576		228	10 99			131		250	12 12	373	B 17D	B 17S	3-64	
5226	FGL	1095	2.5	99	568	4 41		12 41			357		60	12 41	127	60S	1S	10-63	
5227	FGL	2509	2.7	100	567	2 50		12 50		41	141		257	12 50	94	B 13D	B 13S	10-64	
5228	FGL	3124	3.3	124	589	2 197		10 3			138		199	15 15	6	B 52X	B 52S	12-65	
5229	FGL	83		2	612	3 56		11 56		80	55		204	15 30	9	B 34S	B 34D	4-65	
5230	FGL	2200	2.6	137	571		245	10 17			19		144	13 28	69	B 78X	B 78S	5-66	
5231	FGL	2275	2.2	87	564	2 104		7 104			36		220	15 41	19	B 79X	B 79D	9-63	
5232	FGL	2374	2.2	41	609	2 213		17 130		24	34		433	8 27	128	B 54S	B 54S	9-63	
5233	FGL	2638	3.0	71	560	2 200		11 122			119		126	11 20	30	B 20S	B 20D	12-62	
5234	FGL	2392	2.8	54	584	2 215		19 32		35	183			10 19	59	B 19X	B 19D	5-63	

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE										PAINTED					
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.		BRAKE RELINE				
								LEFT OR SINGLE	RIGHT		Box	Column					FRONT	REAR			
5235	FGL	3112	2.8	51	569	2	248		10	143			50		211	13	58	221	B 39D	B 39S	10-64
5237	FGL	2014	3.0	74	572	3	227	90	13	6		36	206		190	10	28	27	B 17D	B 17X	4-63
5238	FGL	3240	2.7	26	555	2	3		16	3		18	68		14	11	3	82	B 14D	B 14D	12-57
5239	FGL	2629	2.4	40	557	2	136		14	136			110		61	13	12	44	B 22S	B 22S	5-64
5240	FGL	2737	2.7	72	575			172	12	140		423	6			12	22	122	B 43D	B 43S	2-63
5241	FGL	1820	3.0	52	556				13	17			46			11	20	235	B S	B S	12-63
5242	FGL	1765	2.6	26	565	2	478		13	53			7		180	13	114	136	B 17X	B 17S	12-58
5243	FGL	2799	3.0	127	554	2	37		8	37			264		56	9	37	216	B 2S	B 2S	5-59
5245	FGL	3444	3.3	101	582	2	181		11	16			174		253	10	15	28	B 20S	B 20S	5-65
5246	FGL	3529	2.9	64	560	2	127		15	28			100		118	10	58	118	B 14S	B 14X	3-58
5247	FGL	2050	2.3	39	608	2	218		10	64		15	51		347	10	65		20S	20S	3-66
5248	FGL	2729	2.6	129	573	3	108		11	108			67		471	10	108	162	B 10D	B 10S	2-65
5249	FGL	3022	3.1	125	577	2	87		12	87		55	278		230	14	4	338	B 22X	B 22S	2-63
5250	FGL	1656	2.5	78	559	2	172		18	13			75		230	15	38	37	41D	1D	7-63
5251	FGL	3092	2.6	73	549			123	8	123			94		277	10	76	33	B 13D	B 13S	10-63
5252	FGL	2548	2.6	59	591	2	191	42	10	42			124		440	13	56	17	B 21S	B 21D	6-64
5253	FGL				529	2	174	41	9	81		403	93		73	13	22	5	B 73S	B 73S	2-64
5254	FGL	2258	2.8	90	571	2	123		6	11			336		175	12	36	200	B 15D	B 15S	12-65
5255	FGL	2472	2.7	32	555	2	160		11	126			33		249	10	18	5	B 13S	B 13X	6-62
5256	FGL	1686	2.4	58	550	3	117		16	117		57	102		128	12	117	222	47D	D	11-58
5257	FGL	3213	2.6	86	549	2	120	47	9	47		37	75		436	14	50	171	50D	4S	4-66
5258	FGL	2692	2.9	158	579	2	174		5	117			176		188	15	19	217	B 15S	B 15D	1-64
5259	FGL	2501	2.6	54	549	2	142		13	142			117		148	14	22	479	B 21D	B 21S	4-66
5260	FGL	2946	2.6	101	534	2	142		22	64			13		122	15	9	89	B 21D	B 21S	12-64
5261	FGL	2225	2.8	89	556	2	108		13	108			76		173	14	13	491	57X	23S	1-64
5262	FGL	2374	7.7	791	554	2	176		6	143			76		407	14	21	76	B 60X	B 60X	2-64
5263	FGL	2906	3.0	111	581	2	196		5	150		87	4		17	15	11	141	B 17S	B 17S	6-62
5265	FGL	2179	2.6	60	550			209	12	98		21	142		343	8	64	247	B 6X	B 6X	11-62
5266	FGL	3537	3.1	93	546	3	136		17	136			100		185	12	31	209	B 15D	B 15D	1-64
5267	NAV	2663	2.8	46	545	2	226		22	11		30	11		21	16	14	44	B 119D	B 119S	11-62
5268	FGL	2697	2.8	62	550	3	163		8	52			105		408	14	50	221	B 29S	B 29D	10-65
5269	FGL	2866	2.6	68	546	2	86		14	81		71	118		86	15	23	220	B 10X	B 10S	10-63
5270	FGL	2148	2.9	56	538	2	199		12	52			80		86	10	6	348	B 7S	B 7D	6-60
5271	FGL	1902	2.3	118	548	3	101		14	1			151		2	11	60	37	B 2S	B 2D	2-66
5273	FGL	2409	2.3	114	529	13	70	13	14	13		44	163		343	10	47	27	B 19X	B 19D	4-64
5274	FGL	2278	2.6	87	550	3	140		11	38		141	211		119	19		1	B 39D	B 39S	4-66
5275	FGL	2279	2.1	69	529	2	74		11	12			159		220	11	8	1	B 8D	B 8D	6-62
5278	FGL	3073	2.8	85	548	2	133		10	50		386	71		257	13	11	44	B 34S	B 34X	6-60
5280	FGL	3116	2.4	97	543	2	57		13	57		32	118		199	12	31	225	B 13X	B 13S	8-65
5281	FGL	1656	2.4	40	558	2	172		11	89		75	187		398	11	28	114	B 59S	B 59D	12-63
5282	FGL	3468	2.5	93	553	2	144		15	144		48	22		494	12	57	167	B 22X	B 22S	1-64
5283	FGL	2679	2.8	107	523	3	91	15	19	15		45	130		92	10	27	65	B 9X	B 9D	10-63

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR	
5284	FGL	3070	3.1	87	526	3 286		12 34			62		157	11 11	36	B 13S	B 13S	1-66
5285	FGL	2457	3.0	136	539	2 176		13 79			291		268	11 16	61	B 21X	B 21D	5-63
5286	FGL				532	3 97		14 97		19	177		166	14 17	181	B 68S	B 68X	7-64
5287	FGL	2106	2.4	65	557	2 135		7 122		32	130		76	12 18	39	B 16D	B 16X	11-62
5288	FGL	2336	2.5	122	539	2 70		11 70		47	108			13 61	204	B 70X	B 70S	11-64
5289	FGL	2635	2.9	75	518	3 106		15 8			80		185	14 19	262	42D	19D	11-62
5290	FGL	2337	2.6	68	562	2 210	17	11 17			57		453	12 12	31	B 7S	B 7S	5-63
5293	FGL	2236	2.1	82	534	3 90		16 90		34	136		230	14 90	169	B 13X	B 13S	1-64
5294	FGL	2404	2.4	114	552	3 206	115	15 94		391	136		2 8 48	4	B 2X	B 2X	6-63	
5295	FGL	3442	3.1	50	553	2 215		12 145			127		419	13 24	10	B 33D	B 33X	10-63
5296	FGL	3040	2.7	70	526	3 72		14 72			42		427	12 35	22	B 37X	B 37S	6-65
5298	FGL	628	2.5	62	541	3 166		15 9		74	187		439	16 21	263	B S	B X	12-62
5299	FGL	2779	2.6	102	540		18	14 18			14		127	14 18	183	B 18D	B 18X	12-63
5300	FGL	2374	2.2	57	552	6 48		16 48		22	76		227	14 48	13	B 45D	B 45D	9-64
5301	FGL	3000	2.6	51	554	2 35		11 35			169		108	11 18	299	B 76X	B 76D	10-63
5302	FGL	1337	2.5	49	529	3 44		15 44		37	34		189	3 44	190	48D	1S	12-64
5303	FGL	2559	2.8	106	566	2 116		12 116			89		193	11 116	239	B 54X	B 54S	7-65
5304	FGL	2114	1.9	75	536	2 167		15 55		33			247	14 56	4	B 5X	B 5X	10-62
5305	FGL	3562	2.6	71	555	2 208	119	8 208		36	214		214	9 101	37	B 14D	B 14D	4-64
5306	FGL	3355	2.8	111	538	3 111		16 90		50	119		99	9 58	9	B 55X	B 55S	12-63
5308	FGL	1949	2.2	81	537	2 38		12 38		49	93		206	9 38	83	B 55X	B 55X	5-63
5310	FGL	2548	2.4	91	551	2 85		14 85		47	20		178	11 20	473	B 60D	B 60S	2-63
5311	FGL	1335	2.1	70	542	2 36		15 36			32		72	9 36	59	B 47X	B 47S	2-66
5312	FGL	2481	2.3	124	538		239	13 79		7	25		408	13 14	154	B 11S	B 11X	3-63
5313	FGL	2077	2.5	74	545	3 55		12 19		11	112		316	13 116	348	B 55D	B 55S	11-64
5315	FGL	2628	2.6	71	533	2 159		11 11		61	263		187	12 14	5	B 22D	B 22S	10-58
5316	NAV	1725	2.8	78	522	4 20		14 20			69		237	15 20	51	B 1D	B 1D	7-63
5317	FGL	2610	2.8	100	567	4 242		14 188		433	71		69	11 45	113	B 69X	B 69S	1-58
5318	FGL	3039	2.7	63	546		238	8 136		72	147		408	9 61	22	B 22X	B 22X	6-60
5319	FGL	2761	2.4	125	533	3 110		12 110		59	168		116	14 75	325	B 53S	B 53S	6-67
5320	FGL	2938	3.0	66	547	2 137		11 137		55	225		395	11 104	95	B 55X	B 55D	5-63
5321	FGL	2486	2.7	85	523	2 100		14 100			50		127	12 59	14	B 23S	B 23X	12-64
5322	FGL	2332	2.3	45	560	4 146		16 15			183		165	12 40	161	B 3D	B 3S	2-63
5323	FGL	2305	2.7	79	542	2 315	245	10 121		53	11		59	11 67	214	B 3S	B 3X	6-67
5324	FGL	2931	3.0	108	546	3 166		13 112			92		67	12 15	317	B 37X	B 37X	12-63
5325	FGL	1860	2.7	62	535	2 162		10 85		25	258		212	22 1	274	B 47X	B 47D	4-65
5326	FGL	2132	2.6	96	539	3 64		14 64		66	143		294	12 64	138	B 62D	B 62D	10-65
5327	FGL	2428	2.6	38	530		208	14 84		69	5		138	12 13	75	B 15D	B 15X	1-66
5328	NAV	3126	2.3	115	537	2 141		8 141			110		181	14 3	97	B 22X	B 22S	4-66
5329	NAV	2401	2.5	53	524	2 355		8 250			67		214	13 42	259	B 17S	B 17X	5-65
5330	NAV	3024	2.4	33	542		257	14 73		74	149		265	11 54	84	B 53D	B 53X	10-65
5331	FGL	5272	4.9	164	543	2 110		10 110		9	231		11	13 20	110	B 11X	B 11X	2-64

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED			
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE					
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR				
5332	FGL	3773	6.0	69	546	3	63		12	63			161		245	13	63	129	B130D	B130D	2-59
5333	NAV	2796	2.6	73	549	2	369		12	92			106		129		28	200	B 65X	B 65X	7-63
5334	NAV	2190	2.7	45	541	2	251		13	36			96		176	15	6	12	B 21X	B 21D	7-66
5335	NAV	2103	1.8	110	527	3	111		12	3	413		41		53	14	111	7	53X	21S	5-65
5336	NAV	2472	2.3	50	535	2	37		11	9			251		97	11	4	189	39S	3S	12-63
5337	NAV	1978	2.4	82	540	3	117		7	117		55	217		78	13	117	122	B 12X	B 12X	5-63
5338	NAV	2882	2.5	180	529	3	128	28	13	13		13	204		214	14	28	219	B 69S	B 69D	8-62
5339	NAV	1899	1.5	70	533	3	26		13	26			29		365	15	15	150	B 37D	B 37S	11-65
5340	NAV	2661	2.8	166	523	2	203	10	15	41			129		216	10	122	101	B 65S	B 65X	10-65
5341	NAV	2712	2.1	169	521			18	14	18		54	193		248	11	17	160	B 18S	B 18S	10-63
5342	NAV	2937	3.3	79	519	2	193		11	12		259	71		181	10	32	189	B 34S	B 34D	1-63
5343	NAV	2558	2.1	50	505			211	8	10		237	3		66	13	17	84	B 66S	B 66D	1-65
5344	FGL	2552	2.9	98	548	3	96		13	88		15	35		158	14	25	209	B 73D	B 73X	5-63
5345	NAV	3029	2.5	68	491	2	168	63	10	112		12	97		211	9	13	112	B 38X	B 38S	11-64
5346	NAV	1363	1.5	54	518	2	111		14	111			10		201	12	26	331	B 11D	B 11S	4-65
5347	NAV	2247	2.2	51	552	3	297		12	189			191		307	16	10	181	B 13D	B 13S	12-63
5348	NAV				478	2	155		13	111			107		187	9	38	139	B 69S	B 69D	5-65
5349	NAV	2567	2.7	31	529	4	6		15	6			115		92	11	6	324	B 14D	B 14X	12-63
5350	NAV	2084	2.2	148	498	3	45		14	9		6	24		268	13	10	132	24X	S	10-65
5351	NAV	1679	1.4	46	502	2	157		9	76		30	260	6	192	12	11	150	B 58D	B 58D	5-65
5352	NAV	2556	2.5	98	498	2	148		6	65		50	115		362	12	52	52	B 8S	B 8S	4-63
5353	NAV	2829	2.2	52	496	2	144		17	15		63	108		69	18	49	75	B 13X	B 13X	3-59
5354	NAV	1899	1.6	47	506	2	133		9	124			190		132	12	11	55	B 2D	B 2X	1-63
5355	NAV	2809	2.2	156	477	2	136		9	46		29	25		207	12	12	276	B 12X	B 12S	3-63
5356	NAV	2197	2.9	52	505	2	190		9	10			72		158	8	86	242	B 5D	B 5X	6-65
5357	NAV	1621	2.0	70	490	2	175	83	17	71		48	24		359	11	40	304	B 11S	B 11X	5-59
5358	NAV	2570	1.9	55	498										57	19		56	B 24D	B 24X	10-65
5360	NAV	534	1.4	66	501	4	15		13	15			194		209	12	15	402	B 17X	B 17X	10-65
5361	NAV	2337	2.1	63	516	3	62		13	12		62	21		72	14	62	36	B 17S	B 17S	12-65
5362	NAV	2354	2.1	39	484	2	174		9	125			146		230	12	29	54	2D	2D	9-65
5363	NAV	2440	2.3	47	507	2	189		11	76		43	118		117	10	25	173	B 51X	B 51D	10-63
5364	NAV	2673	2.7	70	484	2	40		11	5			60		343	11	40	90	B 25X	B 25S	9-65
5365	NAV	1899	1.8	43	504	3	60		13	10		69	149		262	11	60	363	B 13X	B 13D	6-59
5366	NAV	25	1.6		509	4			12			299	71		154	13		95	B 29D	B 29S	1-65
5367	NAV	3			497	2	75		11	75			201		195	15	3	21	B 6D	B 6S	5-65
5368	NAV	1899	1.4	86	503	3	47		18	20		351	177		173	11	13	233	B 49X	B 49S	1-64
5369	NAV	2994	2.3	38	512	3	102		16	102		51	111		415	15	15	79	B 21X	B 21X	1-64
5370	NAV	1595	1.9	51	499	3	12		13	12		62	91		229	14	12	4	B 19X	B 19D	8-64
5372	NAV	373	2.1		503	2	96		17	81			73		67	14	18	164	67D	34S	6-67
5373	NAV	2255	2.5	50	507	2	102		12	102		174	35		174	13	102	12	B 2X	B 2S	5-65
5375	NAV	2910	2.4	100	492	3	60		16	60			129			13	18	75	B 40X	B 40S	6-63
5377	NAV	679	3.3	67	515	3	56		10	56		9	154		153	12	56	233	51X	51X	3-66

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE										PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.		BRAKE RELINE	
								LEFT OR SINGLE	RIGHT		Box	Column					FRONT	REAR
5378	NAV	1067	2.6	44	509	2 265		9 60			119		198	16 141	158	B 22X	B 22X	4-66
5379	NAV	1899	2.1	37	499		215	13 149			195		238		22 6	25X	5S	10-65
5380	NAV	2237	2.4	41	510	2 151		10 134			187		249	11 13	41	B 45S	B 45D	6-67
5381	NAV	2516	2.0	419	496	3 220	120	10 95			45		149	10 135	156	B 34S	B 34S	2-66
5382	NPK	2198	2.7	122	505	2 148		12 130		61	15		75	14 7	110	B 23D	B 23X	8-62
5383	NAV	2639	1.8	43	513		223	9 35			23		75	10 28	128	B 17X	B 17D	5-63
5384	NAV	2233	2.4	53	503		213	8 119		160	95		365	10 52	165	B 42X	B 42X	5-66
5385	NAV	2923	2.1	91	505	2 58		7 58			58		129	10 26	173	B 38D	B 38S	10-65
5386	NAV	1925	2.4	320	502	3 113		13 58		217	154		356	11 56	161	B 16S	B 16S	5-66
5387	NAV	310	1.8	77	505	3 22		10 22			173		139		22 54	B 22S	B 22S	6-67
5389	NAV	2564	2.0	65	499	2 173		9 99			28		227	9 80	265	B 35S	B 35X	3-65
5391	NAV	2668	2.5	66	505	2 107		12 20			98		81	12 13	334	B 6X	B 6D	3-66
5392	NAV	2460	2.0	53	488	2 42		8 7			119	7	66	16 9	302	B 13S	B 13D	4-65
5393	NAV	2697	2.1	58	486	3 87	32	13 32			63		148	11 87	137	B 23X	B 23D	4-65
5396	NAV	2433	2.1	46	480	3 108	45	12 90			92		189	14 48	114	B 52X	B 52S	9-63
5397	NAV	2272	2.6	75	513	3 36		13 36			298	87	74	13 36	428	B 5X	B 5D	10-65
5398	NAV	1794	3.1	179	490	2 100		11 100			16			14 30	231	B X	B D	1-66
5399	NAV	2675	2.5	65	512		154	8 75			58		211	12 89	90	B 23X	B 23S	4-63
5400	NAV	2457	2.3	55	496	4 8		9 8			66		232	10 8	168	B 11X	B 11S	6-63
5401	NAV	2601	2.3	41	499	2 423		10 140		317	65		220	14 68	255	B 19D	B 19X	10-65
5402	NAV	2404	2.2	64	530	2 90		15 90			6		200	11 48	245	B 4X	B 4D	2-64
5403	NAV	2514	2.3	58	509	4 74		15 66		65	22		165	14 4	5	B 42D	B 42S	6-65
5404	NAV	2461	2.5	48	521	3 53		11 53			122		86	10 53	84	B 39X	B 39X	10-65
5405	NAV	2632	2.3	73	512	3 173	71	16 4			209			13 12	85	B 10S	B 10S	12-65
5406	NAV				492	2 434	132	10 34			206		139	12 24	130	B 24S	B 24S	4-64
5407	FGL	3425	3.2	64	532	2 146		11 110			34		403	14 1	21	B 34S	B 34D	8-65
5408	NAV	2779	2.1	95	533	3 128		11 128		274	169		116	11 30	47	B 22D	B 22X	10-63
5409	NAV	20	.6		515	2 297		9 18		264	158		237	10 18	173	B 8S	B 8X	1-66
5411	NAV	19	.2		530	2 123		14 76			176		260	17 7	133	B 32S	B 32S	10-63
5412	NAV	2237	2.2	41	577		248	12 69		83	250		164	9 102	247	B 24D	B 24S	11-65
5413	FGL	2028	2.6	35	526	2 155		8 5			142		430	12 23	74	B 65S	B 65D	9-65
5414	NAV	2453	2.4	52	523	3 8		16 8		44	95		117	13 8	91	B 10S	B 10X	6-64
5415	NAV	1434	1.5	33	577	3 101		9 101			128		124	17 14	293	B 22D	B 22X	3-66
5416	NAV	1867	1.9	32	539	3 173		14 7			4		25	10 15	39	B 25X	B 25S	2-65
5417	NAV	1859	1.4	77	533	3 179		13 74		316	167		187	15 36	85	B 35D	B 35D	11-64
5418	NAV	2511	2.2	41	556	2 143		19 13			188		110	14 15	130	B 38S	B 38S	5-65
5419	NAV	2337	2.3	116	578	4 130		10 130		348	372		186	14 12	105	B 50D	B 50X	6-67
5420	NAV	2489	2.3	77	534	3 130		12 101			89		108	21 25	118	B 21S	B 21X	11-62
5421	NAV	2536	2.8	50	561	2 158		13 17		384	385		92	12 41	24	B 11S	B 11S	2-64
5422	NAV				523	4 54		19 54			139		205	14 24	73	B 32D	B 32S	9-63
5423	NAV	2255	2.3	112	533	3 101		10 101			90	90	217	11 2	40	B 7X	B 7D	7-64
5424	KED	2382	2.0	66	551	2 144		16 17			98		6	10 15	47	B 6S	B 6S	3-60

BUS MILEAGE DATA

PERIOD 7 ENDING JULY 15 1967

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED				
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE						
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR					
5425	KED				531	3	48		9	48			170		116	15	4	201	64S		48D	5-65
5426	KED	2053	2.6	44	562	2	237	4	12	4			103		177	13	14	104	B 56D	B 56S		
5428	KED	2717	2.1	54	570	2	369	246	14	66			57		223	13	62	318	B 25S	B 25S		
5429	KED	2526	2.5	72	578	2	115		14	115			111		87	11	6	121	B 33D	B 33X		
5430	NPK	2110	2.2	117	530	3	92	31	18	31		309	174		162	17	6	55	B 21S	B 21S		
5432	KED	2261	2.3	47	541	2	98		7	98		2	257		438	15	1	22	B 20X	B 20X		
5433	KED	1635	1.9	41	529	2	116		12	116			35		166	14	9	136	B 1D	B 1X		
5434	KED	2001	2.2	51	545	3	11		7	11		27	151		221	7	11	151	B 63X	B 63X		
5435	KED	1501	2.0	125	543	2	59		12	59		73	123			12	59	62	B 1D	B 1D		
5436	KED	2106	2.5	87	548			230	15	11		230	31		88	15	20	11	B 37S	B 37X		
5437	NAV	2179	2.3	80	546			236	8H	92			102		295	14	30	39	B 32X	B 32X		
5438	KED	2142	2.6	42	581	2	187		13	142		261	191		255	17	14	380	B 107D	B 107D		
5439	KED	2104	2.4	210	558	3	228		13	102		73	66		268	14	20	61	B 2S	B 2S		
5441	KED	2193	2.3	137	538	3	118	46	17	46		23	6		91	8	40	5	B 2S	B 2D		
5442	KED	1946	2.2	324	554	3	147	48	11	48			169		319	16	41	90	B 34X	B 34X		
5443	KED	2005	1.9	250	555	2	145		12	111			30		278	12	14	70	B 14S	B 14S		
5444	KED	1784	2.4	52	553	3	112		13	112		323	275		190	15	112	208	B 18X	B 18X		
5445	KED	1384	2.2	98	562	18	9		18	9		130	136		253	19	1	12	B 77X	B 77S		
5446	KED	1779	2.1	88	548	2	186		9	95			70		230	11	9	66	B 52X	B 52S		
5447	KED	1365	2.4	170	559	3	192		15	64		405	41		214	11	43	269	B 39S	B 39X		
5448	KED	2011	2.3	111	555	3	48		16	48			59		3	13	48	120	B 3D	B 3S		
5449	KED	1804	2.0	78	561	2	172		11	91		325	210		174	13	13	229	B 47D	B 47X		
5450	KED	871	.9	36	571	3	201		11	147			215		283	14	15	241	B 66D	B 66S		
5451	KED	1975	2.4	79	551	2	259		12	100			39		53	15	12	171	B 53S	B 53S		
5452	KED	1828	2.3	43	555	3	359		13	125		434	281		103	12	4	97	B 103X	B 103D		
5453	KED	1967	2.4	46	573	2	243		9	181			243		255	14	11	84	B 65X	B 65D		
5454	KED	1072	2.3	48	560	4	64		15	49			60		76	16	64	149	B 76S	B 76D		
5455	KED	2445	2.6	122	546	2	146		9	78		147	98		90	14	8	8	B 30D	B 30X		
5457	KED	1931	2.5	80	550	3	39		11	39		62	233		191	13	25	31	75D	53D		
5458	KED	2243	2.1	64	573	2	199		10	170		89	13		298	10	13	71	B 81D	B 81X		
5459	KED	1974	2.2	246	558	2	136		11	136		463	353		199	15	12	198	B 5S	B 5S		
5460	KED	1956	3.0	326	553			10	14	10			62		120	17		43	B 38X	B 38D		
5461	KED	2105	2.6	63	535	6	207		15	73			154		376	21	1	166	B 10X	B 10D		
5462	KED	2343	2.1	55	550	4	318		11	178			211		125	15	33	37	B 54X	B 54D		
5464	NPK	2274	2.4	113	540	2	323		12	163			3		109	13	29	77	B 58S	B 58X		
5465	NPK				545	2	166		9	137			39		295	11	122	44	B 4D	B 4S		
5467	NPK	1678	2.3	64	544	3	103	81	10	103		336	24		117	13	8	38	B 2X	B 2D		
5468	NPK	1501	2.5	125	535	2	148	11	14	11			26		133	16	9	279	B 37D	B 37X		
5469	NPK	2444	2.4	135	559	3	21		14	21			29		406	14	21	161	B 21D	B 21X		
5470	NPK	2083	2.5	94	538	3	87		11	87			27		85	13	9	91	B 2X	B 2S		
5471	NPK	5399	6.1	207	543	3	145		11	14			162		97	10	43	92	B 97S	B 97D		
5472	NPK	1533	2.1	69	573	2	145		11	145			30		295	15	93	306	B 21X	B 21S		

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE				
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR			
5474	NPK	1080	1.4		573	2	72		12	72			119		208	16	139	B 86D	B 86D	1-66
5475	NPK	2011	2.3	125	525	3	48		19	48			61		118	10	48	B 55D	B 55X	8-64
5476	NPK	1685	2.1	93	541	3	75		11	75		75	48		83	12	18	B 1D	B 1S	11-65
5477	NPK	2060	2.4	82	520	3	90		10	90			91		138	13	8	B 2D	B 2S	5-65
5478	NPK	2632	2.1	54	538	3	119		15	32		40	10		189	13	4	B 7X	B 7S	9-63
5479	NPK	2492	2.2	45	549	3	102		14	102		8	157		127	11	33	B 38X	B 38S	6-59
5480	NPK	3438	2.6	76	533	2	188		12	28			55		188	12	22	B 32S	B 32S	3-65
5481	NPK	844	1.7	60	529	4	118		10	118		6	39		97	10	12	36D	D	1-65
5482	NPK	2106	2.1	35	547	2	173		10	65			53		65	10	26	B 7X	B 7S	12-64
5483	NPK	2323	2.4	48	548	2	132	58	11	91			274		2	17	63	B 2D	B 2S	10-62
5485	NPK	1515	1.7	47	528	3	155	45	7	45			210		264	10	62	B 18X	B 18D	3-60
5487	NPK	2703	2.3	142	527	5	72		14	72		72	170		325	9	72	B 10D	B 10S	2-66
5489	NPK	2144	2.2	178	542	3	85		7	85		18	62		305	13	25	B 16S	B 16S	1-65
5490	NPK	1984	1.9	31	540	2	339		6	6			258		274	13	8	B 8S	B 8D	6-59
5492	KED	2802	2.0	56	536	4	189		11	136			66			16	34	B 17D	B 17X	8-59
5493	NAV	2173	2.0	57	514	2	92		10	92			44		216	14	6	55X	22D	6-59
5494	NPK	2204	2.5	95	514	2	148		15	28		373	131		238	13	172	B 2D	B 2S	3-65
5495	NPK	1726	2.0	28	501	3	87		11	59		293	156			12	44	B 12D	B 12X	11-65
5496	69	2556	2.3	50	524	2	324		11	14			33		207	10	36	B 47S	B 47D	6-67
5497	NPK	877	1.7	43	510	2	121		15	36			34		85	14	7	B 7S	B 7S	12-64
5498	NPK	1940	1.8	32	538	3	128		9	128		295	81		183	10	128	B 62X	B 62X	5-63
5499	NPK	950	1.4	52	492	2	135		8	80			35		307	14	31	B 10S	B 10X	6-59
5500	ARH	1769	2.3	58	458	2	167		6	135			53			7	11	B 13X	B 13D	2-59
5501	ARH	1612	2.6	94	454	4	30		5	30			147		137	9	30	B 48D	B 48D	12-65
5502	ARH	1306	2.0	59	441	3	22		11	22		137	106		131	11	14	B 16X	B 16D	3-64
5503	ARH	1632	2.4	77	484	2	11		10	6		160	136		82	10	11	B 11S	B 11D	3-67
5504	ARH	1437	2.2	62	442	2	89		6	89		192	79		124	10	37	B 22X	B 22X	3-64
5505	ARH	1469	2.2	77	457	2	10	176	7	10		133	148		245	9	3	B 16S	B 16D	6-63
5506	ARH	1396	2.1	73	467	2	289	154	7	108		136	73			8	16	B 10S	B 10X	8-63
5507	ARH	1358	2.2	84	453			158	8	54		14	6			10	22	B 6X	B 6X	7-65
5508	ARH	1218	2.5	48	429	3	15		9	15		38	4		58	6	15	B 8X	B 8D	6-67
5509	ARH	1452	2.5		459			12	7	12			30			9	12	B 27X	B 27S	10-63
5510	ARH	1853	2.6	80	439	2	49		9	14		199	182		91	11	49	B 42X	B 42S	5-63
5511	ARH	1440	2.2	68	467			164	4	164			51		64	9	36	B 29X	B 29D	12-65
5512	ARH	1571	2.2	47	461	2	86		8	14		111	71		46	6	86	B 15D	B 15X	7-65
5513	ARH	2157	2.9	79	489	2	204		8	139		301	237			8	20	B 14D	B 14X	10-64
5514	ARH	3234	4.7	248	457	2	318	152	6	92		163	200			11	14	B 27S	B 27D	7-60
5515	ARH	1391	2.1	38	461				4	93		154	143		213	6	1	B 8X	B 8S	9-64
5516	ARH	2005	2.9	27	472	2	195		7	16		192	61			7	10	B 22D	B 22X	10-60
5517	ARH	1471	2.3	54	462	2	49	34	7	34			108		87	8	7	B 11D	B 11S	12-65
5518	ARH	1397	2.4	63	457	2	208		7	12			101			5	96	B 28X	B 28S	6-60
5519	ARH	1542	2.4	85	462	2	42		6	42			420			10	42	B 23X	B 23S	12-65

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED			
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE				
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR			
5520	ARH	1299	3.0	185	450		10	7	10	185	48			9	10	42	B 43D	B 43D	4-67	
5521	ARH	1437	2.3	130	509		237	8	237	175	415			11	4	78	B 3X	B 3S	5-67	
5522	ARH	1432	2.0	89	454	2	88	7	57		112			7	88	68	B 21X	B 21S	8-64	
5523	ARH	1084	1.9	180	478	2	130	10	1	219	135			8	2		B 16D	B 16S	4-60	
5524	ARH	1488	2.2	43	439	3	13	6	13		83			7	13		B 57X	B 57X	2-64	
5525	ARH	1203	1.5	30	485	2	10	5	10		142		127	6	10	42	B 15X	B 15X	5-60	
5526	ARH	164	1.9	82	461	2	102	8	102	216	54			12	8	38	B 15D	B 15D	10-66	
5527	ARH	1457	2.1	80	517		301	5	163		13			6	178	22	B 8S	B 8D	4-65	
5528	ARH	1710	2.7	65	465	2	56	8	56	166	42			11	24	199	B 25S	B 25S	10-65	
5529	ARH	917	2.3	305	462		223	7	104		145			6			B 43X	B 43D	11-65	
5530	ARH	1516	2.0	52	467	2	55	9	12	128	118		112	9	9	26	B 55D	B 55S	8-65	
5531	ARH	1415	2.1	83	497	2	114	7	114		177			8	12	222	B 4X	B 4S	11-65	
5532	ARH	1275	2.9	91	450		289	8	20	9	19	49		49	7	19	9	B 4X	B 4D	6-63
5533	ARH	1016	2.1	67	474		378	8	32		331			8	11	34	B 8X	B 8D	5-60	
5534	ARH	1536	2.4	73	452	2	152	8	62	161	110			7	1	83	B 25D	B 25S	6-64	
5535	ARH	1453	2.6	103	449		159	6	10	28	8		3	8	17	67	B 3S	B 3D	6-64	
5536	ARH	1212	2.4	46	456		196	9	47		43			5	10	54	B 48X	B 48D	7-66	
5537	ARH	2319	2.4	33	460			9	87	222	80			7	8		B 11X	B 11X	9-64	
5538	ARH	1302	2.2	44	462	2	39	6	39		34		77	9	6	90	B 25D	B 25D	2-67	
5539	ARH	1107	2.1	55	495	2	90	7	90	47	417		256	7	90	25	B 3D	B 3S	6-67	
5540	ARH	434	1.4	217	453	2	86	6	86	7	19			10	22	23	B 5D	B 24S	6-67	
5541	ARH	1525	2.4	84	454	2	25	6	25	19	125			8	6		B 19S	B 19S	11-62	
5542	ARH	1470	2.5	133	460	2	132	8	29		86			12	25	201	B 22D	B 22X	6-66	
5544	ARH	1460	2.3	85	444	2	369	8	98	50	411			9	14	59	B 4S	B 4S	6-66	
5545	69	2647	2.3	529	484	2	14	9	14		118			4	147	7	19S	19S	11-60	
5546	69	3495	2.0	233	465	3	49	8	49		120			9	49	105	B 6S	B 6S	3-65	
5547	69	2535	1.9	120	492		206	6	147	262	26			5	8	8	B 13D	B 13S	6-61	
5548	69	3249	2.3	171	459	3	12	9	12	223	141		225	8	12	146	B 37D	B 37D	10-62	
5549	69	1937	1.7	58	458	2	431	6	44		136		63	10	61	109	B 16S	B 16D	10-62	
5550	69	3089	1.9	68	483	2	38	8	38	30	74			8	4	136	B 37D	B 37X	4-60	
5551	69	2423	2.0	142	490	2	348	6	103	11	51			6	103	4	B 35D	B 35S	3-67	
5552	69	1906	1.8		463	2	68	5	68	24	122			5	68	6	B 19D	B 19X	8-63	
5553	69	2583	2.2	258	481	2	114	7	114	14	232		177	6	2	5	B 48S	B 48D	10-64	
5554	69	277	2.2	34	482	2	255	7	190	14	71		91	8	12	197	B 14D	B 14X	3-64	
5555	69	1107	1.8	92	467		223	9	82		20		246	5	115	126	B 47D	B 47D	11-64	
5556	69	2118	2.1	302	483	2	89	7	89	177	356			9	89	253	B 2X	B 2S	8-61	
5557	69	3061	2.0	153	480	2	70	8	37		67			10	41	171	B 26S	B 26S	N10-53	
5558	69	319	1.5	22	472		160	6	48	9	289			6	45	187	B 8S	B 8D	9-64	
5559	69	2205	1.6	551	472	3	9	9	9	9	98			7	9	3	B 2S	B 2D	3-67	
5560	69	3361	2.5	115	479	2	80	6	80	211	80		127	8	80	6	B 30X	B 30D	2-67	
5561	69	2708	2.4	93	474	2	115	9	25	228	106			10	15	5	B 14S	B 14S	3-67	
5562	69	1484	3.8	247	478			5	110	57	216		155	5	66	40	B 13X	B 13S	7-65	

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED			
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE					
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR				
5563	69	2215	2.5	130	489	2	136		10	56		37		240	6	80	139	B 18D	B 18S	3-67	
5564	69	2661	1.7	110	484	2	122		6	47		10	78	150	5	16	4	B 50X	B 50D	2-65	
5565	69	2			472	2	69		7	69		28	103	102	9	69	102	B 12X	B 12S	6-61	
5566	69	2341	1.8	90	480			260	9	108		147	20	259	4	75	151	B 38S	B 38X	N10-53	
5567	69	2934	1.6	133	487			259	6	164		234	39		10	103	5	B 42D	B 42D	5-60	
5568	69	2556	2.2	116	474			417	10	150		203	229		8	9	395	B 40D	B 40D	7-66	
5569	69	2469	2.3	246	483	2	10		6	10		42	339	66	10	10	4	B 11D	B 11S	3-66	
5570	69	1881	2.2	209	477	2	143		6	18		213	106	149	8	87	3	B 19D	B 19S	8-61	
5571	69	2289	1.7	134	491			191	6	35		80	56		6	111	107	B 11S	B 11D	4-67	
5572	69	2409	1.9	301	482			176	5	112		183	59		6	136	3	B 11D	B 11S	8-66	
5573	69	2814	2.3	148	479	2	71		7	71	8	31	50	65		14	5	3	B 3X	B 3S	5-63
5574	69	3024	2.1	168	470			214	9	39		31	111	102	10	35	4	B 33D	B 33S	8-64	
5575	69	3517	2.8	195	491			96	5	96		80	54		8	77	105	B 36X	B 36D	1-65	
5576	69	2867	2.2	92	476	2	121		5	121		245	170		10	33	38	B 9X	B 9S	12-66	
5577	69	3116	1.8	311	485			182	5	90		39	266		7	108	3	B 51D	B 51D	N11-53	
5578	69	2851	1.9	135	490	3	111		6	111		16	16		7	111	290	B 16D	B 16D	4-65	
5579	69	2636	2.0	292	473			186	6	44		197	100	66	7	164		B 33S	B 33S	9-59	
5580	69	2710	2.0	271	477	2	111		9	52		253	96		9	111	155	B 23S	B 23X	11-64	
5581	69	2499	1.8	147	478	2	140		4	140		187	109		8	61	446	B 14X	B 14D	N11-53	
5582	69	3153	2.1	1576	494			180	4	191		185	416		8	9	18	B 19D	B 19S	2-61	
5583	69	2805	2.0	155	492	3	87		8	87			30		8	87	336	B 38D	B 38S	5-66	
5584	69	2419	2.0	186	466	2	49		8	22		116	103		9	16	1	B 23S	B 23S	11-66	
5585	69	1803	1.6	257	480	3	21		8	21		185	50		9	10	131	B 1S	B 1S	6-60	
5586	69	2682	1.9	167	488	3	104		8	104			40		10	8	360	B 17X	B 17X	8-61	
5587	69	3128	1.9	240	493				6	141			447		7	118	51	B 58D	B 58D	1-61	
5588	69	2368	2.3	148	479		205		6	54		54	76		6	37	132	B 39D	B 39D	1-66	
5589	69	2955	1.9	246	501	2	14		5	14		170	454	171	8	14		B 14X	B 14D	2-67	
5590	69	2799	2.3	349	488	2	101		3	101		167	196		9	25		B 19S	B 19S	2-64	
5591	69	2866	1.7	150	485	2	101		7	101			55		5	36		B 23S	B 23S	2-64	
5592	69	1672	1.3	185	470	2	123		7	70		145	3	114	6	35		B 4S	B 4X	5-61	
5593	69	1204	1.5		484	2	115		8	50		208	120		8	17		30S	1S	11-64	
5594	69	2722	2.0	100	478			205	8	48		18	73	240	6	38	153	B 32X	B 32S	7-60	
5595	69	2350	2.1	167	470	2	118		10	59			105	114	9	55	132	B 2S	B 2X	N11-53	
5596	69	2674	1.8	86	495	2	198		5	132			111	215	10	13	10	B 62D	B 62D	10-66	
5597	69	3052	2.3	160	496	2	142		5	142		260	216	263	6	21	248	B 61D	B 61S	6-60	
5598	69	3566	2.3	108	482			219	8	130		175	128		9	19		B 39S	B 39X	3-60	
5599	69	2210	1.8	276	470	2	53		9	53		208	155		10	14		B 7X	B 7D	8-60	
5600	69	2872	2.4	1436	495			220	4	146		43	100	187	7	111	169	B 36D	B 36D	11-64	
5601	69	2905	2.2	207	479				8	116			93		7	94		B 12D	B 12S	6-61	
5602	69	2574	2.3	257	481	2	44		7	44			9		8	44	135	B 14S	B 14S	8-64	
5603	69	2842	1.9	355	469	4	15		7	15			168	92	13	15	227	B 28D	B 28D	7-66	
5604	69	2077	1.6	159	460	2	15		8	15	7	31	172	70		5	48	251	B 2X	B 2S	8-61

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED			
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor		DIFF.	BRAKE RELINE				
								LEFT OR SINGLE	RIGHT		Box	Column		FRONT	REAR						
5605	69	2989	2.0	157	472	3	206		9	50		142	58		67	11	10	25	B 14X	B 14D	11-64
5606	69	2816	2.0	704	477	2	86		8	86		192	413		170	10	86	22	B 27X	B 27S	5-64
5607	69	2720	2.4	181	473	2	52		6	52			92			8	52	131	B 9D	B 9S	2-67
5608	69	2498	2.0	227	485			211	10	23			70		99	8	88	199	B 36D	B 36S	6-66
5609	69	1254	1.0	78	471	2	56		7	56			119		203	8	56		B 19D	B 19S	4-63
5610	69	2913	2.4	208	482			322	7	89		19	179		69	10	12	298	B 22X	B 22S	6-63
5611	69	3149	2.1	393	472	2	122	75	8	37		150	116			9	98		B 13S	B 13S	11-58
5612	69	2564	1.5		474	2	57		9	57		26	46			12	57		B 2S	B 2S	2-67
5613	69	1697	2.0	565	483			188	10	56		24	114			7			B 29S	B 29D	8-61
5614	69	3091	2.4	83	490	2	158		8	63		182	122		6	6	158	66	B 6S	B 6D	N12-53
5615	69	1			489			216	7	40			123		207	7	79		B 19S	B 19S	9-65
5616	69	2302	2.4	95	490			218	6	25		175	186			7	82		B 35D	B 35D	N12-53
5617	69	1996	2.7	73	489				6	108		212	106		149	9	133	242	B 57X	B 57D	1-64
5618	69	2619	1.8	1309	494	2	63		7	63		259	152		244	6	63	216	B 13D	B 13S	10-64
5619	69	2707	1.8	142	482	3	15		8	15			118			7	15	133	B 10D	B 10S	N12-53
5620	69	3076	2.1	139	485	2	38		8	38			84			9	38		B 14S	B 14D	11-64
5621	69	2674	2.5	1337	483	2	112		7	73		189	46		97	9	112	217	B 38S	B 38D	10-65
5622	69	2234	1.8	79	453			204	10	147		26	73			8	5	30	B 8D	B 8S	6-65
5623	69	2685	2.1	167	484			190	7	190		178	89		133	5	49		B 11S	B 11D	9-64
5624	69	2881	1.9	320	479	2	91		5	91		198	132		253	9	13	8	B 15S	B 15S	12-63
5625	69	2607	2.4	237	481			12	8	12		138	307			7	12		B 15S	B 15X	11-60
5626	69	2972	1.9	297	489	3	82		8	56		139	386			7	8		B 15D	B 15D	1-65
5627	69	2865	2.1	260	492	2	126		5	126		79	166		259	6	126	119	B 13S	B 13S	11-64
5628	69	2568	1.9	214	469	2	144	35	6	35		46	67		95	6	78	6	B 11D	B 11X	5-66
5629	69	1771	2.1	84	471	3	53		9			244	315			6	53	207	B 29X	B 29S	10-65
5630	69	2490	1.9	99	483			214	7	11		214	187			6	36		B 11D	B 11S	N 1-54
5631	69	3084	2.3	205	472	2	245		7	70		56	230			7	14		B 29S	B 29D	4-61
5632	69	2547	2.1	424	505	2	127		3	127		193	8		176	7	127	112	B 8D	B 8S	2-64
5633	69	2870	1.9		473	2	81		6	81			112			6	81		B 16D	B 16X	10-64
5634	69	3214	2.4	110	473			186	7	128		5	83			5	103	275	B 54X	B 54D	3-65
5635	69	863	2.0		487	2	68		5	68		11	446		242	6	67		B 39D	B 39S	6-66
5636	69	3207	2.0	200	483	2	68		5	68		148	273			7	68	278	B 15X	B 15X	9-60
5637	69	3070	2.6	161	481	4	9		6	9			363		180	14	9	293	B 22D	B 22S	3-64
5638	69	3288	1.9	96	474			255	6	164			64		268	6	84	47	B 8X	B 8S	N 1-54
5639	69	2080	1.6	231	488	2	43		6	43		14	406			7	43		B 7S	B 7D	1-64
5640	69	2615	1.7	217	465	3	13		9	13		234	134			6	13	92	B 10D	B 10S	2-67
5641	69	1827	2.1	456	465			171	7H	113			296		158	9	46		B 1X	B 1S	3-65
5642	69	2769	2.2	197	486	2	132		6	64			326		214	7	132	127	B 11D	B 11X	7-65
5643	69	2820	2.2	235	458	2	75		6	75		41	40			10	43		B 14X	B 14S	2-61
5644	69	2997	2.2	130	481	2	240	115	8	37		215	139			8	169	1	B 18X	B 18S	9-65
5645	69	2509	2.4	147	468			242	7	44		217	40		151	10	30		B 39S	B 39D	9-63
5646	69	3404	2.3	109	462	2	131		7	38		7	398		255	5	14	9	B 30S	B 30D	5-66

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR	
5647	69	3062	2.4	1020	479	3 75		6 75		243	59		265	8 75		B 3D	B 3S	6-65
5648	69	5907	4.0	328	475	2 127		6 78		151	116			10 80		9D	31S	3-65
5649	69	2532	1.9	194	496	2 134	101	5 101		205	120		122	8 134	10	B 21X	B 21S	4-64
5650	69	2101	1.9	131	487		232	5 84		208	76		78	4 96	150	B 23X	B 50D	11-60
5651	69	2520	2.0	140	495	2 226		5 79		201	70		71	5 90		B 21D	B 21S	11-61
5652	69	1681	2.1	84	487	2 154		6 154		204	39			5 35		B 1X	B 1D	11-65
5653	69	1845	1.5	615	485	2 86		5 86			252		243	6 2		B 17X	B 17D	8-61
5654	69	2727	2.3	118	440	2 63		6 63	7 31		245	133	134	8 63		B 11X	B 11S	8-65
5655	69	2331	2.1	155	473	2 140		8 65		13	123			12 140	9	B 54X	B 54D	2-64
5656	69	1288	1.6	117	463	2 45		6 45			191			5 45	133	B 1S	B 1X	2-61
5657	69	2485	1.9	177	477		194	5 119		194	118		62	9 72		B 19D	B 19X	3-59
5658	69	2787	2.1	126	489	3 14		7 14		14	130			7 14		B 12D	B 12S	4-64
5659	69	2868	2.2	478	470	2 133		4 133		10	296			7 20	5	B 22S	B 22D	7-63
5660	69	2711	2.2	84	506	3 115		5 115		11	14		289	5 70	9	29D	57X	12-64
5661	69	2564	2.2	320	482	3 72		4 72			142			6 72	145	B 9D	B 9S	9-59
5662	69	2869	1.8	143	497	3 18		6 18		18	394		226	8 18	286	B 10S	B 10X	11-66
5663	69	2471	1.6	130	484		214	6 60			89		207	7 32		B 42D	B 42D	N 1-54
5664	69	2377	1.9	72	482		219	9 13		141	24		156	6 31		B 14D	B 14S	11-61
5665	69	2227	1.6	556	484	2 136		9 91		58	67		136	12 4		B 3X	B 3S	8-61
5666	69	1369	2.1		481	3 1		8 1		141	113			8 1	4	B 4D	B 4S	5-61
5667	69	2256	1.8	250	493			5 82		175	32		152	5 91		B 10D	B 10D	7-64
5669	69	1564	2.1	195	474	2 189		8 39		203	144		232	5 88	31	B 1S	B 1X	N 2-54
5670	69	1859	1.8	206	471	2 53		5 53		235	137		236	7 53	433	B 13X	B 13X	11-65
5671	69	3069	2.0	306	467	3 263		6 42		230	54			7 126		B 28S	B 28S	1-66
5672	69	2819	2.1	201	485	2 139		7 51		47	22			8 139		B 13S	B 13S	N 2-54
5673	69	2731	2.1	48	464			9 6		163	126		246	7 42		B 24S	B 24S	10-64
5674	69	2198	1.8	157	483	2 142		7 87		150	80		110	8 110		B 15D	B 15S	2-66
5675	69	2441	2.0	348	478	2 130		6 130			124			4 130	47	B 16S	B 16S	3-64
5676	69	2692	2.5	448	479		129	3 146		60	167		147	6 8		B 2D	B 2S	8-60
5677	69	1821	1.5	91	475	2 42		5 42		44	350		245	9 8		B 5D	B 5S	11-60
5678	69	2767	2.0	230	500	2 136	56	6 56		16	127		89	6 136	396	B 22D	B 22S	N 2-54
5679	69	2164	1.5	309	486	3 11		5 11		8	124		219	10 5	293	B 2S	B 2S	2-67
5680	69	3156	1.9	166	477	2 124		6 65		163	390			4 124		B 32X	B 32S	1-63
5681	69	3309	2.3		475	2 68		4 68		230	100		136	11 23		B 13S	B 13S	3-67
5682	69	2131	1.8	532	483	2 114		6 82		154	111		201	7 114		B 10D	B 10S	3-61
5683	69	3318	2.5	138	490	2 6		6 6			102		114	8 6		B 11D	B 11S	N 2-54
5684	69	3058	2.2	169	479		120	6 120		242	101		257	5 36		B 20X	B 20D	1-63
5685	69	1907	2.5	146	487	3 14		7 14		222	41			7 14	287	1S	1X	N 2-54
5686	69	2544	2.1	159	486			5 156		229	42		269	8 49		B 7D	B 7S	9-59
5687	69	1095	2.8		463	2 123		5 123			385			5 123	238	B 37X	B 37S	1-61
5688	69	895	2.2	99	471	3 13		7 13		245	377		95	9 13		B 51X	B 51S	11-65
5689	69	2794	2.1	232	489	2 485	200	5 128		79	159		271	7 11		B 7S	B 7S	2-66

BUS MILEAGE DATA

PERIOD 7 ENDING JULY 15 1967

PAGE 42

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE				
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR			
5690	69	2975	1.9	247	475	2	267		7	5	253	222		152	6	58	250	B 14D	B 14X	8-61
5691	69	2994	2.1	149	490		413		7	88	281	280		170	8	30	9	B 40D	B 40S	4-64
5692	69	1966	2.0		481	3	14		8	14	15	455			5	62		16S	D	1-65
5693	69	2320	1.7	257	468		201		4	142	86	130			6	72		B 14D	B 14D	10-63
5694	69	3356	2.1	335	475	3	11		6	11	243	94			9	11	121	B 7X	B 7S	5-67
5696	69	2718	2.1	181	479		218		7	115	45	4			6	90		B 15X	B 15X	11-64
5697	69	1155	2.0		485	2	117			76	17	37			8	117		B 33S	B 33X	7-66
5698	69	2116	2.1	352	475	3	48		9	1	177	49			8	48		B 2S	B 2D	12-65
5699	69	1840	1.4	167	568	2	114		7	70		26			8	114	24	B 7S	B 7S	3-67
5700	69	2819	2.3	176	480	2	26		7	26	126	10		233	5	26	106	B 18X	B 18S	10-66
5701	69	1983	1.5	661	477			168	4	120	191	111			8	18		B 42S	B 42S	8-64
5702	69	2591	2.3	70	486			229	6	82	205	12		85	6	6		B 31D	B 31D	12-62
5703	69	3279	2.6	218	482			273	5	124	234	158			10	24		B 24D	B 24S	4-60
5704	69	1787	1.8	111	480	2	129		7	7	164	202		65	8	51		B 1X	B 1X	4-66
5705	69	2252	1.9	140	473	3	20		7	20	243	199		171	11	20		B S	B S	2-67
5706	69	3081	2.7	140	482	2	116		7	3	35	92		148	8	50		B 33S	B 33S	12-64
5707	69	2472	2.5	54	483	3	37		7	12	64	79		79	8	37	5	B 36D	B 36D	4-65
5708	69	3293	1.9	164	491	2	16		7	16	16	159		269	8	16		B 38X	B 38S	6-66
5709	69	2933	2.2	209	463	2	54		5	54		72			8	54		B 15D	B 15X	12-66
5710	69				472				5	83		85		241	6	134	272	B 30S	B 30S	3-66
5711	69	3038	2.1	253	478	2	57		7	17	239	132			6	57	71	B 29D	B 29D	7-60
5712	69	2596	1.9	216	483	3	21		10	21	159	169		161	12	19	102	B 23S	B 23D	N 2-54
5713	69	2883	2.0	106	493	2	24		5	24	14	225		182	9	24	247	B 2S	B 2X	7-65
5714	69	3077	1.7	384	462	2	95		5	95	31	119		118	7	46	7	B 12D	B 12S	11-64
5715	69	3030	2.2	1515	484	2	37		6	37	59	175		246	9	37		B 11D	B 11S	8-66
5716	69	2728	2.0	143	492	2	71		5	71	218	117		150	8	71	116	B 50D	B 50D	12-66
5717	69	2293	1.9	176	487	2	61		8	61	16	29			8	19	8	B 55D	B 55S	12-62
5718	69	284	.2	56	509	2	131		7	114		78		192	5	131		B 12S	B 12S	3-63
5719	69	3256	2.4	148	467	2	13		8	13	5	93			9	13		B 8X	B 8S	11-65
5720	69	2474	1.8	176	487	2	436	279	5	124	82	173		78	7	153		B 18D	B 18S	5-65
5721	69	2938	1.7	267	480				7	14	29	84		254	7	210	7	B 2S	B 2X	12-66
5722	69	2157	2.0	269	476	2	111		8	111	74	102		245	5	111	73	B 55S	B 55D	12-63
5723	69	3346	1.8	557	458	3	16		7	16	173	106			8	16		B 16D	B 16X	2-66
5724	69	3171	2.1		479	2	140		5	140	69	73			8	54	139	B 41S	B 41D	8-61
5725	69	2563	1.5	197	482	2	14		8	14		242			9	14	100	B 9X	B 9S	N 3-54
5726	69	2692	1.9	122	501		221		4	168	81	196			7	24	157	B 6X	B 6X	11-66
5727	69	3062	2.0	145	494		224		9	63	265	202			8	69	119	B 9X	B 9S	N 3-54
5728	69	3029	2.4	151	481	2	146		7	60	120	80		235	6	22		B 30D	B 30S	2-64
5729	69	2748	1.9	105	467	2	124		8	13		159			10	15	275	B 17D	B 17S	3-64
5730	69	2102	1.4	150	494	3	85		7	85	173	127		186	6	85	2	B 10S	B 10S	4-64
5731	69	3397	2.4	89	483		228		6H	111		270		170	6	82	214	B 6D	B 6S	5-66
5732	69	2589	2.0	215	493	2	150		7H	95	237	108			8	61	4	B 9S	B 9S	8-60

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor		DIFF.	BRAKE RELINE			
								LEFT OR SINGLE	RIGHT		Box	Column		FRONT	REAR					
5733	69	587	.5	39	473		208	8	89		164	460	93	129	7	18		B 27X	B 27D	11-61
5734	69	2149	2.3	153	466			4	98		13	98			9	84	10	2D	2X	4-65
5735	69	3138	1.9	184	459	2	115	4	115			23		193	9	107	135	B 10X	B 10S	12-65
5736	69	1523	2.9	761	470		131	7	58		71	41		132	7	97	9	B 35X	B 35D	10-63
5737	69	2438	1.5	174	479	3	21	5	21		177	242			7	122		B 36S	B 36D	9-66
5738	69	2663	2.1	221	474	3	57	8	32		42	184		186	8	57		B 15D	B 15X	N 4-54
5739	69	3201	2.2	246	504	2	125	7	125		212	128			6	14		B 36S	B 36S	11-62
5740	69	3112	2.0	222	602			8	118		80	58		111	8	91	24	B 33S	B 33X	10-62
5741	77	2872	2.3	478	502			12	9		247	279		157	7	9	21	B 24X	B 24X	N 4-54
5742	69	2634	2.2	131	502				12		12	140		157	6	12	19	B 32D	B 32D	2-67
5743	77	2726	1.9	73	548		422	7	193			34		318	11	5	127	B 20S	B 20X	8-61
5744	77	1277	2.2	319	523	2	183	9	33			497		182	7	69	19	B 32S	B 32S	12-62
5745	77	1312	1.6	43	512		153	7	59	8	32	93			7	31	8	B 31S	B 31S	N 4-54
5746	69	2678	2.2	167	523	2	102	6	93		17	133		93	6	5	55	B 44S	B 44D	1-65
5747	77	2752	2.1	161	530		235	6	108		21	231			9	17	209	B 26S	B 26D	11-64
5748	69	1695	1.5	282	539	2	113	11	1		7	280			12	12	25	B 22X	B 22D	6-67
5749	77	2971	2.1	990	538	2	166	7	118		166	45		193	10	28	21	B 7S	B 7D	N 4-54
5750	77	3370	2.1	51	537		181	8	66		79	120		97	7	37	24	31X	31S	5-67
5751	77	3444	2.6	55	537	3	89	9	89			246		161	7	47	207	B 22S	B 22D	2-61
5752	77	3581	2.1	77	543	4	71	14	71		8	102		283	8	71	39	B 33S	B 33S	5-67
5753	77	2687	1.8	52	527	3	33	11	33		93	272		186	7	53	24	B 54D	B 54X	6-66
5754	77	3088	1.9	22	547		377	6	182		31	195			8	46	36	B 32D	B 32D	7-66
5755	77	3254	2.1	36	534	2	142	13	16		53	287		182	9	3	4	25X	25D	1-64
5756	77	2872	30.5	287	556		221	4	151		69	272		136	8	37	130	B 28X	B 28D	3-63
5757	77	2872	2.2	92	546	4	63	6	63			91		129	8	63	92	B 32X	B 32S	2-64
5758	77	2872	2.8	65	529		326	8	68			149		188	7	129	61	B 40D	B 40S	12-65
5759	77	261	1.8	32	566	2	191	8	130			304		1	7	39	378	B 1D	B 1S	11-59
5760	77	3677	2.2	59	573	2	263	7	198			248		225	7	19	213	B 50S	B 50D	N 4-54
5761	77	1970	2.0	31	560		257	7	92			229			7	2	49	22X	1D	10-62
5762	77	2396	1.7	50	568	2	162	10	162			289			8	20	52	B 35X	B 35D	11-66
5763	77	3085	2.0	60	530	2	98		28			69		257	9	19	68	B 35X	B 35D	10-62
5764	77	2685	1.9	46	559	3	8	8	8		35	298		80	7	8	183	B 28D	B 23D	9-66
5765	77				558	2	302	12	15		79	130		102	7	6	6	B 12D	B 12X	1-64
5766	77	1006	.7	45	580	2	54	9	54			289		190	10	6	148	12S	1X	6-64
5767	77	2705	2.5	38	553	2	388	6	169			196		106	8	19	312		S	2-66
5768	77	2439	2.0	40	575		300	8	80			352			5	19	56	B 46D	B 46S	4-67
5769	77	3359	2.4	79	579	3	19	10	19			323		175	11	19	14	B 4X	B 4S	8-61
5770	77	3462	2.2	33	568		222	6	169		4	322		219	9	41	62	B 4D	B 4D	3-63
5771	77	1891	1.9	23	570	2	179	9	39		60	280			8	12	53	B 25S	B 25D	6-67
5772	77	2860	2.0	52	562	2	93	7	93		418	196		147	12	93	47	B 2X	B 2S	6-65
5773	77	3382	1.9	60	565	2	155	10	22			180		242	8	12	455	B 25X	B 25X	7-66
5774	77	3091	1.9	43	511		190	4	98		28	191			9	34	232	B 7S	B 7X	6-67

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED			
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor		DIFF.	BRAKE RELINE				
								LEFT OR SINGLE	RIGHT		Box	Column		FRONT	REAR						
5775	77	3260	2.2	40	553	2	127		6	117		78	99		7	26	300	B 37S	B 37D	10-60	
5776	77	3033	2.2	43	558			220	6	138		49	295		8	8	19	B 4X	B 4X	8-64	
5777	77	4555	2.9	62	577	2	236		5	193		65	97		13	6	382	B 25S	B 25D	4-67	
5778	77	3694	1.9	60	564	2	173	5	12	5			10		10	32	55	B 10S	B 10S	2-66	
5779	77	3203	1.9	61	572	3	20		7	20		36	236		8	20	181	B 16X	B 16D	N 5-54	
5780	77	2844	1.9	35	572			249	6	16			9		8	21	98	B 10D	B 10X	3-64	
5781	77	1527	.8	20	559	3	118		3	118			20		8	117	5	B 13X	B 13D	N 5-54	
5782	77	3484	2.3	61	568	2	197		9	179			152		7	22	26	3X	3X	N 5-54	
5783	77	2041	1.8	42	560	3	139		12	78	13	32	156		8	51	150	B 23D	B 23D	2-65	
5784	77	3330	2.2	56	559	3	24		11	24			185		8	24	332	B 4S	B 4D	11-64	
5785	77	3070	2.0	52	559	3	119		8	119		7	33		8	119	67	B 34X	B 34S	12-63	
5786	77	1432	1.8	46	566	3	101		9	57		12	273		7	36	51	B 1X	B 1S	5-60	
5787	77	3269	2.3	52	567	2	113		9	113		73	243		9	55	57	B 25X	B 25X	12-62	
5788	77	3467	1.7	44	567	2	170		5	34			229		170	11	121	65	B 21S	B 21S	7-65
5789	77	2393	1.7	46	579	2	133		8	133			12		95	9	13	57	B 16X	B 16D	11-66
5790	77	2225	1.7	45	566	2	200		8	93		35	135		8	33	54	B 7D	B 7S	5-66	
5791	77	208	3.4		555	2	154		10	154		239	315		8	14	55	B 7X	B 7S	6-66	
5792	77	2891	2.3	44	577			253	6	67			207		6	124	103	B 26S	B 26S	4-67	
5793	77	2706	2.1	29	548				4	292		78	94		7	104	54	22X	1D	8-65	
5794	77	3035	1.8	29	550			174	11	47			100		8	66	228	B 9X	B 9D	6-66	
5795	77	3143	3.5	104	565	2	341		7	19		87	313		7	5	188	B 2D	B 2X	5-67	
5796	77	3553	3.0	49	556			386	7	44		44	229		6	135	60	B 27X	B 27D	11-62	
5797	77	3314	2.1	63	591	2	113		10	113			319		6	109	143	B 33X	B 33D	11-60	
5798	77	328	2.3	27	564	2	58		3	58		13	39		9	58	515	B 8D	B 8S	N 5-54	
5799	77	161	3.5		537	2	54		8	4		25	121		120	10	16	362	B D	B S	4-64
5800	77	3455	2.3	35	570	2	158		10	25			193		8	78	71	B 27X	B 27X	11-62	
5801	77	3488	2.2	42	560	2	70		8	70		341	214		8	10	16	B 26S	B 26S	3-60	
5802	77	2			564	2	123		7	11			286		9	123	61	B 27X	B 27D	2-63	
5803	77	2692	2.2	35	573	2	134		13	11			232		8	2	48	29S	29S	12-60	
5804	77	3533	2.1	33	579	3	102		12	11			299		8	102	57	B 10X	B 10D	2-63	
5805	77	3635	2.1	38	561	2	188		10	35		32	117		8	117	34	B 16D	B 16S	11-62	
5806	77	1643	1.9	21	564			296	8	8			295		9	15	47	37X	37D	2-61	
5807	77	4030	2.3	53	565	6	68		10	68			92		8	4	30	27S	47X	12-64	
5808	77	2855	1.6	47	573	2	117		8	117			120		9	58	139	B 39X	B 39D	2-64	
5809	77	3264	2.0	45	569	2	153		11	16		45	288		8	23	9	B 2S	B 2X	4-61	
5810	77	3401	2.1	56	554			162	4	61			117		6	25	36	28X	28X	12-65	
5811	77	2640	1.8	38	600	2	28	241	4	251	5	28	79	397		7	6	54	B 20S	B 20D	1-64
5812	77	2734	2.2	24	579	3	169		8	87			124		6	169	50	B 22X	B 22X	2-67	
5813	77	3474	2.1	54	567	2	144		7	14		88	326		11	58	1	B 32X	B 32D	5-59	
5814	77	3363	1.6	28	567	3	46		10	46			34		7	46	38	36D	17S	2-66	
5815	77	3575	2.0	40	556	3	100		15	21			216		6	100	66	B 33X	B 33S	4-67	
5816	77	3205	2.6	76	567	2	17		7	17			304		7	17	12	B 31D	B 31D	5-63	

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED			
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor		DIFF.	BRAKE RELINE				
								LEFT OR SINGLE	RIGHT		Box	Column		FRONT	REAR						
5817	77	1619	2.1	53	574		380	6	13			173		113	9	1	563	B 35D	B 35D	4-65	
5818	77	1941	2.2	45	592	3	8		7	8			223		198	7	8	357	1X	22D	7-60
5819	77	2887	2.0	62	560	2	62		10	62			192		97	7	62	345	B 24X	B 24D	3-61
5820	77	3993	5.2	60	562	2	344	169	11	40			246		198	9	26	3	31D	31D	2-61
5821	77	3781	2.1	32	536	2	35		9	35			298			6	35	232	B 18X	B 18X	2-67
5822	77	3559	2.0	30	552	2	137		8	35			296			10	35	46	B 15S	B 15X	4-66
5823	77	3267	2.2	81	567	2	186		8	63			282		122	6	37	173	30X	30S	8-61
5824	77	3545	1.6	45	547	2	122		12	24	11	38	259		90	9	40	63	B 6X	B 6S	8-61
5825	77	2257	1.5	24	582		402	10	112				293		136	10	18	58	2X	2X	4-60
5826	77	4364	2.3	70	555	3	31		8	31		31	71		193	7	31	122	B 34D	B 34D	8-61
5827	77	3148	2.0	32	584		411	4	67				322			5	34	59	B 14X	B 14D	7-61
5828	77	1841	2.1	63	555	3	124		14	32			310		237	17	11	52	34S	34D	1-63
5829	77	2375	2.2	35	573	2	323		5	251			95		300	9	55	38	29D	1S	5-67
5830	77	2695	2.0	39	579	2	182	23	10	23			115			6	118	46	B 28S	B 28X	N 6-54
5831	77	3337	2.0	75	575	2	63		7	63			242		156	8	19	187	B 28X	B 28S	8-60
5832	77	2888	2.0	45	566	2	99		4	99			148			5	99	131	B 25D	B 25X	4-61
5833	77	2730	2.2	68	587	3	54		10	12		12	308		74	9	30	554	35S	35X	3-66
5834	77	3659	2.1	59	545	2	132		7	132			89		166	6	20	58	B 26X	B 26D	7-65
5835	77	2872	1.9	25	575		266	10	6				301		151	5	93	108	B 28D	B 28S	N 6-54
5836	77	3404	2.3	65	572	2	209		9	134			155		195	6	37	186	B 9S	B 9S	N 6-54
5837	77	3084	1.8	50	557	2	65		7	65		21	301		194	10	13	98	B 13X	B 13D	12-65
5838	77	3830	1.9	48	588	2	165		4	165			216		183	9	165	67	12D	37D	N 6-54
5839	77	2872	3.5	65	569	3	19		6	19			207		127	10	19	22	23S	23S	9-60
5840	77	3181	2.2	16	569			4	105				302		203	5	38	30	B 35D	B 35D	11-61
5841	77	5148	3.1	44	562		274	10	111				202		276	7	37	35	B 36X	B 36X	6-61
5842	77	2872	1.8	23	583	3	114		13	36		17	137			10	10	53	B 27X	B 27D	8-61
5843	77	3250	2.0	45	568	2	191		13	182			360		197	7	31	31	B 37X	B 37X	10-66
5844	77	3652	2.0	54	551	2	12	420	7	12		420	136			7	12	62	B 48D	B 48D	3-67
5845	77	1013	2.1	24	578	2	284		10	23		53	311		144	7	49	285	B 9X	B 9X	8-61
5846	77	2867	1.9	59	569	2	167		7	65			34		144	6	167	114	B 29X	B 29S	3-63
5847	77	1785	1.4	33	570		226	10	11				199		199	5	47	11	B 36S	B 36D	6-61
5848	77	3104	2.1	62	563		240	7	198				303		297	8	94	382	27S	42X	N 7-54
5849	77	3126	2.1	35	569	2	574	209	7	244			302		159	6	43	159	32D	32S	N 7-54
5850	77	3687	2.2	89	575	3	26		8	26		26	297			4	82	4	B 38X	B 38S	9-64
5851	77	3923	2.3	54	566		19	11	19			18	250		111	9	19	31	B 44S	B 44S	7-61
5852	77	3224	2.0	34	538		240	11	39				244		186	13	27	58	B 28D	B 28X	3-66
5853	77	3314	2.2	41	576		286	6	84				265		210	7	22	58	B 13X	B 13X	7-61
5854	77	2872	1.6	24	544	2	150		7	64			273		164	5	64	34	B 42D	B 42D	6-61
5855	77	2872	2.5	54	560	3	55		12	55			320			12	12	11	B 31S	B 31D	4-62
5856	77	3076	1.9	53	566	2	121	51	6	51		51	296		47	8	66	203	B 11D	B 11X	12-65
5857	77	2669	2.2	34	576	2	10		6	10		16	273		179	8	10	49	34X	34X	N 7-54
5858	77	3069	1.7	28	553		271	7	17				271			9	33	68	B 27S	B 27D	2-65

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED				
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE						
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR					
5859	77	1523	1.7	138	549	3	40		9	40			312		68	8	40	42	27X	27X	5-63	
5860	77	3534	1.6	55	562	3	13		5	13			105		216	12	4	72	B 11S	B 11D	5-60	
5861	77	3085	2.3	49	561	2	167		8	34			115		215	9	20	309	B 12X	B 12X	3-61	
5862	77	2303	2.2	28	562			462	7	19		73	151		249	5	23	54	B 1S	B 1X	10-65	
5863	77	4323	1.9	45	534	2	178		5	16		10	227		211	8	17	32	B 13S	B 13D	12-65	
5864	77	3463	1.7	32	578	2	155	66	8	66		32	251		185	7	37	219	B 42D	B 42D	8-61	
5865	77	3459	2.0	54	580	2	265	109	9	64			328		226	5	28	34	B 10D	B 10D	9-66	
5866	77	3597	2.2	69	572	2	42		6	42			231		167	5	42	8	B 18S	B 18S	2-67	
5867	77	3309	2.0	56	550			380	12	17		194	104			5	138	67	28X	28D	1-63	
5868	77	3533	2.2	42	555	3	26		9	26		27	263			10	26	44	B 35S	B 35D	N 7-54	
5869	77	3645	2.0	95	552	2	18		7	18			103		247	7	18	18	28X	7S	6-61	
5870	77	2548	1.9	32	552	3	77		9	77		38	174		182	9	77	46	B 25S	B 25S	10-63	
5871	77	3562	2.1	30	552			386	8	148			112		261	11	48	49	B 30S	B 30D	2-65	
5872	77	3822	1.8	32	559	2	199		6	102			313			6	77	100	B 28S	B 28X	8-61	
5873	77	3746	1.9	39	568	2	62		11	62		45	312		163	8	62	273	B 27X	B 27S	N 8-54	
5874	77	1607	2.1	18	553	2	229	135	7	35		40	3		3	7	14	179	B 23S	B 23X	6-61	
5875	77	2258	1.9	50	558	3	5		5	5			141		220	7	5	58	B 17S	B 17S	5-67	
5876	77	1301	2.0	72	575	3	74		9	16	8	32		344		194	5	74	374	B 28S	B 28D	5-60
5877	77	3050	2.2	28	562			277	7	8			290		187	7	2	30	B 27S	B 27D	10-64	
5878	77	2796	1.8	53	565	3	125		10	24			23		223	7	125	30	B 26S	B 26D	N 8-54	
5879	77	3464	2.0	28	562	3	19		7	19			140		158	8	19	409	B 31D	B 31D	9-60	
5880	77	3188	2.0	30	554			261	5	100			102		115	4	132	129	B 17X	B 17D	6-66	
5881	77	3824	2.1	65	563	2	79		6	79			162		302	8	13	63	B 28X	B 28S	10-66	
5882	77	4080	2.3	31	562	2	84		8	84			332		239	10	22	48	B 29X	B 29S	1-67	
5883	77	2330	2.0	93	554	3	10		10	10		52	342		202	7	10	49	B 30S	B 30S	6-63	
5884	77	3214	1.9	74	571	2	73		8	73			211		211	5	73	14	B 10D	B 10D	2-63	
5885	77	2734	1.9	31	579	3	286		9	11			462		123	9	13	18	B 2X	B 2S	1-64	
5886	77	2879	1.8	46	554			202	5	98			159		223	9	8	65	B 2X	B 2X	11-62	
5887	77	2872	2.8	66	576	2	185		12	66			337			9	162	293	B 19X	B 19D	11-62	
5888	77	2990	2.3	78	551	2	153		6	153			108		184	7	42	66	31D	31X	8-61	
5889	77	3125	1.6	38	538	4	46		8	46			341		5	9	46	30	B 5X	B 5S	11-64	
5890	77	3365	2.0	55	563	3	39		8	67	9	39	45	304		174	5	39	67	B 21S	B 21D	9-64
5891	77	3148	2.1	65	558	2	58		6	58		75	233		274	5	58	68	B 25D	B 25D	5-65	
5892	77	3653	2.3	29	563			259	10	8		31	149		178	7	117	22	B 38D	B 38D	3-66	
5893	77	3566	1.9	42	555	3	40		9	207			270		151	9	40	30	3D	36D	7-66	
5894	77	2765	1.8	41	545	2	64		5	64			106		201	7	64	247	B 24S	B 24X	N 9-54	
5895	77	2902	2.0	90	555			196	5	117			193		111	5	82	68	B 2X	B 2S	5-60	
5896	77	2737	1.6	44	554	3	126		9	64		66	102			8	62	68	16X	2X	N 9-54	
5897	77	2872	2.0	47	565	3	14		9	14			321		171	8	14	25	B 10D	B 10D	6-60	
5898	77	3251	1.6	42	556	2	12		7	12	6	36		47		221	6	12	50	27S	27D	4-62
5899	77	2631	1.2	27	557	2	18		8	18			167		245	6	18	114	26X	26X	2-61	
5900	77	2554	2.3	52	534	2	157		5	157			148		151	8	112	17	3X	32X	1-65	

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE			
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT		REAR	
5901	77	3646	2.3	77	537	2 22		11 22			246			8 20	21		16S	16X	3-67
5902	77	2258	2.2	31	539	2 113		6 14			246		86	7 53	20	B 31D	B 31D	5-59	
5903	77	3531	2.0	46	529	2 179		4 32			85		249	7 179	302	B 32S	B 32S	11-62	
5904	77	357	1.7	39	547	2 186		12 186			171		185	6 49	53	B D	B X	3-65	
5905	77	2098	2.1	23	528		170	13 85			233		235	8 88	202	B 2S	B 2D	10-66	
5906	77	3195	3.2	88	518	2 99	39	7 39			264		132	10 99		B 25X	B 25D	5-59	
5907	77	3274	1.9	18	524		173	11 60			156			6 94	206	B 16S	B 16X	N12-54	
5908	77	2333	2.0	64	548	2 10		5 10			154		79	8 25	142	26X	1D	5-65	
5909	77	2638	1.8	47	523	2 85	45	11 45			243		270	7 85	108	B 5S	B 5D	4-65	
5910	77	3682	2.2	36	547	2 141		8 141				134	247	6 15	31	B 30S	B 30D	10-66	
5911	77	3586	1.9	53	545	2 27		10 27		11	43		193	9 27	13	17X	42X	5-59	
5912	77	3150	2.2	45	535	2 46	176	18 46		18	100			6 46	226	B 29X	B 29S	5-59	
5913	77	1			541			10	9 34		158		199	6 30	26	B 28X	B 28D	1-65	
5914	77	4506	3.4	76	562			5 195			160			8 6	108	4X	37D	4-66	
5915	77	1114	2.1	65	553	2 132		7 20		95	136		252	7 10	73	B 1X	B 1S	9-66	
5916	77	5205	3.2	100	563	2 50		13 50			214		176	7 4	33	B 5X	B 34D	4-59	
5917	77	887	.5	10	569	2 16		7 16		73	141			6 4	19	B 28X	B 28X	4-63	
5918	77	2300	2.2	29	537	4 8		11 8			250		245	10 8	25	B 32D	B 32D	8-64	
5919	77	4435	8.3	105	534	2 106	85	10 85			194		211	9 106	27	B 30S	B 30D	3-66	
5920	77	3239	2.1	115	572	2 74		8 11			220			11 23	182	B 8D	B 8D	5-64	
5921	77	1597	2.2	33	561	2 42		5 42		5	184		243	8 9	22	B 27S	B 27X	4-65	
5922	77	3004	1.8	44	529	3 85		10 56		26	148		221	9 85	26	B 35D	B 35S	9-65	
5923	77	3024	2.1	45	539	3 15		13 15		14	183		237	10 15	47	27D	3S	N12-54	
5924	77	3842	1.9	42	533	3 67	26	14 26			159		226	6 44	23	34D	34D	N12-54	
5925	77	2133	1.9	28	545	2 181		4 55			287		112	7 2	60	B 30S	B 30X	4-67	
5926	77	1386	2.1	40	554			8 53		23	285		245	9 40	26	B 20X	B 20D	N 1-55	
5927	77	2872	3.7	73	543	2 18		9 18		18	177		213	7 18	25	B 6X	B 6D	6-67	
5928	77	1833	1.8	31	543	2 36		7 220	8 36	89	126		265	8 12	21	B 2D	B 2D	8-65	
5929	77	3515	1.8	63	538	2 16		7 16			150		139	11 16	94	B 19S	B 19D	12-65	
5930	77	3257	1.9	21	548			7 22			209		159	9 109	54	B 2S	B 2S	5-67	
5931	77	2872	2.2	56	533	3 13		11 13			63		284	9 13	21	29D	29X	N 1-55	
5932	77	3211	1.9	55	525	3 129		13 129			242		251	18 44	20	B 21S	B 21X	5-59	
5933	77	2962	1.8	46	551	2 194		10 194	11 34	10	226		157	6 30	29	B 28S	B 28D	6-65	
5934	77	3125	2.6	61	534	3 18		12 18			209		4 6	18	20	B 4D	B 4S	3-65	
5935	77	3908	2.0	32	554	3 7		16 7			185		136	9 7	67	B 9S	B 9D	7-63	
5936	77	1808	2.5	53	537	2 160		11 136			258		237	7 166	345	B 42S	B 42S	9-62	
5937	77	2872	2.7	53	548	2 54		8 54		281	147			9 54	201	B 27S	B 27S	9-66	
5938	77	3687	1.9	42	547		26	10 11			143		217	6 26	21	B 25S	B 25X	N 1-55	
5939	77	2171	1.7	32	534	3 146		8 146		83	207		212	7 87	19	B 39X	B 39D	1-65	
5940	77	3227	1.2	44	537	2 77		13 29		10	237		280	7 29	240	22X	22D	N 1-55	
5941	77	3331	2.1	37	541	3 153		12 153		23	35		117	10 23	14	B 27S	B 27D	7-63	
5942	77	2952	1.7	62	536	4 21		10 21			172		168	13 21	19	B 17S	B 17D	4-59	

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor		DIFF.	BRAKE RELINE			
								LEFT OR SINGLE	RIGHT		Box	Column		FRONT	REAR					
5943	77	1710	1.9	15	549		437	7	143		224		149	8	36	107	B X	B X	3-66	
5944	77	2233	1.8	57	546	5	9	11	9		124		94	9	21	14	B 23D	B 23D	10-66	
5945	77	3867	2.1	50	529	3	139	7	48		125			11	31	15	B 29D	B 29X	12-62	
5946	77	3323	2.4	81	544	3	151	8	151		121		125	8	6	63	B 27D	B 27D	5-59	
5947	77	3024	2.2	88	533	3	36	5	60	6	98	36		8	36	21	B 10X	B 10X	4-59	
5948	77	2996	2.2	55	607		193	8	22		6	250		157	7	29	20	B 5S	B 5S	3-61
5949	77	2624	2.0	28	529	2	109	7	109		213	246		5	109	15	B 2X	B 2X	10-64	
5950	77	3420	5.1	92	526	3	117	9	25		74		199	9	117	14	10D	33D	3-63	
5951	77	1867	1.9	41	519	2	28	9	14		207		136	9	28	100	B 33X	B 33S	12-63	
5952	77	3249	1.7	42	542	3	4	7	4				187	6	40	98	B 14D	B 14X	8-61	
5953	77	3133	2.1	37	547	3	50	4	50		197		121	13	50	27	B 27D	B 27D	N 2-55	
5954	77	2214	1.8	21	544	2	168	3	168		174		136	6	15	13	B 36D	B 36D	9-62	
5955	77	2023	1.4	48	537		236	2	236		117		144	8	1	345	B 23X	B 23D	3-65	
5956	77	1256	1.8	59	527	3	63	10	63		218			7	9	24	B 36S	B 36S	7-65	
5957	77	3359	2.1	35	528		286	5	30		37	84		144	5	9	26	B 19D	B 19D	3-61
5958	77	2554	1.8	33	539			3	157		94	307		90	5	44	25	17S	17S	5-61
5959	77	2862	1.9	31	540	2	103	7	46			173			12	20	29	B 19D	B 19D	2-67
5960	77	4394	3.4	62	537	2	6	8	6			2			13	3	205	31S	31S	12-62
5961	77	515	.3	6	530			1	148			149		143	9	13	9	B D	B S	3-63
5962	77	2820	2.0	51	538	3	3	6	41			334		123	7	55	21	17S	38S	1-67
5963	77	2811	1.5	35	544		192	6	61			7		147	6	27	14	B 9S	B 9D	8-61
5964	77	2580	1.8	40	546	2	233	8	2			34		81	5	86	27	B 2D	B 2X	2-67
5965	77	3248	2.0	60	536	2	107	4	26			154		210	6	107	376	B 39D	B 39S	2-66
5966	77	1488	1.2	31	549	2	17	9	17		293	89		105	6	17	377	B 35X	B 35S	N 2-55
5967	77	2861	1.8	29	535			4	374			319			6	80	17	B 37X	B 37D	2-66
5968	77	2872	1.9	56	539	2	151	2	151			242		262	5	151	454	B 2S	B 2S	3-61
5969	77	2848	2.1	43	546	2	203	3	177			105		106	7	17	28	37D	2S	N 2-55
5970	77	872	3.0	43	527	3	10	9	10			223		85	6	10	18	B 18X	B 18X	5-61
5971	77	2787	1.9	31	524	2	133	3	133			171		193	7	16	22	B 8X	B 8D	6-61
5972	77				547	2	198	4	88			131		369	6	97	59	B 20X	B 20D	1-66
5973	77	2346	2.2	51	532	2	193	6	162			155		161	6	59	16	B 26D	B 26S	3-61
5974	77	3669	2.0	32	529	2	7	3	7	2	39	91		222	6	7	104	B 5X	B 5S	10-62
5975	77	2669	1.8	41	517	2	153	8	46		69	62		119	6	153	24	21X	21D	9-64
5976	77	2532	2.0	64	512			5	216		46	308			4	69	344	B D	B S	8-66
5977	77	3077	2.0	48	516	3	94	4	37		479	209		250	6	94	23	B 30S	B 30D	N 3-55
5978	77	3272	1.9	48	530	2	58	4	58			177		167	7	58	29	B 2S	B 2S	4-66
5979	77	3175	1.7	35	530	3	26	5	5		43	168		184	7	26	325	B 27X	B 27S	5-59
5980	77	3593	2.4	78	528	3	47	6	47			117		238	6	47	28	B 42S	B 42S	2-63
5981	77	3442	2.3	59	546	2	180	2	180			275		200	7	15	292	29X	29X	9-62
5982	77	5289	3.6	117	514	3	70	7	70		72	235			7	11	28	B 15S	B 15D	10-65
5983	77	2746	2.1	50	520	2	78	4	31			162			10	10	38	B 2X	B 2X	11-65
5984	77	3211	1.8	30	537		221	5	101			205		160	4	158	22	30X	30S	11-65

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED			
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE					
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR				
5985	77	3090	2.6	88	520	8	21		10	21			270			8	21	16	B 17X	B 17S	12-64
5986	77	3177	2.3	39	522			15	6	15			312		103	11	15	15	16X	30D	3-67
5987	77	3475	1.9	65	535			20	5	20		28	119		241	9	20	61	B 13X	B 13X	4-67
5988	77	3508	2.2	76	519	2	73		4	73			274		73	8	73	292	B 21X	B 21S	4-63
5989	69	3654	1.9	67	532	3	17		4	17			231			6	17	138	B 37X	B 37S	2-67
5990	77	5348	2.9	52	540			288	5	25			168		187	5	149	16	3X	3X	2-67
5991	77	2116	2.4	43	526	2	150		7	79			289		282	9	11	20	B 2X	B 2X	11-61
5992	77	3563	1.7	37	536	2	197		6	47			176		93	8	41	23	B 26D	B 26S	4-59
5993	77	3150	2.1	63	514	2	55		3	55			83		193	9	55	304	B 12S	B 12D	7-63
5994	77	3301	2.0	41	529	2	106		4	15			123		196	5	106	26	B 32D	B 32D	N 3-55
5995	77	3019	2.0	47	506	3	128	56	7	56			168		84	8	4	40	B 39S	B 39D	4-60
5996	77	3461	1.8	25	513	2	229		7	9		15	126		217	5	57	26	26D	3D	N 3-55
5997	77	3464	2.2	53	510	3	11		3	11			151		7	10	11	24	B 7S	B 7D	5-66
5998	77	2711	1.7	38	522	3	7		8	7			247		177	6	7	255	B 5S	B 5D	4-66
5999	77	3232	2.0	56	508	3	12		6	12			84		203	9	12	17	43X	28X	1-63
6604	77				809	3	188	21		21		61		188			112	227	B 61D	B 61X	1-65
7200	69	2048	1.8		463	2	221		7	5	10	5	150			5	38		B 13S	B 13S	3-63
7201	69	153	.1	10	454	2	216		5	72	5	72			164	4	119	217	B 25X	B 25S	N12-56
7202	69	1723	1.8	114	442	2	188		6	119	6	119	72	12	128	5	7	126	B 8S	B 8S	7-66
7203	69	1802	1.7	257	444	2	237		6	11	6	11	226	23	134	7	10	67	B 4D	B 4S	6-67
7204	69	2729	1.9	227	456	2	137		5	91	5	91	24	56	105	6	104	106	B 7X	B 7D	4-67
7205	69	1207	1.6	201	446	2	211		8	37	6	37	177	37		7	59	147	B 7D	B 7S	3-67
7206	69	1239	1.6	206	441	3	124		7	124	6	124	247	84	119	5	31	95	B 32S	B 32S	12-58
7207	69	2612	1.6	522	458	3	110		9	21	4	21	10	21	106	4	2	81	B 18X	B 18X	3-67
7208	69	2602	1.7	236	451	2	214		5	43	5	43	53		138	6	15	120	B 22D	B 22S	11-66
7209	69	1679	1.5	93	444	2	105		7	80	7	80	66	65	74	3	53	276	B 74X	B 74D	4-65
7210	69	2656	1.9	664	451	3	287	112	5	112	5	112		83	119	6	68	177	B 30D	B 30X	3-66
7211	69				454	4	91		6	91	6	91	211	93	102	5	14	291	B 15X	B 15X	N 1-57
7212	69	2564	1.9	170	470	2	202		7	84	6	84	12	19	85	7	143	230	B 27S	B 27S	3-64
7213	69	965	1.6	96	429	2	216		7	1	7	1	277		93	4	18	113	B 25D	B 25S	12-63
7214	69	1858	1.3	232	456	2	166		7	80	7	80	172	120		4	31	285	B 10X	B 10D	10-65
7215	69	1803	1.1	300	479	3	23		8	23	7	23	148	48	140	6	23		B 4S	B 4D	11-66
7216	69	2215	1.6	116	443	2	145		3	145	3	145	24	5	157	7	39	214	B 52S	B 52D	10-66
7217	69	1711	1.7	342	437	3	98		7	98	8	98	213	35	27	4	51	44	B 1X	B 1S	9-65
7218	69	2125	1.6	106	450	3	147		4	147	5	147	38	161	160	5	132	244	B 59D	B 59D	9-64
7219	69	555	1.4	185	462	3	8		7	8	7	8	186			4	168	186	B S	B S	3-67
7220	69	2196	1.8	84	444	4	43		8	43	8	43	1		123	7	86	262	B 52X	B 52D	N 1-57
7221	69	2198	2.0	549	449	2	209		6	5		5	187	6	99	6	9	311	2X	19X	5-66
7222	69	2253	1.6	97	462	2	171		7	6	6	6	244	76	75	5	12	245	B 6S	B 6S	6-67
7223	69	1460	1.4	182	430	2	141		9	20	8	20	148		127	2	262	296	B 24D	B 24D	N12-56
7224	69	1802	1.4	300	430	3	38		7	38	7	38	32		101	5	38	22	B 32D	B 32D	N 2-57
7225	69	2284	1.7	103	456	2	126		5	52	5	52	52	39	133	4	162	277	B 21S	B 21D	3-66

BUS MILEAGE DATA

PERIOD 7 ENDING JULY 15 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE														PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD				Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE				
								LEFT OR SINGLE		RIGHT			Box	Column				FRONT	REAR			
7226	69	1384	1.0	106	426	2	172		7	58	7	58	58	82		138	5	53	100	B 18D	B 18D	10-65
7227	69	2134	1.4	266	438	3	24		5	24	6	24				153	4	122	127	B 42D	B 42D	8-65
7228	69	797	1.1	88	460	3	71		5	71	5	71	228	40		179	4	105	1	B 1S	B 1S	6-66
7229	69	2294	1.6	458	422	2	91		7	70	7	70	106			69	10	10		29D	2D	12-66
7230	69	1032	1.7		445	2	155		4	17	4	17	55	13		98	2	148	96	B 8X	B 8S	10-66
7231	69	543	.5	67	467	2	157		6				61	82			3	64	215	B 7S	B 7D	7-65
7232	69	2346	1.6	111	434	2	134		6	15	5	15	36			66	4	46	144	B 35D	B 35S	3-65
7233	69				435	2	180		6	50	6	50	57			154	8	32	145	B 52D	B 52D	11-66
7234	69	2135	1.3	177	444	3	72		7	7	7	7	9	30			6	24		B 14X	B 14S	4-67
7235	69	2161	1.7	540	434	3	5		7	5	7	5	193	6			4	90	153	B 20D	B 20S	9-64
7236	69	2110	1.6	84	453	2	205		5	2	5	2	47			160	7	147	206	B 6X	B 6X	6-66
7237	69	2561	1.9	150	437	4	4		14	4	12	4	18	39		102	5	65	115	B 50X	B 50D	12-66
7238	69	798	1.5	99	427	2	175		7	54	7	54	122	78			10	69	134	B 3S	B 3D	6-63
7239	69	38			455	2	57		4	57	4	57	159	43			4	67	278	B 21D	B 21S	4-66
7240	69	2252	1.7	112	452	2	206		6	67	6	67	63	5		101	8	90	236	B 57D	B 57D	N 1-57
7241	69	1445	1.8	361	444	2	134	14	8	14	8	14	240			99	8	14	79	B S	B S	3-67
7242	69	1884	1.0	134	465	3	18		6	18	5	18	80	30		81	5	74	184	B 12S	B 12S	7-66
7243	69	2600	1.7	236	451	5	21		7	21	6	21		31		67	3	141	110	B 9X	B 9S	8-65
7244	69	1826	1.3	304	464	2	235		7	40	5	40	28			120	5	44	19	B 53D	B 53D	2-64
7245	69	1762	1.3	97	446	2	212		5	146	6	146	12			153	7	12		B X	B D	3-66
7246	69	2305	1.5	88	458	2	181	13	7	13	7	13	22	52		87	7	13	264	B 32S	B 32X	8-64
7247	69	2430	1.7	607	449	2	189		4	15	4	15	105			53	7	4	177	B 4S	B 4S	12-63
7248	69	4513	3.6		463	2	126		6	37	6	37	274			68	4	126	291	B 28S	B 28S	N 1-57
7249	69	2294	1.7	286	466	2	201		6	57	6	57	145			81	9	17	336	B 10X	B 10D	1-67
7250	77	2426	1.6	41	412	3	82		9	6	8	6				27	8	17	73	B 3S	B 3S	2-66
7251	77	1858	1.7	58	433	3	13		5	13	5	13		96		57	6	74	26	B 57D	B 57D	10-63
7252	77	1858	1.2	30	438	2	167		5	67	7	67		63		1	4	23	72	B 1S	B 1D	9-66
7253	77				426	3	48		6	48	5	48	321	103		148	5	83	13	27S	13X	3-64
7254	77	2229	2.0	69	459	2	244	157	3	157	6	38		71		147	10	2	230	B 13X	B 13X	N 2-57
7255	77	2559	1.7	60	451	4	80		7	80	7	13	17	27		131	4	79	277	B 11D	B 11D	2-66
7256	77	1395	.8	23	440	3	31		7	31	7	31					6	14	142	B 42X	B 42X	9-66
7257	77	1802	1.1	33	426	2	177	23	6	34	6	34	14			70	7	22	52	B 5S	B 5X	2-67
7258	77	1			464	3	109		7	47	7	47	48			95	5	69	217	28D	6S	5-67
7259	77	2640	1.8	53	425	2	159		4	35	3	159	14			87	8	16	26	B 26D	B 26S	3-66
7260	77	1858			415	2	211		7	34	5	100	34	137		114	5	61	196	B 15X	B 15S	8-65
7261	77	2805	1.5	47	444	3	57		7	57	7	57				64	7	37	172	B 26D	B 26X	N 1-57
7262	77	2			423	2	165	57	8	57	7	57	8	174		67	5	120	189	B 3S	B 3S	8-58
7263	77	3086	1.8	43	418	2	168	152	7	33	8	33	32			58	7	55	84	32S	32X	6-67
7264	77	1805	1.5	39	467	3	14		6	14	6	1		129		148	4	14	177	B 14S	B 14X	12-65
7265	77	1521	1.3	40	462	2	177		5	160	6	177	28			103	5	5	341	B 14S	B 14D	7-63
7266	77	2645	1.7	53	454	2	86		6	11	5	11	47	57		215	4	85	245	B 19S	B 19X	12-65
7267	77	1868	1.6	155	433	3	26		8	26	8	26				141	4	5	173	31D	1S	10-63

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE															PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Puck	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE					
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR				
7268	77	2258	1.5	43	459	2 161		6 1	1	27			90	5 8	220	B 47D	B 47X	10-64			
7269	77	554	1.4	24	466	2 172		6	6				107	6 54	185	B 24X	B 24D	5-63			
7270	77	2069	1.4	30	434	2 179	69	7 8	6 55	2			306	5 82	181	B 25S	B 25X	4-66			
7271	77	2175	1.7	31	439	2 126	9	5 12	5 12					3 163	172	B 30D	B 30D	5-64			
7272	77	1858	1.3	56	457	3 42		6 42	7 6				118	5 39	275	B 33X	B 33S	N 1-57			
7273	77	1998	1.6	86	467	2 160		5 60	5 60	281	191			4 95	328	B 26S	B 26X	9-63			
7274	77				469	2 196		5 158	5 5	8				5 6	179	22D	X	6-67			
7275	77	1858	1.3	38	431	2 180		6 16	5 31	372	39		105	6 24	82	B 10S	B 10X	10-63			
7276	77	2410	1.9	57	420	2 202		4 131	4 131	52			115	4 115	204	60D	38X	6-67			
7277	77	3010	1.6	65	431	3 42		5 42	4 42				148	4 42	10	35D	10S	5-66			
7278	77	3524	3.3	121	459	3 152		6 152	6 152	28			134	6 9	208	B 32X	B 32X	2-66			
7279	77	2785	1.5	38	445	2 161		8 9	9 9	53	54			4 9	162	B 26X	B 26S	12-65			
7280	77	131	1.9		448	3 23		6 23	23		197		430	8 35	217	B 6S	B 6S	10-66			
7281	77	2559	1.7	32	439	3 53		7 53	6 53	27				7 20	184	B 34S	B 34X	7-64			
7282	77	1247	1.6	32	458	4 168	58	5 58	8 43				43	5 43	60	B 43X	B 43D	2-66			
7283	77	1648	1.5	48	430	3 56		5 56	5 56	43			126	4 146	200	X	13S	N 1-57			
7284	77	1858	6.4	309	462	2 175		4 7	4 127	14	116		77	3 104	36	B 3S	B 3S	6-65			
7285	77	1946	1.8	41	444	3 21		9 6	8 6				15	9 3	177	B 15X	B 15S	3-65			
7286	77	1858	1.3	25	457	2 155		5	4				135	5 30	211	B 31D	B 8S	3-63			
7287	77	2374	1.7	28	456	2 223		5 173	6 71	92	179		144	5 111	281	B 17S	B 17D	5-66			
7288	77	2691	1.7	58	454	3 46		7 46	6 46	46				5 4	237	B 34S	B 34X	3-66			
7289	77	1858	1.2	29	444	2 159		8 55	6 55	12				6 58	19	B 19S	B 19X	10-66			
7290	77	2241	1.6	50	453	3 44		6 44	4 44				100	4 92	15	B 15X	B 15D	1-67			
7291	77	3039	1.9	56	453	2 201		7 21	6 43		82		134	4 142	82	B 16S	B 16X	2-67			
7292	77	2021	1.8	49	459	2 199		6 63	5 63	2			139	5 39	230	B 49X	B 49X	3-66			
7293	77	439	2.0	36	456	3 34		12 34	10 34		85		97	3 73	252	B 1S	B 1X	4-66			
7294	77	699	2.0	174	445	3 48		5 48	8 25				18	2 177	38	B 18S	B 18X	9-66			
7295	77	2158	1.5	26	448	2 232	215	5 55	6 23	77	50		145	7 6	281	B 23D	B 23S	6-66			
7296	77	2089	1.5	49	438	2 200	139	5 17	5 17	31			81	9 110	7	B 15S	B 15X	3-66			
7297	77	678	1.1	42	441	3 142		10 23	9 31	136				7 161		B 14D	B 14S	6-67			
7298	77	1858			452	5 9		8 9	7 9	31	65		69	5 91	49	B 19S	B 19D	2-66			
7299	77	2582	2.2	215	456	3 8		8 4	6 8	426			140	5 9	243	B 48X	B 48S	4-67			
8000	NPK	2677	2.2	35	401	2 49		19 8			135			4 49		B 26S	B 26S	4-66			
8001	NPK	2948	1.9	51	401	3 57		13 57			130			5 48		B 32D	B 32D	5-63			
8002	NPK	3473	2.1	80	401		217	16 56			103			5 27		B 27S	B 27D	2-64			
8003	NPK	3110	2.1	42	412	2 157	58	15 11			50			7 150		B 29D	B 29S	2-66			
8004	NPK	3421	2.4	76	392	2 108		14 4			165	219		3 177		B 11X	B 11D	4-67			
8005	NPK	3767	1.9	68	402	2 143		16 64			121			3 143		B 28X	B 28X	2-65			
8006	NPK	3142	1.9	78	396	2 53		15 53			42		144	5 81	184	B 33X	B 33S	2-65			
8007	NPK	3380	2.3	37	414		192	9 60			59			3 89		B 36S	B 36D	3-64			
8008	NPK	3570	2.3	50	409	2 34		12 34		90	187			5 38		26X	45D	N11-56			
8009	NPK	2432	1.8	86	411		180	11 8			182		83	5 41		B 2S	B 2X	N11-56			

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE										PAINTED			
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.		BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column					FRONT	REAR	
8052	NPK	1995	2.3	73	393			14	39			33		5	47		B 9S	B 9X	4-67
8053	NPK	2614	2.2	79	362	2	69	14	40			22		8	109		B 31D	B 31S	N 1-57
8054	NPK	2148	2.2	33	371		149	6	87			60		7	86		B 40S	B 40D	1-65
8055	NPK	2473	2.0	103	357			14	57			90	106	6	82		B 32D	B 32S	7-65
8056	NPK	2143	2.0	66	380	2	20	18	20			49	191	3	20		B 54D	B 54S	N 1-57
8057	NPK	2434	2.1	81	374	2	30	7	30			58	236	3	39		B 39D	B 39S	4-65
8058	NPK	2334	2.2	42	369	2	70	8	18			23	124	2	89		B 34S	B 34S	N 1-57
8059	NPK	2061	1.9	73	344		16	9	16			47		5	57		B 9S	B 9X	10-65
8060	NPK	2246	2.2	38	341			4	44			134	98	4	12		B 28D	B 28D	N 1-57
8061	NPK	2161	2.0	67	346	2	42	7	15			55	103	4	42		B 33D	B 33D	7-65
8062	NPK	1650	2.2	58	367	2	91	7	40			86	85	4	91	12	B S	B X	N 1-57
8063	NPK	2641	2.3	132	359	2	68	2	68	3	25	52	94	3	127	194	B 16S	B 16D	N 1-57
8064	NPK	2162	1.9	90	340		178	11	35			28		4	42		B 36D	B 36S	9-63
8065	NPK	2514	2.1	100	350	2	41	11	41			134		8	4		B 15S	B 15X	1-67
8066	NPK	2542	2.2	105	351		110	6	46			30		2	7		B 7D	B 7X	3-64
8067	NPK	2463	2.2	79	353	2	24	10	24			40		5	24		B 24D	B 24S	9-65
8068	NPK	2121	2.1	41	372		143	12	51			42	71	4	143		1S	1D	N 1-57
8069	NPK	2543	2.1	70	345		141	12	152			196	84	5	122		B 33D	B 33S	N 1-57
8070	NPK	2414	1.8	32	354	2	128	11	51	65		50		7	62		B 14D	B 14X	N 1-57
8071	NPK	2554	2.0	121	363		198	13	80			144		4	31		B 53D	B 53D	N 1-57
8072	NPK	305	4.0	43	373	2	82	8	14	82		9	195	3	82		B 18S	B 18S	10-63
8073	NPK	1663	1.9	138	362	2	109	9	109			35		3	66		B 57D	B 57S	12-65
8074	NPK	3040	2.1	126	360	2	93	11	93			58		6	93		B 32X	B 32S	9-65
8075	NPK	2533	2.2	60	362		207	13	40	19		105	124	8	37		B 24S	B 24S	6-65
8076	NPK	1701	1.6	58	372	2	147	12	11					5	52		B 1S	B 1D	N 1-57
8077	NPK	2504	2.2	34	369			9	78			9		4	9		B 2D	B 2X	10-65
8078	NPK	2512	2.0	251	366	2	112	40	11			157		4	97		B 22D	B 22D	3-64
8079	NPK	2596	2.1	86	380			155	9			54	176	3	41		B 30D	B 30S	6-65
8080	NPK	1937	1.9	88	359			319	12			113	116	7	1		B 6D	B 6X	5-65
8081	NPK	2275	2.0	71	365			138	6			73	73	5	49	176	B 13S	B 13S	N 1-57
8082	NPK	2253	2.0	160	371	2	127	51	14			50		9	2		B 28D	B 28S	N 1-57
8083	NPK	1982	2.2	86	343			112	7			20		4	29		B 18S	B 18D	12-65
8084	NPK	2842	2.0	41	369			147	7			46	213	4	73		B 38D	B 38S	N 1-57
8085	NPK	1979	1.6	63	355			126	11			50	138	5	138		B 13D	B 13D	12-65
8086	NPK	2126	1.9	39	361	2	194	12	91	67		92	118	5	33		B 35D	B 35S	N 1-57
8087	NPK	2125	2.0	85	357			249	7			25		3	110		B 18S	B 18X	12-65
8088	NPK	1787	2.1		365	2	40	6	40			82	199	4	122		B 35D	B 35S	N 2-57
8089	NPK	2273	2.2	61	370			253	11			64	92	3	30		B 18D	B 18S	1-67
8090	NPK	2029	1.6	57	347			168	11			151	177	5	78		B 14X	B 14S	8-64
8091	NPK	2409	2.0	33	360				11			137	197	4	35		B 13D	B 13S	9-65
8092	NPK	1714	2.7	81	351			135	6			60	72	4	84		B 27X	B 27S	N 2-57
8093	NPK	1625	1.9	58	364			161	10			156	6	8	27	120	B 6D	B 6X	N 2-57

BUS MILEAGE DATA

PERIOD 7 ENDING JULY 15 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE				
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR			
8094	NPK	2066	2.0	62	350		136	14	51			133		99	4	143	125	B 48D	B 48S	4-65
8095	NPK	2160	2.1	90	358	2	24		13	24		104	24		4	127		B 8S	B 8S	N 2-57
8096	NPK	1930	2.1	48	362			5	36			49			4	56		B 21D	B 21S	N 2-57
8097	NPK	2348	2.3	93	351	2	73		8	47		73	44		7	37		B 29D	B 29S	N 2-57
8098	NPK	1867	1.8	66	357	2	71		8	71			117	97	7	132		B 37D	B 37S	N 2-57
8099	NPK	2017	2.3	74	346	2	23		17	9			233	99	3	108		B 21S	B 21X	4-65
8100	NPK	2260	2.1	62	346		39	17	5				140		4	71		B 40D	B 40D	2-63
8101	NPK	2208	2.3	110	353	2	2		10	10			43	75	6	10		B 31D	B 31S	12-65
8102	NPK	2528	2.6	84	347	2	49		12	49			35		4	49		B 8S	B 8X	11-65
8103	NPK	2083	2.1	173	356	2	191	99	11	13			123		6	12		B 30D	B 30S	N 2-57
8104	NPK	2353	2.1	98	372	2	89		8	89			97		4	89	5	B 21D	B 21S	N 2-57
8105	NPK	1641	1.8	32	355		104		7	66			67		5	3		B 28X	B 28S	1-64
8106	NPK	2284	2.0	71	344	3	51		15	51			29		5	96		B 12D	B 12S	7-66
8107	NPK	1699	2.2	212	340	2	42		10	42			54		2	42		B 1D	B 1D	12-66
8108	NPK	2213	2.1	48	344	2	94	43	12	43			39		4	4		B 55D	B 55S	N 2-57
8109	NPK	2455	2.2	72	366	2	2		8	11			9		4	21		B 62D	B 62D	4-65
8110	NPK	1953	2.1	78	364	2	64		10	7			61		4	59		B 24D	B 24S	N 2-57
8111	NPK	2291	2.2	76	357	3	64	29	14	29			85		7	14		B 22D	B 22S	2-64
8112	NPK	2531	2.2	90	364	2	23		7	23			63			23		B 32D	B 32D	N 2-57
8113	NPK	1968	2.2	164	347	2	34		2	34			26		2	34		B 56D	B 56S	6-67
8114	NPK	2486	2.2	69	366	2	22		12	22	31		214		2	74		B 42X	B 42S	N 2-57
8115	NPK	2240	2.3	65	367	2	112	44	8	44			113		6	112		B 17S	B 17S	N 2-57
8116	NPK	1197	1.5	63	371				6	65			50		2	78		B 53X	B 53S	N 3-5
8117	NPK	2275	2.9	568	384		146		12	18			46		2	42		B 56D	B 56D	N 3-57
8118	NPK	2148	1.8	179	359		121		15	18			144	83	3	60		B 22S	B 22S	N 3-57
8119	NPK	1946	1.8	60	368	2	94		7	94			64	64	6	94		B 1D	B 1X	N 3-57
8120	NPK	3011	2.7	68	403				9	10			87	223	5	111		B 18X	B 18X	10-63
8121	NPK	2240	2.1	112	363	2	86	12	12	12			146		6	12		B 44D	B 44S	2-67
8122	NPK	1941	2.0	121	382	2	19		9	19			82		4	39		B 2S	B 2X	8-63
8123	NPK	1880	2.0	94	395	2	33	16	9	16			121	124	4	12		B 57D	B 57S	N 3-57
8124	NPK	2114	2.1	117	366		119		9	32			114		3	127		B 29S	B 29S	12-65
8125	NPK	2252	2.0	54	376	2	45	2	7	2			85		7	17		B 8D	B 8D	5-63
8126	NPK	2010	2.2	154	367	2	35		9	12			237		4	80		B 39D	B 39D	7-64
8127	NPK	33		1	365		112		14	15				92	2	34		B 39D	B 39S	N 3-57
8128	NPK	2182	2.4	27	379	2	17		6	5			62		6	17		B 22D	B 22S	N 3-57
8129	NPK	1714	1.8	65	385	2	78	52	10	52			71		5	45		B 4S	B 4S	2-65
8130	NPK	1892	1.8	63	393	2	102		14	18			12	94	5	19		B 46D	B 46X	N 3-57
8131	NPK	310	1.3		387	2	58		7	7			47		2	58		B 39S	B 39X	N 3-57
8132	NPK	2142	2.1	89	379	2	43		9	43			169		4	13		B 54D	B 54X	11-65
8133	NPK	1922	2.0	160	376	3	87		8	36			26	192	5	37		B 6D	B 6S	N 3-57
8134	NPK	1657	2.2	51	384	2	17		9	16			136		6	61		B 45X	B 45X	N 3-57
8135	NPK	2367	2.3	147	362	3	36		10	36			33		4	36		B 46D	B 46S	10-64

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR	
8136	NPK	2029	2.4	67	379	2 152		10 11			143		101	3 143		B 47D	B 47S	12-66
8137	NPK	1752	2.1	194	398	2 140		9 6		140	120			6 104		B 52X	B 52X	2-65
8138	NPK	2360	2.4	107	361		10	10 10			38			5 38	158	B 45D	B 45S	2-65
8139	NPK	1767	1.7	147	387	2 59		10 59			172		87	3 59	75	B 45D	B 45X	N 3-57
8140	NPK	3292	2.2	91	396	2 95		11 95			74		64	5 95		B 6S	B 6D	N 3-57
8141	NPK	2393	2.4	26	396			10 10		73	56		189	8 31	89	B 24S	B 24D	N 3-57
8142	NPK	2278	2.0	175	401		398	6			136				298	B 11X	B 11S	N 3-57
8143	NPK	2557	2.3	196	395	2 75		10 13		62	82			4 11		B 11S	B 11D	N 3-57
8144	NPK	3548	2.4	33	398			8 79			209		101	4 13		B 5D	B 5S	10-65
8145	NPK	1259	2.7	44	388			5 18			73			12 26		B 38D	B 38X	12-64
8146	NPK	2422	2.3	302	379		211	10 6			22		12	8 13		B 12S	B 12X	12-65
8147	NPK	1963	1.7	85	397		154	7 57			47			5 141		B 12X	B 12D	11-66
8148	NPK	2794	2.0	214	392	2 92		8 92			89			2 35		B 37S	B 37X	4-67
8149	NPK	3765	2.2	91	257	2 76		4 32		76	153			7 76		B 29X	B 29X	2-65
8200	NPK	1765	1.7	73	273			5 59		43			82	4 53		B 36X	B 36D	1-65
8201	NPK	1431	1.9	37	328			6 43			228			4 85		B 32D	B 32S	7-64
8202	NPK	3182	2.2	122	335			4 151			22			3 52		B 8X	B 8D	3-64
8203	NPK	3512	2.3	42	321		4	6 4						2 255		B 25X	B 25S	5-65
8204	NPK	2973	2.0	66	328	2 42		5 42			231		52	5 42		B 6D	B 6X	9-63
8205	NPK	3590	2.5	41	331			4 3					63	3 14		B 30X	B 30X	2-65
8206	NPK	3371	2.4	51	326	2 15		7 15						2 143		B 31S	B 31X	5-65
8207	NPK	829	1.3	46	324	2 112	60	7 60			18		153	4 3	258	S 30D		6-67
8208	NPK	2973	1.8	51	315		48	6 48			14			3 7		B 22S	B 22D	5-67
8209	NPK	3173	2.2	96	339			5 28		78				3 160		B 6S	B 6D	1-66
8210	NPK	3129	2.3	63	347	4 6		7 6					150	5 4		B 9D	B 9D	N 8-58
8211	NPK	3440	2.4	70	388			3 121						3 63		B 59D	B 59S	1-64
8212	NPK	2903	2.1	181	342	2 48		5 48			86			2 101		B 26D	B 26X	9-65
8213	NPK	3289	2.1	117	304			3 94								B 34D	B 34X	8-64
8214	NPK	2734	1.9	273	340			6 144			208			2 333		B 36S	B 36X	2-66
8215	NPK	3441	2.3	52	346	2 121		8 121			166		16	3 121		B 16S	B 16X	4-63
8216	NPK	3373	2.3	124	320			4 151	5 29		126			2 267		B 18S	B 18X	N 9-58
8217	NPK	3340	1.9	90	321	2 53		5 53			312			2 24		B 26S	B 26S	7-64
8218	NPK	3782	2.5	90	321	2 65		4 65					17	5 65		B 17S	B 17X	12-65
8219	NPK	2878	2.0	79	327	2 69		3 69					95	4 69		B 13D	B 13X	10-63
8220	NPK	2031	2.3	39	319			9 10			228			3 28		2D 31D		N 9-58
8221	NPK	2681	2.2	167	325			6 68			19			4 1		B 31X	B 31S	3-64
8222	NPK	3232	2.4	75	330	2 38		4 38					3	3 38		B 3D	B 3D	4-66
8223	NPK	3137	2.1	48	303			2 103		28	20		5	3 23		B 5S	B 5D	10-63
8224	NPK	3			373	2 13		5 13		36	37		192	2 13		B 34X	B 34S	11-65
8225	NPK	3197	2.3	106	354			4 130		38	37			2 360		B 35X	B 35S	N 9-58
8226	NPK	3382	2.3	58	339	2 30		5 30					10	4 30		B 10D	B 10S	10-66
8227	NPK	3628	2.2	109	334			4 129					86	2 76		B 53D	B 53X	6-63

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE			
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR		
8228	NPK	3407	2.3	74	309			5	39				70	2	60		30X	45D	1-65
8229	NPK	1574	2.7	49	352			6	26		74		75	2	69		B 25X	B 25S	8-65
8230	NPK	3857	2.2	128	339			4	24				78	2	106		B 6X	B 6D	6-63
8231	NPK	3082	2.2	181	320	2	39	5	10		35			3	81		B 3X	B 3S	9-63
8232	NPK	3519	2.3	85	318	2	21	7	21				140	3	21		B 30D	B 30X	N 9-5
8233	NPK	3202	2.6	78	333	2	126	8	126				64	8	3		B 23X	B 23X	8-66
8234	NPK	3248	2.3	83	321	2	48	8	48	80	46		86	5	2		B 30S	B 30X	12-63
8235	NPK	3380	2.1	93	337			4	139		58				260		B 3D	B 3S	10-63
8236	NPK	3570	2.4	162	328			3	72					2	89		B 25S	B 25X	6-65
8237	NPK	1463	1.8	243	320			7	22		14		103	2	205	148	B 3S	B 3X	6-67
8238	NPK	3157	2.0	61	343	2	31	8	31		331		94	5	9		B 42X	B 42S	6-63
8239	NPK	3363	2.0	39	328			5	51		23			2	166		B 3D	B 3D	N10-58
8240	NPK	2804	2.0	65	329			4	124					2	113		B 50D	B 50S	2-66
8241	NPK	2962	2.1	77	333	2	33			2	33	89		3	33		13S	33D	10-65
8242	NPK	3218	1.9	107	328	2	18	5	18		26		3		18		B 3X	B 3D	10-65
8243	NPK	3049	1.9	234	320		66	5	23								B 20S	B 20D	1-67
8244	NPK	3407	2.4	81	353	2	26	6	26					3	26		B 51D	B 51X	7-66
8245	NPK	3361	2.2	105	320	2	64	8	64					4	64		B 28D	B 28X	9-64
8246	NPK	3211	2.2	89	313	2	111	6	111				76	3	111		B 36D	B 36S	12-64
8247	NPK	3456	2.3	101	330	2	40	5	40					3	40		52D	31S	10-66
8248	NAV	2155	1.8	134	327	3	68	5	68	44				4	18		B 24D	B 24D	10-66
8249	NAV	3470	2.3	60	332			5	134		69			2	69		B 24S	B 24X	12-65
8250	NAV	2701	1.9	52	308			5	135		28			2	303		B 24X	B 24S	4-66
8251	NAV	1961	2.3	33	275			3	23		174			2	60	50	B 26D	B 26S	3-67
8252	NAV	2190	1.4	56	336			4	25					2	30		B 33D	B 33S	12-65
8253	NAV	2623	2.2	42	310	2	18	5	18				70	2	18		B 25D	B 25S	12-64
8254	NAV	3425	2.3	55	321	2	114	7	114		186			5	93		B 26S	B 26X	12-63
8255	NAV	2190	1.7	48	325	2	2	6	2					3	2		B 5D	B 5X	6-67
8256	NAV	3047	2.1	69	301	2	46	6	46					4	46		22S	13D	9-65
8257	NAV	2672	1.8	56	308			4	67					3	41		B 3D	B 3S	2-67
8258	NAV	2557	2.1	67	323	2	20	5	20					3	19		B 10S	B 10X	3-66
8259	NAV	2871	2.2	40	320			5	131	33			60	4	7		B 28D	B 28X	8-65
8260	NAV	2811	1.7	85	314	2	92	6	92				71	4	5		B 18D	B 18S	11-66
8261	NAV	2610	2.0	70	322			4	135				17	2	14		B 8D	B 8S	1-67
8262	NAV	3119	1.4	69	302	2	69	5	10	10				3	112	3	B 6D	B 6S	12-66
8263	NAV	2590	2.0	70	326			4	12	37	38						B 31X	B 31X	N10-58
8264	NAV	3312	2.4	46	312			6	79		117		65	2	78		B 29X	B 29S	N10-58
8265	NAV	2661	2.0	133	315	2	71	6	21					3	70		B 18X	B 18X	3-65
8266	NAV	3071	2.4	74	336	2	74	10	74	31	32			3	74		B 23S	B 23S	7-65
8267	NAV	1331	1.2	36	319			3	44				5	3	40		B 5X	B 5D	5-67
8268	NAV	3239	3.3	539	304	2	40	5	40				59	3	40		S	30D	N11-58
8269	NAV	2190	1.5	35	318	2	14	5	14		37			2	27		B 23D	B 23S	5-66

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE														PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE					
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR				
8270	NAV	2856	2.1	81	324	3	42		6	42			26			3	73		B 28S	B 28X	N11-58
8271	NAV	867	2.6	57	317	2	58		8	23			16			2	58		B 24X	B 24S	8-65
8272	NAV	2388	1.9	82	328				5	94			142						B 2S	B 2X	1-67
8273	NAV	1832	1.8	73	311				2	130						2	14		B 1D	B 1D	8-64
8274	NAV	1702	2.5	130	302	2	57	25	6	25				90		2	54	52	B 9X	B 9S	6-64
8275	NAV	3321	2.6	83	367				4	210		11	272			2	51		B 9S	B 9X	N11-58
8276	NAV	3939	2.9	71	319	2	17		7	17						2	154		B 60S	B 60S	5-64
8277	NAV	1429	2.2	71	312	2	12		5	12			219			3	39		B 17D	B 17S	7-66
8278	NAV	2377	2.0	48	318	2	62		7	34				2		2	62		B 2S	B 2S	4-66
8279	NAV				317	2	119		4	119		30		2		3	85		B 2S	B 2S	5-63
8280	NAV	3058	1.8	50	324				6	17			24		11	2	141		B 11S	B 11X	2-66
8281	NAV	2843	1.9	76	312			147	4	14			211						19S	34D	2-66
8282	NAV	2448	2.3	122	329				6	83	7	33			5	3	45		B 5S	B 5X	6-65
8283	NAV	91	1.5		318	2	21		3	21			69		56	4	21		B 28D	B 28S	4-66
8284	NAV	2004	1.9	28	308	2	35		9				21			4	26		B 21D	B 21D	9-66
8285	NAV	2407	1.8	37	331				6	107									B 40S	B 40X	10-63
8286	NAV	140	2.9		319	3	75		8	12			44		88	8			B 23D	B 23S	12-64
8287	NAV	1458	2.1	66	320	2	24		9	18			159		154	2	24		B 54X	B 54D	5-63
8288	NAV	1898	1.9	39	338	2	1		6	1		1	125		12	3	124		B 34X	B 34X	3-64
8289	NAV	3198	2.8	228	333				4	137			23			2	11		B 18S	B 18D	4-64
8290	NAV				319			91	5	31			88		92	3	65		B S	B X	3-64
8291	NAV	2257	1.6	44	327				5	22					29				B 29S	B 29S	10-65
8292	NAV	2435	1.9	32	319	2	13	243	8	13		10	69			3	13		18S	36S	4-66
8293	NAV	3114	2.1	39	303				3	95			214		113				B 12D	B 12S	10-64
8294	NAV				315	2	184		3	184			296			2	184	82	B 30X	B 30S	8-65
8295	NAV	2633	2.2	57	310	2	23		6	23						5	10		B 26D	B 26X	7-64
8296	NAV	1			310	2	62		8	62			123			4	62		B 5D	B 5D	2-64
8297	NAV				289	2	22		5	22			3		57	3	69		14X	32D	1-65
8298	77	4188	2.1	52	312				5	127			208			3	79		B 17D	B 17S	8-65
8299	77	120	.4	10	307				5	38					69				B 35X	B 35D	6-65
8300	77	3908	2.2	34	365	2	23		6	23			133	137	158	5	45		30D	30D	12-58
8301	77	3093	2.0	35	366	2	34		4	34						3	34		B 3X	B 3S	12-58
8302	77	2940	1.8	42	345	2	49		2	49			97			3	49		B 4S	B 4X	12-58
8303	77	3366	2.3	41	370				4	168			200			3	71		B 36X	B 36X	12-58
8304	77	2940	5.2	122	358				3	131						3	16		B 38S	B 38D	1-66
8305	77	4301	2.1	35	382	2	39		3	247	4	39	194			3	39		B 30D	B 30D	12-66
8306	77	2591	2.9	33	384	2	39		5	120	6	39	28			3	13		B 28D	B 28X	6-65
8307	77	2642	2.7	60	374	3	106		6	106						7	71		B 39X	B 39D	N12-58
8308	77	3027	2.3	47	389	2	87		9	87					234	3	53		B 48X	B 48D	12-58
8309	77	350	1.6	19	380				5	155						2	33		X	40D	N12-58
8310	77	2425	2.2	67	395	3	116		8	44			51		93	3	116		B 2S	B 2X	5-63
8311	77	2228	2.1	46	368				7	6						2	49		B 1S	B 1S	10-64

58

BUS MILEAGE DATA

PERIOD 7 ENDING JULY 15 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED			
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE				
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT		REAR		
8312	77	3452	1.6	47	379			7	39		40			2	77		B 33D	B 33X	5-63	
8313	77	1			367	3	68	8	55			154		81	3	68	B 25X	B 25S	5-63	
8314	77	4017	1.8	59	396			3	30					148	3	59	B 11X	B 11D	N12-58	
8315	77	4591	2.3	45	404	2	34	3	34						4	27	B 19S	B 19S	2-66	
8316	77	2382	2.2	34	398	3	54	5	54						2	104		16D	43S	N12-58
8317	77	4110	2.4	57	396	2	81	8	15						3	81	B 4D	B 4X	9-63	
8318	77	3536	1.9	40	384	2	199	4	4						3	44	B 11X	B 11X	8-66	
8319	77	1275	1.9	79	383	2	141	7	11			222		99	3	41	B 22D	B 22S	N 1-59	
8320	77	3126	1.7	54	394			6	5						3	5	B 27D	B 27D	N 1-59	
8321	77	3486	2.3	34	401			4	194		85				2	32	B 46D	B 46X	N 1-59	
8322	77	359	1.9		387			7	1						2	112	B 3X	B 3S	6-66	
8323	77	2231	1.8	65	390			2	185						2	45	217 B 8X	B 8X	4-62	
8324	77	4280	2.2	27	394			3	251					113	4	15		28S		2-66
8325	77	2659	2.6	37	387	3	39	5	78	6	39				4	39	B 1D	B 1S	N 1-59	
8326	77	3270	2.0	37	386	2	52	9	52					101	3	52	B 8S	B 8S	N 1-59	
8327	77	2953	1.7	40	386	2	196	7	22					180	5	38	B 41X	B 41S	4-64	
8328	77	4410	1.9	49	382	2	46	4	73	5	46				5	46	B 17X	B 17X	6-64	
8329	77	3039	1.9	28	400	2	210	7	60				138	172	3	210	33D	3X	N 1-59	
8330	77	3150	2.0	76	388			5	95			8		8	2	15	B 8D	B 8D	N 1-59	
8331	77	3357	2.8	101	393			4	15	10							B 29S	B 29S	N 1-59	
8332	77	4167	2.0	48	375	2	120	3	120			28		10			B 10X	B 10D	11-66	
8333	77	3375	2.0	82	377	2	14	3	14	14		121			2	49	205 27D	6S	3-67	
8334	77	3540	2.7	62	387	4	100	7	22						4	20		27D		1-67
8335	77	3829	2.0	35	356	2	46	5	46			27			2	46	B 5D	B 5S	N 1-59	
8336	77	2			371			5	158			190		139	3	29	B 38D	B 38D	8-64	
8337	77	3878	2.2	53	394	2	7	5	7			211			2	7	B 35D	B 35X	2-64	
8338	77	3748	2.1	39	361	3	21	3	21						3	117		39X		9-59
8339	77	3595	2.2	57	376			7	32							38	26S	39S	5-67	
8340	77	2735	2.0	70	386	3	18	5	18			185		97	2	137	B 38X	B 38X	2-67	
8341	77	3126	2.0	50	389				48						2	119	B 3S	B 3S	6-65	
8342	77	439	1.5	43	344	2	46	4	46			124			4	18	B 34X	B 34D	6-67	
8343	77	2889	2.1	41	398			7	63	14		157			2	94	B 1S	B 1S	9-65	
8344	77	4401	2.4	58	388	2	75	7	75					124	3	80	B 16X	B 16D	N 1-59	
8345	77	4074	2.5	37	372	2	206	7	17			139			3	14	B 20S	B 20D	3-67	
8346	77	2725	2.0	52	391	2	87	6	87	7	40				3	87	B 29D	B 29S	N 1-59	
8347	77	2754	1.9	52	373	2	109	10	25			25			10	8	B 2S	B 2D	8-64	
8348	77	2547	2.0	34	380	2	210	5	121			48			4	9	B 4D	B 4D	N 1-59	
8349	77	3265	2.1	62	416			7	102			62		11	2	291	17 B 11D	B 11X	8-65	
8400	KED	2013	2.3	154	347	2	2	8	2					71	2	50	B 29D	B 29S	3-65	
8401	KED	1795	1.9	119	370		129	3	129			25					B 18S	B 18D	3-64	
8402	KED	2030	2.2		357	2	152	4	152			165			3	124	B 9D	B 9S	11-65	
8403	KED	1739	1.9	347	380	2	7	3	7			129			2	7	B 6S	B 6S	N 6-59	

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE			
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR		
8404	KED	1922	2.3	274	364		170	7	59			99					B 13S	B 13X	9-66
8405	KED	1881	1.6	94	371			3	99					82			B 16S	B 16D	12-64
8406	KED	1541	1.9	67	378			3	161								B 36D	B 36S	N 6-59
8407	KED	1836	2.0	63	365			3	177	24	22			3	31		B 15X	B 15D	N 6-59
8408	KED	2089	2.0	174	363	2	25	4	25		1			4	25		B 30D	B 30S	4-64
8409	KED	1041	2.0	104	351		218	4	28				60	2	38		B 60X	B 60D	10-63
8410	KED	1694	1.8	130	374	2	160	4	160					2	160		B 27X	B 27S	5-65
8411	KED	1781	1.7	137	371			4	143								B 34D	B 34S	8-65
8412	KED	1524	1.9	152	359			3	132								B 38D	B 38S	1-66
8413	KED	1548	1.9	70	389			5	144		155						B 36S	B 36X	N 6-59
8414	KED	1373	1.8	38	360			5	40					3	2		B 61D	B 61S	6-63
8415	KED	1951	2.2	975	370			3	33								B 15S	B 15S	10-66
8416	KED	1422	2.0	109	368	2	221	3	90		1		90				B 36X	B 36S	1-66
8417	KED	2245	2.1	118	363			5	84		20			2	47		B 17D	B 17S	11-66
8418	KED	1731	1.7	192	356	2	8	7	8		152		8	2	8		B 8S	B 8X	1-67
8419	KED	1759	2.0	109	376			4	66								B 19X	B 19X	9-65
8420	KED	1848	1.9	71	368			2	106		129		24	2	63		B 24X	B 24X	1-66
8421	KED	1642	2.0		375				88	23							B 72X	B 72D	3-66
8422	KED	1583	1.7	175	390	2	141	5	141		17		141	4	12		B 12X	B 12D	11-66
8423	FGL	3717	2.6	64	370	2	52	10	8	283				3	52		B 38D	B 38S	N 7-59
8424	FGL	3055	2.4	72	377	2	69	4	69		41			6	36		B 24S	B 24S	N 7-59
8425	FGL	3116	2.5	148	412	2	70	5	70		36			3	70		B 37D	B 37S	N 7-59
8426	FGL	3700	2.6	92	399			5	115		37			2	17		B 34S	B 34D	N 7-59
8427	FGL	4057	2.4	112	376	2	109	5	83	84	26			3	29		B 5S	B 5S	9-66
8428	FGL	3703	2.8	59	382	2	32	5	32		14		122	2	32		B 37X	B 37S	N 7-59
8429	FGL	2983	2.7	53	375	2	170	6	83		1		74	3	20		B 27S	B 27D	6-67
8430	FGL	3715	2.4	84	381	2	101	6	18				165	2	101		B 40D	B 40X	12-66
8431	FGL	3762	2.8	75	385	2	154	5	104		162			3	154		B 31X	B 31S	4-66
8432	FGL	3574	2.9	71	378			4	155								B 47D	B 47S	12-66
8433	FGL	3333	2.7	95	385	2	212	3	215		7						B 48D	B 48D	N 7-59
8434	FGL	3748	3.2	113	386	2	5	5	5		162		94		5		B 7S	B 7X	6-66
8435	FGL	2359	2.5	37	371			4	95		223			3	32		B 32S	B 32S	9-65
8436	FGL	2937	2.6	41	377			4	106		149			4	15		B 41S	B 41D	N 7-59
8437	FGL	3465	2.4	57	388	2	181	5	67		107		17	2	181		B 17X	B 17S	N 7-59
8438	FGL	1299	2.5	68	369	2	57	5	57		162			2	57		B 1S	B 1D	12-63
8439	FGL	3750	2.6	65	395	2	114	2	114		78		114	2	114		B 45X	B 45D	12-63
8440	FGL	3590	2.9	92	390	2	73	5	73		38			3	73		B 34X	B 34S	4-66
8441	FGL	3232	2.4	71	352	2	36	6	36		33		132	2	36		B 19S	B 19S	6-67
8442	FGL	3408	2.5	65	401			5	96		81						B 30D	B 30S	4-64
8443	FGL	2565	2.7	75	360	2	46	6	46	22	29		97	6			B 7D	B 7X	12-63
8444	FGL	3544	3.1	64	376	2	27	6	27		71			3	10		B 27X	B 27S	12-65
8445	FGL	2846	2.0	74	379			4	70		86			3	11		B 2S	B 2X	11-65

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED			
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE				
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT		REAR		
8446	FGL	3685	2.7	81	374		141	3	152		63	77		145	2	299		B 45D	B 45S	2-64
8447	FGL	3563	3.1	72	391	2	100	5	100			35			2	100		B 35S	B 35X	5-63
8448	FGL	3505	2.7	77	376	2	39	2	197	3	39				3	69		B 32X	B 32S	N 8-59
8449	FGL	1797	2.0	52	353	2	63	5	52		41	250			5	24		54D	1S	N 9-59
8450	FGL	3598	2.8	89	322			3	151			80						B 35S	B 35D	12-65
8451	FGL	3675	2.9	65	317			5	19			75			2	61		B 43X	B 43X	12-64
8452	FGL	3423	3.1	62	310			4	178			49			3	103		B 9D	B 9D	12-64
8453	FGL	3879	2.9	74	314			7	173			126						B 18S	B 18X	11-64
8454	KED	1719	1.5	39	277			6	85		8							B 46D	B 46S	N 8-59
8455	KED	1906	1.5	476	276			5	43			23			2	88		B 67D	B 67S	11-64
8456	KED	1525	1.3	108	267			2	165									B 52D	B 52S	11-64
8457	KED	1759	2.0	439	264			10	47									B 37D	B 37S	9-64
8458	KED	1783	1.7	178	266			5	45			53						B 22S	B 22X	12-64
8459	KED	1634	1.8		272		135	5	37									B 35S	B 35S	8-63
8460	KED	1601	1.9	533	285			6	93									B 65S	B 65S	5-67
8461	KED	1646	1.8	329	272			4	82			48						B 40D	B 40S	12-63
8462	KED	1512	1.7	151	254			2	130			157						B 37D	B 37S	11-64
8463	KED	1830	1.9	76	285			5	131			63			2	5		B 19S	B 19X	N 8-59
8464	KED	1614	1.9	179	280			7	48			64						B 25X	B 25D	N 8-59
8465	KED	1563	1.8	52	275			3	132			120			2	35		B 40X	B 40S	N 8-59
8466	KED	1742	2.1	217	280			8	97			9		52	2	51		B 52D	B 52S	N 8-59
8467	KED	1583	1.7		275	2	50	6	50			19						B 41D	B 41S	N 9-59
8468	KED	1423	1.6	355	266			4	73		8							B 54S	B 54S	1-65
8469	KED	1499	1.7	214	281			4	58									B 40D	B 40X	2-64
8470	KED	1553	1.7	172	276	2	51	4	51			23			2	51		B 54S	B 54X	3-64
8471	KED	1633	1.8	408	300			5	96			66		65				B 65D	B 65S	11-66
8472	KED	2079	1.8	173	288			3	6					110		20		B 21X	B 21X	12-64
8473	KED	1275	1.9	39	274			4	114			24						B 51D	B 51S	3-65
8474	KED	1563	1.9		175			3	71						3	27		B 44X	B 44D	2-65
8475	KED	1469	1.9	367	174			2	75			164						B 31X	B 31D	1-65
8476	KED	1556	1.6	86	177			3	65									B 34X	B 34S	1-65
8477	KED	1348	1.6	58	175			4	89									B 34X	B 34D	12-64
8478	KED	1487	2.2	92	174													B 53D	B 53D	6-66
8479	KED	1313	1.8	145	179			4	32									B 49D	B 49D	2-65
8480	KED	1584	1.5	396	169			5	11									B 35D	B 35D	2-65
8481	KED	1336	1.7	43	184							56			2	92		B 115S	B 115X	1-65
8482	KED	1842	1.8	460	172		77	4	77		19							B 30D	B 30D	1-65
8483	KED	1624	1.7	116	176			3	61									B 10D	B 10D	3-65
8484	KED	1795	1.8	29	180			3	66									B 34D	B 34D	12-64
8485	KED	1583	1.5	58	176			3	74									B 44X	B 44S	2-65
8486	KED	2313	2.8	231	178			3	68									B 52X	B 52D	1-65
8487	KED	1562	1.5	71	177			2	81									B 54X	B 54D	12-64

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR	
8488	KED	1535	1.6		178		55	4	76							B 46X	B 46D	11-64
8489	KED	1730	2.0	91	176			3	72							B 55D	B 55D	4-65
8490	KED	1483	1.6	123	174			4	38					2	34	B 41X	B 41D	11-66
8491	KED	1267	1.5		176			4	53							B 16D	B 16D	3-64
8492	KED	1401	1.5		177			4	82							B 49D	B 49D	1-65
8493	KED	1354	1.8	67	174	2	70	3	13		43			2	70	B 40D	B 40D	1-65
8494	KED	1367	1.4	227	179			4	49							B 20X	B 20D	10-64
8495	KED	1409	1.6		170		94	2	94					2	162	B 11X	B 11D	7-64
8496	KED	1434	1.5	62	172			3	87					3	14	B 30D	B 30D	4-65
8497	KED	1560	1.7	50	171			4	28					2	154	B 40D	B 40D	10-64
8498	KED	1423	1.7	355	175			3	102		3			2	18	B 31D	B 31S	2-65
8499	77	1108	2.3	46	126	3	20	3	73	3	73	108		4	73	31D	8D	10-66
8500	KEL	2905	4.0	46	265	2	130	3	130	3	130					B 29S	B 29X	N 8-61
8501	KEL	2684	3.7	48	229			2	209	2	209					B 52D	B 52S	N 8-61
8502	KEL	2964	3.8	23	220			3	17	3	17			4	34	B 24S	B 24S	N 8-61
8503	KEL	3393	4.2	36	232		13	3	13	3	13					B 4X	B 4D	N 8-61
8504	KEL	2548	4.4	54	222		32	2	32	2	32			2	67	47D	19S	N 8-61
8505	KEL	3268	3.8	17	234			2	224	2	224					30S	6D	N 8-61
8506	KEL	3022	3.9	29	233						210			2	3	B 23S	B 23X	N 8-61
8507	KEL	3799	3.9	25	219			2	196	2	196	52		3	35	B 37D	B 37D	N 8-61
8508	KEL	2799	4.0	45	227									3	19	51D	2X	N 8-61
8509	KEL	3212	3.2	31	234			2	211	2	211	36				24S	24D	N 8-61
8510	KEL	2729	3.5	22	229											B 25D	B 25X	N 8-61
8511	KEL	3384	3.6	17	198									4	94	40X	3D	N 8-61
8512	KEL	3076	3.7	29	230									2	67	51D	25S	N 8-61
8513	KEL	3313	4.0	19	234									3	20	190 B 3X	B 3S	N 8-61
8514	KEL	2800	4.0	70	229			2	25	2	25			2	42	B 22S	B 22D	N 8-61
8515	KEL	2577	4.2	103	231		64	2	64	2	64	39				40D	2D	N 8-61
8516	KEL	2530	3.5	23	237											B 32X	B 32D	N 8-61
8517	KEL	2667	4.0	44	231			3	184	3	184			2	40	B 4S	B 4S	N 8-61
8518	KEL	3900	4.0	31	217			2	65	2	65			2	71	B 32D	B 32S	N 8-61
8519	KEL	2957	4.0	41	235			2	221	2	221	60		22	3	B 22S	B 22X	N 8-61
8520	KEL	1788	3.2	25	234					16						B 31X	B 31X	N 8-61
8521	KEL	2366	3.6	25	231									2	34	B 2X	B 2X	N 8-61
8522	KEL	2319	3.8	19	230									2	38	B 40D	B 40D	N 8-61
8523	KEL	3281	4.4	34	241						8			3	125	B 25S	B 25X	N 8-61
8524	KEL	2041	3.5	28	241				2	152				2	32	B 33S	B 33S	N 8-61
8525	KEL	3076	3.4	36	253											B 8S	B 8D	N 8-61
8526	KEL	2967	4.2	92	234	2	38	2	38	2	38	174	8	2	5	B 18S	B 18S	N 8-61
8527	KEL	2520	3.7	15	214											B 32D	B 32D	N 8-61
8528	KEL	3662	4.1	41	229			2	141					2	25	B 34S	B 34X	N 8-61
8529	KEL	3416	3.6	48	225			2	12	3	12	17				B 25D	B 25S	N 8-61

BUS MILEAGE DATA

PERIOD 7 ENDING JULY 15 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED			
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE					
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR				
8530	KEL	3379	3.9	68	242			3	7	3	7				2	6		36S	7S	N 8-61	
8531	KEL				243							6			3	8	113	B 23S	B 23X	N 8-61	
8532	KEL	3603	4.0	70	262			2	50	2	50	17						B 42X	B 42X	N 8-61	
8533	KEL	2043	3.8	18	255										2	2		B 11X	B 11D	N 8-61	
8534	KEL	3090	4.1	29	251			2	59	2	59				2	29		B 11X	B 11D	N 8-61	
8535	KEL	3377	4.1	42	256			2	43			1	20					B 20D	B 20D	N 8-61	
8536	KEL	3014	3.8	55	233										2	6		48S	18S	N 8-61	
8537	KEL	3243	4.0	26	254			2	226	2	226							B 24D	B 24D	N 8-61	
8538	KEL	3872	4.4	62	256			2	16	2	16				3	57		B 16X	B 16D	N 8-61	
8539	KEL	2614	3.8	19	257													B 12D	B 12S	N 8-61	
8540	KEL	2967	3.6	18	251							200		22	2	5		36S	3D	N 8-61	
8541	KEL	3682	4.4	87	240	2	12		2	12	2	12			2	48		B 22D	B 22X	N 8-61	
8542	KEL	2829	3.7	34	248											38		40D	19D	N 8-61	
8543	KEL	2733	4.2	27	266													40X	20D	N 8-61	
8544	KEL	3306	3.9	33	260							58			2	41		B 22S	B 22D	N 8-61	
8545	KEL	2895	4.4	30	243							7			3	11		B 25S	B 25S	N 8-61	
8546	KEL	3234	4.3	147	256	2	6		2	6	2	6			2	45		24X	1S	N 8-61	
8547	KEL				259				2	43	2	43		9		4	43	B 36D	B 36X	N 8-61	
8548	KEL	2395	4.1	77	251	2	5		3	5	3	5	44					B 31S	B 31S	N 8-61	
8549	KEL	2428	4.2	23	253				2	7	2	7	39			3	36		42S	29D	N 8-61
8550	KEL	3600	4.4	18	259				2	17	2	17		101		2	40		42S	22D	N 8-61
8551	KEL	3289	4.2	49	252				2	46			12					B 38X	B 38X	N 8-61	
8552	KEL	3865	3.8	41	272													B 30D	B 30S	N 8-61	
8553	KEL	2306	4.0	50	238							40			3	2		26S	2D	N 8-61	
8554	KEL	3455	4.2	19	261									20				B 20X	B 20X	N 8-61	
8555	KEL	2940	3.9	52	263				2	236	2	236	23	67				51D	31D	N 8-61	
8556	KEL	3503	3.5	45	268													B 20D	B 20S	N 8-61	
8557	KEL	3494	4.1	94	240		50		3	50	3	50						B 15X	B 15S	N 8-61	
8558	KEL	3323	3.8	34	244										5	43		B 7S	B 7D	N 8-61	
8559	KEL	1887	3.6	27	258							27		18	2	5		B 18S	B 18X	N 9-61	
8560	KEL	2553	3.9	44	193				4	89	3	89			3	16		B 16D	B 16S	N 8-61	
8561	KEL	3885	4.0	32	207				2	108	2	108			2	18		B 34D	B 34S	N 8-61	
8562	KEL	2112	4.1	54	211				3	104	3	104	13		2	78		B 1S	B 1D	N 8-61	
8563	KEL	3307	3.8	36	219				2	113	2	113	31					B 21D	B 21S	N 8-61	
8564	KEL	4102	4.1	32	213				2	106	2	106		48				B 31S	B 31X	N 8-61	
8565	KEL	2603	4.1	19	208				3	2	3	2			2	12		B 6D	B 6S	N 8-61	
8566	KEL	2506	3.9	32	209				2	100	2	100	53		2	43		B 33D	B 33S	N 8-61	
8567	KEL	2781	3.5	34	213				2	112	3	108		102	22	28		B 22D	B 22S	N 8-61	
8568	KEL	2606	4.4	19	201				3	27	3	27		1	2	29		B 24X	B 24D	N 8-61	
8569	KEL	2124	4.4	43	207				2	96	2	83		61	19	5	16		B 19D	B 19S	N 9-61
8570	KEL	3411	3.5	14	201				2	104	2	104			2	5		B 31D	B 31D	N 10-61	
8571	KEL	3756	3.7	61	213				2	111	2	111			2	15		B 36D	B 36S	N 9-61	

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR	
8572	KEL	3023	3.8	43	210						10					B 38D	B 38S	N 9-61
8573	KEL	3307	4.4	18	205						106					B 10D	B 10D	N 9-61
8574	KEL	2894	4.1	38	217						5					B 25D	B 25S	N 9-61
8575	KEL	3332	3.7	34	205						80		3 12			B 37D	B 37D	N 9-61
8576	KEL	3306	4.2	103	208						21		4 4			B 4S	B 4S	N 9-61
8577	KEL	3480	4.8	37	212						65					B 21D	B 21S	N10-61
8578	KEL	3515	4.6	66	214											B 22S	B 22S	N10-61
8579	KEL	3673	4.1	51	198						78					B 9D	B 9S	N10-61
8580	KEL	1895	3.9	67	212					60	102					37D	1D	N10-61
8581	KEL	2169	3.8	52	219								3 61			B 28D	B 28S	N10-61
8582	KEL	2166	3.6	47	216			2 86	2 86		103					B 4S	B 4D	N10-61
8583	KEL	2694	3.7	53	203			46	2 46		48			32		B 8S	B 8D	N10-61
8584	KEL	3001	3.7	68	189						179		2 10			B 29D	B 29S	N10-61
8585	KEL	4035	4.3	43	208					19	114					B 28D	B 28S	N10-61
8586	KEL	3221	3.9	54	216						100					B 9D	B 9S	N10-61
8587	52	3167	4.1	64	225						115					B 24D	B 24S	N10-61
8588	KEL	2980	3.8	43	224						83					47D	22D	N10-61
8589	KEL	2456	3.9	72	206			3 50	3 50	13						B 34D	B 34S	N10-61
8590	KEL	1762	4.8	44	260					106	139					B 33X	B 33S	N10-61
8591	52	2112	3.2	36	234						18					35X	12S	N10-61
8592	52	2822	3.3	44	252					123	10					B 22S	B 22S	N10-61
8593	52	1623	3.2	40	248		58	2 58	2 58		42					B 58S	B 58X	N10-61
8594	52	89	1.6	11	249	2 25		2 25	2 25	89	99					B 20X	B 20S	N11-61
8595	52	2675	3.9	47	243						23		2 10			B 9X	B 9D	N11-61
8596	52	2244	3.5	52	252						60		2 3			B 5D	B 5S	N11-61
8597	52	2072	4.0	66	248											B 32D	B 32D	N11-61
8598	52	1539	3.5	45	255						110					B 34S	B 34D	N11-61
8599	52	2214	3.2	58	249						52		4 10			B 20S	B 20D	N11-61
8600	52	2030	3.5	50	267			2 249	2 249		43		3 120			B 8X	B 8S	N 8-61
8601	52	1796	3.5	28	249			3 42		17	147		3 52	14		B 15X	B 15D	N 8-61
8602	52	1803	3.2	31	244			3 98	3 98		18		2 150			B 5X	B 5S	N 8-61
8603	52	1889	3.5	69	220			2 23	2 23				5 23			B 40S	B 40X	N 8-61
8604	52	1865	3.5	93	262						65		4 38			B 29X	B 29D	N11-61
8605	52	2333	3.8	291	262	2 34		2 34	2 34	93	27		2 34			B 35S	B 35S	N11-61
8606	52	2272	3.6	42	246			2 58					8 49			B 30S	B 30X	N11-61
8607	52	2113	4.1	75	251						146		2 225			B 20X	B 20D	N11-61
8608	52	1940	3.6	46	247						115		5 85			B 13S	B 13D	N11-61
8609	52	1543	3.1	192	246								5 28			B 30X	B 30D	N11-61
8610	52	2230	3.3	60	259						74		2 118			B 10X	B 10D	N11-61
8611	52	2077	3.5	57	253					55	142		3 39			B 10S	B 10S	N11-61
8612	52	2013	3.6	45	257			2 17	2 17				2 120			22D	22S	N11-61
8613	52	1718	3.1	29	253								4 5			B 15X	B 15D	N11-61

BUS MILEAGE DATA

PERIOD 7 ENDING JULY 15 1967

*Heads Removed for Test Purposes

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED				
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE						
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR					
8614	52	2247	4.0	45	247				2	47		99			3	112		B 46D	B 46D	N11-61		
8615	52	2455	3.3	94	242				2	84	3	15	59	46		5	77		B 22D	B 22D	N11-61	
8616	52	1912	3.3	28	240								141			8	78		B 33X	B 33D	N11-61	
8617	52	1373	3.3	31	264							198	156			3	68		B 22S	B 22D	N11-61	
8618	52	2111	3.2	35	253							13	119			3	58		B 31S	B 31D	N11-61	
8619	52				252							144	187			9	53		B 20X	B 20S	N11-61	
* 8620	52	555	2.8	15	300					242		242		71		4	21		B 29X	B 29D	N11-61	
* 8621	52	2068	3.1	16	291				2	239	2	239	29	48		14	6	30		B 14X	B 14S	N11-61
* 8622	52	2017	3.5	28	308					247		247		228					B 31X	B 31D	N11-61	
* 8623	52	2806	3.5	33	297					234		234		216					B 20X	B 20S	N11-61	
* 8624	52	2251	3.3	38	290				3	5	3	5		139			3	114	129	41S	19S	N11-61
8625	52	2750	3.6	41	305								88	229			3	141		B 9D	B 9D	N11-61
8626	52	864	3.2	54	297							5	133				2	47		43S	24S	N11-61
8627	52	1008	3.3	252	276	2	6	6	2	6	2	6		95			5	69		41S	19X	N11-61
8628	52	1368	3.6	52	302									171			6	2		40D	23S	N11-61
8629	52	1356	4.0	37	300									66			2	6		29X	1S	N11-61
8630	52	1140	3.6	285	297									95			3	34		42X	20S	N11-61
8631	52	1190	3.1	99	288												7	93		B 5X	B 5X	N11-61
8632	52	1352	3.2	56	305							104	89				7	67		B 17X	B 17D	N11-61
8633	52	1095	3.8	91	289								85				6	32		B 24S	B 24D	N11-61
8634	52	1214	3.4	60	307				2	54	2	54	18	67			6	106		B 4X	B 4S	N11-61
8635	52	1228	3.3	20	288									67			7	15		59S	25S	N11-61
8636	52	1091	3.8	54	323												3	8		B 3X	B 3D	N11-61
8637	52	1048	3.5	43	289									61			4	2		B 12X	B 12D	N12-61
8638	52	1006	3.2	125	291									1			3	14		37S	18S	N12-61
8639	52	396	3.0	12	289									67			2	86		B 18X	B 18D	N12-61
8640	52	1012	3.6	63	302							109	196				2	135		34X	8S	N12-61
8641	52	1459	3.7	52	301							108					3	54		B 7X	B 7S	N12-61
8642	52	1309	3.8	40	289				3	11	3	11					2	91		25X	3S	N12-61
8643	52	1599	3.9	79	284									141			2	69		B 27X	B 27D	N12-61
8644	52	1280	3.7	40	299									107			4	57		B 2D	B 2S	N12-61
8645	52	1048	3.2	24	306				3	3	2	70		181			3	36		B 2D	B 2S	N12-61
8646	52	2			299				2	52	2	52		83			3	35		B 38S	B 38D	N12-61
8647	52	1347	3.5	32	300				2	139			49	89			5	71		41S	23X	N12-61
8648	52	1130	3.5	40	283	2	37		2	37	2	37	8	106			4	71		B 25S	B 3X	N12-61
8649	52	1020	3.6	255	294									112			6	83		B 30X	B 30D	N12-61
8650	52	1367	3.0	170	277									85			4	80		B 9X	B 9D	N12-61
8700	NPK	3710	2.4	90	178	2	12		5	12			20	88			2	12		B 59X	B 59D	N 3-63
8701	NPK	3568	2.1	89	174			146	2	7				7						B 30X	B 30D	N 4-63
8702	NPK	2712	2.2	69	199				4	59			78	83			2	81		B 1X	B 1S	N 4-63
8703	NPK	3613	1.8	61	200				3	70			1							B 80X	B 80D	N 4-63
8704	NPK	3349	2.6	58	200				6	26				75			2	43		B 52X	B 52S	N 4-63

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED			
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE				
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT		REAR		
8705	NPK	3598	2.0	71	193		53	4	16		65						B 3X	B 3X	N 4-63	
8706	NPK	3746	2.2	56	190			4	45		34						B 14X	B 14S	N 4-63	
8707	NPK	1654	2.1	68	191	3	69	5	27		110	79					B 2D	B 2S	N 4-63	
8708	NPK	3800	2.1	64	186			5	29			46					B 21D	B 21X	N 4-63	
8709	NPK	3606	2.4	138	200			3	99		64	37		2	102		B 43S	B 43D	N 4-63	
8710	NPK	4006	2.1	117	201			4	21			68					B 14X	B 14S	N 4-63	
8711	NPK	3304	2.0	150	196		120	3	7			103					B 60S	B 60D	N 4-63	
8712	NPK	25			203			4	11			72					B 24D	B 24D	N 4-63	
8713	NPK	3682	1.9	81	176			3	18			21		4	62		B 35X	B 35D	N 4-63	
8714	NPK	3210	2.0	107	202			5	4					2	125		B 40X	B 40D	N 4-63	
8715	NPK	3430	2.1	122	190	2	94	5	10		42	14		2	94		B 67X	B 67D	N 4-63	
8716	NPK	3470	2.0	115	181		135	6	6		81						B 6D	B 6S	3-67	
8717	NPK	4060	2.4	290	192	2	58	5	58			35					B 5X	B 5S	N 4-63	
8718	NPK	3550	2.1	91	183		183	3	79			58		4	8		B 11X	B 11S	N 4-63	
8719	NPK	3424	2.2	49	189			5	11		108	46		2	6		55X	4S	N 4-63	
8720	NPK	3634	2.3	86	196		195	3	32								B 42X	B 42D	N 4-63	
8721	NPK	1996	1.9	64	189	2	15	7	15		94	28		6	3	8	35	B 6D	B 6D	N 4-63
8722	NPK	3544	2.1	322	198	2	106	6	70			6		2	12		B 68X	B 68D	N 4-63	
8723	NPK	4264	2.5	56	204			5	7		5						B 62X	B 62X	N 4-63	
8724	NPK	4021	2.1	87	162		159										B 36X	B 36D	N 4-63	
8725	NPK	3652	1.9	140	182		59	6	18								B 59X	B 59D	N 4-63	
8726	NPK	3265	2.1	57	197			4	56			68					B 5D	B 5S	N 4-63	
8727	NPK	3829	2.3	109	185		140	2	19			61		2	16		B 44X	B 44X	N 4-63	
8728	NPK	3321	2.1	42	205			3	54		17	68					B 35X	B 35S	N 4-63	
8729	NPK	3339	2.0	81	204			4	48		18	15		3	2	20	B 3X	B 3D	N 4-63	
8730	NPK	3710	2.0	57	199		114	2	49								B 31D	B 31D	N 4-63	
8731	NPK	3291	1.9	193	170	2	47	4	37			40					39X	4S	N 4-63	
8732	NPK	3088	2.4	39	203			2	70								B 2D	B 2S	N 4-63	
8733	NPK	3759	2.8	44	197			3	9			75					B 55S	B 55D	N 4-63	
8734	NPK	268	.4	29	186			3	26			68		18			B 59S	B 59D	N 4-63	
8735	NPK	4614	2.2	94	205		68	3	68		32	69					B 16D	B 16S	N 4-63	
8736	NPK	3450	2.1	118	207	3	67	3	67		115	67					B 11D	B 11S	N 4-63	
8737	NPK	3840	1.8	202	190		58	3	58						44		B 48X	B 48X	N 4-63	
8738	NPK	3088	1.9	147	200			3	28			81					B 70X	B 70S	N 4-63	
8739	NPK	3950	2.4	116	195	2	87	2	87		43						45X	4S	N 4-63	
8740	NPK	3395	1.7	89	187	2	61	4	47		38	60					43X	4S	N 4-63	
8741	NPK	3953	2.3	141	192	2	70	6	18			62					B 36X	B 36D	N 4-63	
8742	NPK	3105	1.7	86	182	2	108	3	63	4	40	75		4	20		B 39S	B 39D	N 4-63	
8743	NPK	3493	2.2	85	205		3	6	3	4	41						B 22S	B 22D	N 4-63	
8744	NPK	3523	2.2	81	200			2	74		16	40					B 4S	B 4S	N 4-63	
8745	NPK	3815	2.1	45	186			5	16		21	50		2	33		B 63X	B 63D	N 4-63	
8746	NPK	3764	2.3	66	194						73	39		40			69X	5S	N 4-63	

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT		REAR
8747	NPK	3377	1.9	116	198		89	3	1		81					B 31S	B 31D	N 4-63
8748	NPK	3626	2.3	120	203			3	74		39			2	17	B 9D	B 9S	N 4-63
8749	NPK	3873	2.4	86	195			2	161		78			2	25	B 48X	B 48S	N 4-63
8750	NPK	2499	2.4	75	165	2	8	6	8		9					B 28X	B 28D	N 4-63
8751	NPK	3812	2.3	152	156	2	17	4	10	10	49					B 24X	B 24D	N 4-63
8752	NPK	22	.2		155			1	30	2	76					B 20X	B 20D	N 4-63
8753	NPK	3708	2.3	43	177	2	84	5	14	47	77					B 20D	B 20D	N 4-63
8754	NPK	3563	2.6	40	145			6	13				2	15		B 10X	B 10D	N 4-63
8755	NPK				161			4	1		57				33	B 36X	B 36X	N 4-63
8756	NPK	3253	2.2	125	156	2	46	6	12	37	50		2	46		B 14X	B 14D	N 4-63
8757	NPK	3320	2.4	63	157			4	24		66					B 12X	B 12D	N 4-63
8758	NPK	2623	2.2	84	156	2	62	5	4		35		3	13		B 27X	B 27D	N 4-63
8759	NPK	3306	2.3	56	159	2	45	3	36	45			4	32		25X	25X	N 4-63
8760	NPK	3294	2.3	126	166		49	4	7	3	58					B 19X	B 19D	N 5-63
8761	NPK	3015	2.2	64	162	2	62	4	62		40					B 22X	B 22D	N 4-63
8762	NPK	3741	2.5	55	169	2	71	6	12		9					B 31X	B 31X	N 4-63
8763	NPK	3116	1.9	62	162			4	9		55					B 31X	B 31D	N 4-63
8764	NPK	2683	2.1	116	167		5	3	5	68	15					B 28X	B 28D	N 4-63
8765	NPK	2846	2.1	54	154		50	4	9							B 2X	B 2D	N 5-63
8766	NPK	3038	2.2	98	165			6	7							B 10X	B 10D	N 5-63
8767	NPK	3174	2.0	113	157	4	4	8	4		7					B 33S	B 33D	N 5-63
8768	NPK	3266	2.3	54	171		21	3	21							B 23X	B 23D	N 5-63
8769	NPK	3316	2.0	100	165			3	43		63					B 36X	B 36D	N 5-63
8770	NPK	3211	2.2	64	167			3	7		94					B 28X	B 28D	N 5-63
8771	NPK	3041	2.3	80	166			3	52							B 31X	B 31D	N 5-63
8772	NPK	3536	2.5	70	149	2	11	5	11		57		10			B 11X	B 11D	N 5-63
8773	NPK	3413	2.2	81	153	2	39	5	22	43	30					B 26X	B 26D	N 5-63
8774	NPK	1793	1.8	149	184			5	1		3		2	150		B 1X	B 1X	N 5-63
8775	69	3870	2.6	175	206	2	27	2	27				4	12		B 22S	B 22S	N 5-63
8776	69	2589	2.4	369	196			2	37		12					B 42D	B 42X	N 5-63
8777	69	4474	2.2	248	195			4	136							B 16D	B 16S	N 5-63
8778	69	3865	2.3	552	189			2	79				3	26		B 31D	B 31X	N 5-63
8779	69	4614	2.1	1153	178	2	20	2	20				2	40		B 23X	B 23D	N 5-63
8780	69	1913	2.3	478	192	2	21	4	21		22		3	38		B 25X	B 25S	N 6-63
8781	69	1569	1.4	174	196	2	24	3	24	51			2	10		B 25D	B 25S	N 5-63
8782	69	3889	2.2	228	189			3	102				2	102		B 22D	B 22S	N 6-63
8783	69	3988	2.1	137	203			2	91	82						B 27D	B 27S	N 6-63
8784	69	3810	2.2	346	154	3	11	3	11	34						B 24X	B 24D	N 6-63
8785	69	3641	2.6	303	205						3					B 51X	B 51S	N 6-63
8786	69	4286	1.9	267	180			3	49	85						B 13X	B 13S	N 6-63
8787	69	4584	1.9		196			2	104				2	39		B 16D	B 16S	N 6-63
8788	69	4133	2.2	413	195			3	102	20			2	21		B 17D	B 17X	N 6-63

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE			
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT		REAR	
8789	69	3810	2.2	100	201			3	74			52		25	2	7	B 25D	B 25S	N 6-63
8790	69	3316	2.2	132	161			3	12						2	31	B 16X	B 16D	N 6-63
8791	69	4334	1.8	149	199			2	163					28			B 28X	B 28S	N 6-63
8792	69	4309	2.7	165	202			3	34						2	38	B 27D	B 27S	N 6-63
8793	69	3179	2.1	244	195		168	3	131			54				50	B 1D	B 1S	N 6-63
8794	69	3622	2.1	517	200			5	105			42					B 9D	B 9D	N 6-63
8795	69	2440	2.7	174	193		38	4	17	14		10					B 1D	B 1X	N 6-63
8796	69	12	.1		186	2		5		4	24	11					B 9D	B 9S	N 6-63
8797	69	1839	2.3		189							8					B 1D	B 1X	N 6-63
8798	69	3493	2.4	388	195			2	155						4	75	B 20D	B 20S	N 6-63
8799	69	3859	2.3	257	184							40					B 31D	B 31X	N 6-63
8800	69	4151	2.3	197	189			2	160			97			2	163	B 27X	B 27S	N 6-63
8801	69	4695	2.2	391	192												B 15D	B 15S	N 6-63
8802	69	4593	2.4	229	194	2	16	5	16	4		29					B 16D	B 16S	N 6-63
8803	69	4030	2.4	1007	183	2	16	2	16			35					25D	3D	N 6-63
8804	69	4454	1.9	120	194										2	14	B 11D	B 11S	N 6-63
8805	69	3947	2.1	146	192										4	44	B 57X	B 57X	N 6-63
8806	69	3843	2.0	174	194	2	115	3	115			17					B 29X	B 29D	N 6-63
8807	69	4794	2.1	532	206	2	68	3	68						2	169	B 46D	B 46X	N 6-63
8808	69	3678	2.2	204	195			4	33	21					2	23	43D	1D	N 6-63
8809	69	2902	1.4	53	176		93	4	76		73						B 32D	B 32X	N 6-63
8810	69	4256	2.5	851	186			3	15								47X	4S	N 6-63
8811	69	4734	2.4	225	184	2	21	3	21	21	38				3	21	B 54X	B 54D	N 6-63
8812	69	4870	2.0	405	192			2	75	76					2	26	B 23S	B 23S	N 6-63
8813	69	4667	2.3	233	203			2	36		7				2	58	B 38D	B 38S	N 6-63
8814	69	3810	2.1	544	195					15					2	30	B 18D	B 18X	N 6-63
8815	69	3983	2.4	306	196			2	15						3	38	B 18D	B 18S	N 6-63
8816	69	3155	2.0	315	176			3	32								B 1D	B 1D	N 6-63
8817	69	4505	2.2	180	166	2	40	3	40		3				4	39	B 9D	B 9S	N 6-63
8818	69	4603	2.5	328	171	2	14	3	14		9				2	20	B 16D	B 16S	N 6-63
8819	69	5083	2.5	299	205			5	78								B 37X	B 37S	N 6-63
8820	69	3772	1.9	314	197	2	10	3	10				7				B 7D	B 7S	N 6-63
8821	69	4070	2.5	508	180						7				2	4	B 29X	B 29S	N 6-63
8822	69	3187	2.0	318	173										4	32	B 3D	B 3S	N 6-63
8823	69	4000	2.2	181	199			3	97								B 43S	B 43S	N 6-63
8824	69	5031	2.6	162	171			2	148	14							B 46X	B 46D	N 7-63
8825	69	4092	2.4	314	193			2	155		9				2	80	B 25D	B 25S	N 6-63
8826	69	4285	2.1	329	192	2	20	5	6	66	10				2	37	B 36X	B 36S	N 6-63
8827	69	4025	2.3		197			3	81								30X	30D	N 6-63
8828	69	3483	2.5	290	207												B 24D	B 24S	N 6-63
8829	69	3968	2.1	165	188			2	157								B 35X	B 35S	N 7-63
8830	69	3315	2.5	138	191			2	21					18	2	18	B 18X	B 18S	N 7-63

PERIOD 7 ENDING JULY 15 1967

[illegible]

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR	
9203	NAV				509					67		272	286	54		B139D	B139S	10-58
9204	NAV				522					75		296	302	73	287	B150S	B150S	2-58
9205	NAV				501					55		272	291	126	23	B126D	B126D	10-59
9208	NAV	2483			518					9			307	62	22	B 82D	B 82D	9-59
9209	NAV	2486			484								52			B 52S	B 52S	10-65
9211	NAV	2523			523					28		281	248			B102D	B102S	10-59
9212	NAV	2254			547					18		487	357		279	B 88X	B 88D	9-59
9214	NAV	2722			516							234	91	109		B 12X	B 12X	10-64
9215	NAV	2038			517							294	297	90		B 61D	B 61D	10-65
9216	NAV				507					39		80	296	2	113	B111S	B111S	11-64
9217	NAV				519					54		296		66		B126S	B126X	9-59
9218	NAV				490					35		243	270	34		B104D	B104S	9-59
9221	NAV				483								298	7	195	B 12S	B 12S	9-64
9223	NAV				520					38			109			B109S	B109S	6-59
9225	NAV	2183			512								243	40	314	B 54D	B 54S	6-59
9227	NAV				533					58			299	164	420	B129X	B129D	10-59
9230	NAV				553					53		305	124	91	284	B124X	B124X	10-59
9231	NAV	2079			503							415	300	45	388	B 54D	B 54D	10-59
9232	NAV	1893			470								293		271	B 63X	B 63X	1-67
9234	NAV				503								189		488	B 40D	B 40S	10-59
9235	NAV				528					21		468	314	152	258	B 96S	B 96D	11-59
9237	NAV				528					73			145		331	B145S	B145X	11-59
9238	NAV	1996			534							319	327	68	131	B 48S	B 48D	10-59
9239	NAV				533					38			197	84	235	B109S	B109D	11-59
9242	NAV				516								308		71	B 37S	B 37D	10-59
9244	NAV				523					26			300	63	129	B 97X	B 97X	1-60
9245	NAV	2011			500							387	46	77	114	B 46S	B 46D	9-65
9246	NAV	2964			529								72	46	235	B 17X	B 17D	6-59
9247	NAV				496							252	64		257	B 64D	B 64X	4-59
9251	NAV				529					46			240	9	127	B117S	B117X	1-60
9253	NAV				531					38			111	88	131	B111S	B111D	1-60
9255	NAV	2533			522					3		268	153	146		83D	26X	12-59
9256	NAV	2174			536					5		195	315	38	272	B 76X	B 76X	11-65
9259	NAV	2343			539							57	163	49	236	B 70D	B 70X	11-59
9260	NAV	2299			514					7		299	85	65	54	B 85D	B 85S	10-64
9262	NAV	1525			515					12		442	337			B 87S	B 87D	8-59
9264	NAV	1869			528							5	309			B 51X	B 51D	12-59
9265	NAV				493					49			300	55	238	202S	122X	12-65
9266	NAV	2238			534							255	297		225	B 20D	B 20X	10-66
9268	NAV	1759			534					19			292		73	B101S	B101D	11-65
9269	NAV	1907			542					14			353	84		B 86X	B 86S	11-59
9270	NAV	2355			548					25			96		257	B 96X	B 96D	9-64

BUS MILEAGE DATA

PERIOD 7 ENDING JULY 15 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT		REAR
9271	NAV				520							184	325	143		B 49S	B 49D	1-60
9272	NAV	1908			530								150	47		B 16D	B 16X	11-59
9274	NAV				526					31		215	279		23	B103S	B103X	12-59
9275	NAV				521					46			283		70	B162D	B162X	10-64
9276	NAV	2385			538							257	234	63		B 21D	B 21X	10-66
9280	NAV				549					31		276	180	30	520	B101X	B101D	12-59
9281	NAV	2228			545								320	51	170	B 54S	B 54D	11-59
9284	NAV	1719			547					3			314	91	87	B 74X	B 74X	1-60
9285	NAV				529					44			289	53	237	B116S	B116S	9-59
9286	NAV	2506			532					3			314	28		B 77X	B 77X	1-64
9287	NAV				556							283	249		485	B X	B X	12-59
9290	NAV				526					6			174		223	B 80X	B 80D	12-59
9291	NAV	2012			568							64	325	51		B 17D	B 17D	11-59
9292	NAV	2565			533								283		33	B 13X	B 13X	12-66
9293	NAV				534					65			300		168	219X	136D	1-60
9294	NAV	1608			555					32					155	B102S	B102D	9-59
9295	NAV				563					67		233	139		413	B139X	B139S	6-59
9296	NAV				532					85		284	335		153	B156D	B156D	11-59
9297	NAV	2005			545							420	50	11	420	B 50D	B 50D	11-59
9298	NAV	1			541								289		149	B 34S	B 34D	6-59
9299	NAV	2130			536					8		286	200	152		B 81S	B 81X	9-59
9300	NAV	2328			514								100	9		B 20X	B 20S	9-66
9301	NAV	18			540							393			272	B 74D	B 74D	6-67
9302	NAV				524					46			231	10		B118X	B118X	11-59
9303	NAV	2011			554					34			229			B106X	B106X	9-66
9306	NAV	2454			551					55		410			97	20S	20S	10-66
9307	NAV	1214			552					9		300	304	71	314	B 85S	B 85D	10-59
9308	NAV				519					55			294	4		B125S	B125S	11-59
9309	NAV	2340			527								306	26		B 49D	B 49D	9-58
9310	NAV				546					41			275	81		B114X	B114X	11-59
9311	NAV				548					55		5	251	119	96	B125S	B125S	10-59
9317	NAV				527								236	14	161	B 67S	B 67X	9-59
9320	NAV	2271			538							284	302	42		B 42X	B 42X	11-59
9321	NAV	1907			565							401	344	102	55	B 51S	B 51X	3-66
9322	NAV	2374			521					27		319			193	B 98S	B 98X	11-59
9323	FGL	1396			524					96		161	301	27	218	B167D	B167S	10-64
9325	FGL	1396			477					76			147		215	B147S	B147S	7-64
9335	FGL	1396			490					31		367	126	57	264	B102D	B102D	12-63
9338	FGL	1396			498					118		376	61	18	97	B186X	B186D	2-66
9340	FGL	1396			522					69		197		31	216	271X	141D	4-65
9346	FGL	1396			475					47		11	119		155	B119D	B119S	6-65
9347	FGL	1396			511					74			289	19	99	B145S	B145S	8-65

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR	
9362	FGL	1396			509									43	44	B 19X	B 19X	12-65
9369	FGL	2625			739							560	294		446	B 57X	B 57X	2-61
9370	FGL	1396			715					108		414	204	37	101	360X	185S	10-65
9375	FGL	2051			708							24	23	8	302	B 63S	B 63S	11-65
9377	FGL	2491			740					3		72	584	61	364	B 76D	B 76S	1-66
							263	33	372	90	5	550	302	149	285	B 79S	B 79S	
9379	FGL	2439			746					75		285	145	133	570	B145S	B145S	12-60
9380	FGL	1882			799							540	42	121	286	B 42S	B 42S	11-65
9382	FGL	1396			712					105		540		95	84	B176D	B176S	10-65
9385	FGL	2164			714					16		474	102	114	348	B102D	B102S	12-65
9386	FGL				717					14		568	161	195	443	B161D	B161S	10-60
9387	FGL	2043			732							283	273	184	382	B 60S	B 60S	11-65
9388	FGL				716							576	28		204	B 28S	B 28S	5-63
9389	FGL				724					76		540	540	74	357	B148D	B148S	12-65
9392	FGL	1685			719					209		539	239	43	62	B284D	B284D	3-65
9393	FGL	2226			708					90		6	278	86	256	B161D	B161D	5-65
9396	FGL	3707			639							89	275	6	121	B 20D	B 20S	7-64
9397	FGL	3441			698					61		43	371	76	30	B135D	B135S	1-66
9400	FGL	2677			702					8	43	43	231	91	228	B 80X	B 80S	3-61
9402	FGL	2362			711					205		545	76	6	210	B279D	B279D	3-65
9405	FGL	2371			727					8		84	320	226	155	B 85D	B 85S	2-61
9407	FGL	2627			732							599	301	212	5	B 13S	B 13S	10-60
9408	FGL	2242			722					20		184	92	129	486	B 92S	B 92S	4-65
9411	FGL				727					92		557	383		278	B163S	B163S	8-58
9414	KED	14			699					4		152	473	35	144	B 98S	B 98S	9-58
9415	KED	354			521							143	146	21	61	B 46S	B 46X	8-66
9416	KED	1570			523					61			218	98	116	B135X	B135S	3-61
9417	NAV	3425			540					29			101		1	B101D	B101X	4-66
9419	NAV	3627			545					7		209	356	45	51	B 89S	B 89X	10-66
9420	NAV	3491			543								148	208		B 22S	B 22X	9-58
9421	NAV	3491			536							180	426	94	360	B 37S	B 37X	10-58
9422	NAV	3343			532					78		72		16	19	B151D	B151X	12-65
9423	NAV	3491			546					42		364	118	125	292	B118D	B118X	9-66
9424	NAV	3505			522								419	8	327	B 68S	B 68D	12-66
9425	FGL	1639			559					14		337	194	154		B 89X	B 89X	1-67
9426	NAV	3391			529					95		244	168	133		B168D	B168D	7-62
9427	NAV	2641			515					7			88	49		B 88D	B 88S	7-66
9428	NAV	17			551					60		137	135	11		135S	X	1-60
9429	NAV	3431			535					87			208	21		158D	46X	10-64
9430	NAV	2632			531							208	46			B 46S	B 46X	6-65
9431	NAV	3477			538					39			95	23		B 56S	B 56S	7-58
9432	NAV	3968			537					41			115	105		B115S	B115S	5-65

BUS MILEAGE DATA

PERIOD 7 ENDING JULY 15 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE			
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT		REAR	
9433	NAV	1881			546								173	36		B 35X	B 35X	7-62	
9434	NAV	2226			542					22			454	1	370	B104X	B104X	11-65	
9435	NAV	2451			507							242	383	121	227	B 44X	B 44X	3-66	
9436	NAV	3323			565								443	62	23	B 36S	B 36D	2-60	
9437	NAV	2900			543								24	153		B 24S	B 24S	3-66	
9438	NAV	3768			539							271	127	92		B 26S	B 26X	11-66	
9439	NAV	3010			534							522	385	164		B 68S	B 68X	5-65	
9440	NAV	1			527							436	331			B 32S	B 32S	11-58	
9441	NAV	1199			530					42		328	170	127		170D	1X	2-66	
9442	NAV	3755			557								464	230		B 38S	B 38D	6-65	
9443	NAV	4068			563								206	199	263	B 56S	B 56S	1-66	
9444	NAV	2660			547					50			126	2	240	B126S	B126X	4-64	
9445	KED	4193			549					14			35	84	39	159D	41D	8-58	
9446	KED	3997			546							11	458	221		B 64S	B 64S	12-65	
9448	KED	728			526								182	318	200	79	69X	S	3-67
9449	KED	4295			536					29			270	209	18	30	110D	35D	9-64
9450	KED	3859			552								156	147	12		B 30D	B 30D	6-66
9451	KED	3959			557					35			214	190		114X	32S	3-67	
9452	KED	932			532					8			168	185	35	339	B 88S	B 88X	2-60
9453	KED	1250			525								40	439	129	83	B 65S	B 65X	1-63
9454	KED	2732			528					39			138		183	1	B117S	B117X	1-64
9455	KED	4177			585					10			292	184	79		B 81S	B 81D	2-67
9456	KED	3540			573								272	162	88		B 12X	B 12S	8-65
9458	KED	3446			564								87	134	3		B 41S	B 41D	1-67
9460	KED	3862			576					11			322	51			158D	38S	12-58
9461	KED	315			533								73	183	134	17	B 48X	B 48X	6-67
9462	KED	4220			569					42			90	382	138		114S	31X	3-63
9463	KED	285			568					53			215	198	64		198D	34D	5-67
9464	KED	15			537								261	41			B 53D	B 53S	9-66
9465	KED	1436			546								440	44			B 42S	B 42X	10-58
9466	KED	3769			552					22			458	109	160		B 98X	B 33D	2-65
9467	KED	2048			539								232				69D	S	3-64
9468	KED	1491			524								280	328	49	122	B 9X	B 9D	4-58
9469	KED	3700			530								226	399	16	293	54S	28X	8-58
9470	KED	346			560								136	125	25		78X	X	5-65
9471	KED	3929			577								234	26			B 55X	B 55D	4-66
9472	KED	3780			585								135	479	113	369	B 60S	B 60D	1-63
9474	KED	1042			567								454	88			B 44D	B 44D	4-66
9475	KED	379			589					17			97	101	101		B 97X	B 97X	6-67
9476	KED	4302			547								285	440	126	27	B 27X	B 27X	7-64
9477	KED	4149			569								358	55	123	340	B 55S	B 55D	9-62
9478	KED	868			546								124	10	166		B 59S	B 59S	11-62

BUS MILEAGE DATA
PERIOD 7 ENDING JULY 15 1967

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT		REAR
9480	KED	3193			580								460	39		B 29S	B 29D	10-66
9481	KED	3763			573							74	17	64	98	B 17S	B 17D	6-63
9482	KED	4124			562							263	435		61	B 61S	B 61D	4-64
9483	KED	3739			557								146	117	241	B 14D	B 14S	6-63
9485	KED	3734			547					40		308	89	75		B109S	B109D	3-60
9486	KED	3414			570							353	206	5		B 44D	B 44D	4-66
9487	KED	4313			571								458	28		B 57D	B 57D	4-65
9488	KED	3455			592							240	198	162		B 17D	B 17D	3-59
9489	KED	1008			580							328	197	125		B 7D	B 7D	12-66
9490	KED	3967			562								75	18	36	B 57X	B 57X	12-65
9491	KED	2043			592								150	63		B 36X	B 36D	5-63
9492	KED	3856			562							313	217	205	88	B 55D	B 55D	3-67
9493	KED	3873			540					11			175	136		B 85X	B 85D	4-64
9494	KED				576							128	356	64		B 7D	B 7X	4-64
9495	KED	3939			549					6		354	133	92		B 64X	B 64S	6-67
9496	KED	14			577					6			250	89		85X	29S	5-63
9497	KED	13			580								170	221	31	B 73S	B 73D	1-60
9498	KED	4083			563							261	219	64		B 62X	B 62S	12-62
9499	KED				549							240	411	190	350	64X	S	11-58
9500	KED	3783			576						17		276	16	107	B 9S	B 9S	11-58
9501	KED	4191			555								201	20		B 17X	B 17D	2-67
9502	KED	3981			557								201	19		B 8D	B 8S	11-66
9503	KED	2413			558							98		190	7	78D	2S	9-66
9504	KED	3862			537					2		295	417	93	310	B 62X	B 62D	1-67
9505	KED	4297			586							133	191	15		B 60S	B 60D	3-66
9506	KED				569					63		248	135	130		135D	37D	7-62
9508	KED	2687			571							289	252	129		B 55D	B 55D	6-67
9509	KED	1499			564							76	448	103	29	B 1X	B 1S	6-67
9510	NAV	3621			522							221	231	184	51	B 69D	B 69D	1-65
9511	KED	3717			554							307	341	88		B 47X	B 47D	12-65
9512	NAV	3922			557							220	417	57		B 63S	B 63S	10-66
9513	KED	3955			574					48		338	262	14		122S	31S	3-63
9514	KED	3367			511								138	150	115	B 51S	B 51D	4-66
9515	KED	3738			582							346	149	162	139	B 36X	B 36D	5-65
9516	KED	3747			527							201	201	151		B 72S	B 72X	4-64
9517	KED	3677			568							260	466	30	292	B 60X	B 60D	5-67
9518	KED	3944			547							198	141	55	324	B 25S	B 25D	4-65
9520	KED	3257			550								188	97		B 60S	B 60X	6-59
9521	KED	566			576								163	183	81	B 44X	B 44D	8-59
9522	NAV	3059			571							265	168	234	106	B 64X	B 64X	4-63
9523	NAV	3401			532					31			130	9		B112D	B112D	1-66
9524	NAV	3014			547					30			181			B105D	B105X	2-60

BUS MILEAGE DATA

PERIOD 7 ENDING JULY 15 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE										PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.		BRAKE RELINE	
								LEFT OR SINGLE	RIGHT		Box	Column					FRONT	REAR
9525	NAV	2520			570							64	187	80		B 77D	B 77S	3-64
9526	NAV	2351			567								426	11	348	B 56X	B 56D	1-66
9527	FGL	2371			565							50	146	123	344	B 70S	B 70D	10-62
9528	FGL	2371			557					78		262	118	151		118X	38S	3-65
9529	FGL	2694			553								241	202		B 53D	B 53X	6-65
9530	FGL	2048			546								328	45	67	B 48D	B 48D	8-66
9531	FGL	2371			571							45	378	134		B 68X	B 68D	4-66
9532	NAV	3480			537					36			410	65		B105S	B105X	10-63
9533	NAV				506					9		200	167	19	171	B 84D	B 84X	4-59
9534	NAV	3310			496					35			108	58		B108S	B108S	6-63
9535	FGL	2224			513								313		258	B 44S	B 44X	11-65
9536	FGL	708			503					56		385	296	39	190	B193D	B193D	8-66
9537	FGL	2224			527					18		274	160			B 92D	B 92X	8-63
9538	FGL	2224			510							188	188	16	267	B 64S	B 64D	3-65
9539	FGL	2103			540								324			B 60X	B 60X	1-59
9540	FGL	2224			531							20	428	137	68	B 22X	B 22D	1-63
9541	FGL	2224			527								161	54	253	B 39D	B 39D	6-66
9542	FGL	2224			563					12		175	193	3	4	B 90X	B 90X	10-65
9544	FGL	2815			532							248	71	25	227	B 71X	B 71X	9-65
9545	FGL	1589			523									29	205	B 32X	B 32D	6-66
9547	FGL	2224			514		289	22	452	30			173		328	B 43X	B 43D	
												92	141			B 40S	B 40X	5-66
9548	FGL	2224			501								162	17		B 72S	B 72X	9-64
9549	FGL	3905			517					34			107	161		B107D	B107X	2-64
9550	NAV	2281			530					2			397	47	143	B 76S	B 76X	10-66
9551	NAV	1800			551					46			219	15	304	B120S	B120X	9-66
9552	NAV	3503			510					64			371	77	235	B138S	B138X	1-63
9553	NAV	1714			544					62		289	194	178		134S	1X	1-66
9554	NAV	156			531					25		30	387	159	123	B 99D	B 99S	5-59
9555	NAV	3304			526							119	389	150	141	B 55S	B 55S	1-65
9556	NAV	3162			528							53	170	126		B 65X	B 65D	9-66
9557	NAV	2619			536					73		137	136		124	B136S	B136X	5-63
9559	NAV	1719			515					68			404	23	459	159D	1X	6-62
9560	NAV	2829			535					27			103	83	78	B103S	B103X	9-62
9561	NAV	3506			548					68		421	255	16	105	B143X	B143S	9-63
9562	NAV	2711			525							328	57	75	271	B 57X	B 57X	7-65
9563	NAV	2241			551					96		82	169	98		B169S	B169S	6-65
9564	NAV				570					76			366	109		B153D	B153S	5-65
9565	NAV	3250			579					51			122	73		B122S	B122S	3-58
9566	NAV	3209			579							218	95			B 8X	B 8X	9-58
9567	NAV	3257			567							433				B 34X	B 34X	6-65
9568	NAV	2341			597					68		394	258	57	4	B142X	B142X	2-58

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR	
9569	NAV	1569			461							246	352	41	344	B 41X	B 41X	6-65
9570	NAV	3163			569								157		333	B 31S	B 31X	2-58
9571	NAV	1883			592								488	75	157	B 75X	B 75X	7-65
9572	NAV	3979			564								193	112	43	B 35X	B 35S	6-66
9573	NAV	3626			553							238	156	52		B 33S	B 33X	4-58
9574	NAV	2683			570							377	449	103	419	B 45S	B 45S	12-58
9575	NAV	3158			575					57			203	159		B130S	B130S	12-62
9576	NAV	2590			588								163			B 9X	B 9X	6-66
9577	NAV	2974			577							264	475	82	18	B 49X	B 49X	2-59
9578	NAV	3301			591								423		83	B 48X	B 48X	12-65
9579	NAV	17			566					33			105			105S	D	10-64
9580	NAV	3231			567								472	101	201	B 55D	B 55X	6-65
9581	NAV	3073			558								218	65	406	B 69S	B 69X	6-65
9582	NAV	2915			592								470		235	B 57X	B 57X	11-62
9583	NAV	1			540									157	125	B X	B X	9-64
9584	NAV	17			566					65		166	345			141D	S	9-65
9585	NAV	1542			578								169	4	25	B 1X	B 1X	1-58
9586	NAV	3344			578								293	68		B 21X	B 21X	8-66
9587	NAV	2590			601					99		177	493			B172S	B172S	11-58
9588	NAV	4346			590							269	166	111	78	B 23X	B 23X	11-58
9589	NAV	2590			579					34			107	92	112	B107S	B107X	9-66
9591	NAV	3130			574								467			B 47S	B 47X	6-65
9592	NAV	3413			575							141	118	123	476	B 28S	B 28X	11-66
9593	NAV				559								143	2	234	B 14X	B 14S	2-58
9594	NAV	3899			549								42	116		B 42X	B 42X	4-66
9595	NAV	2958			573					52		439	107	101		B107S	B107S	7-58
9596	NAV	3003			587					24		27	95	14		B 95S	B 95X	2-64
9597	NAV	2864			587							73	73	61		B 73S	B 73S	9-65
9598	NAV				539					62			393	27		B137S	B137S	2-66
9599	NAV	2588			553							262	262	2		B 59X	B 59X	8-61
9600	NAV	3740			566							90	139	10		B 16X	B 16X	2-67
9601	NAV	3401			581								188			B 20X	B 20D	3-59
9602	NAV				565					22			94	173		B 94S	B 94S	3-58
9603	NAV	1			566					41			113	209		B113S	B113S	2-66
9604	NAV	3169			583							394	450		19	B 22X	B 22X	4-58
9605	NAV	3090			599								340	42	268	B 50X	B 50X	2-59
9606	NAV	1674			567					8		179	80	68	31	B 80X	B 80X	6-65
9607	NAV	2919			578					40	62	392	100	62	450	B116D	B116S	7-58
9608	NAV	1181			552					72		175	143	4	271	143D	1D	12-63
9609	NAV				531							315	59		420	B X	B X	1-64
9610	NAV	2885			580							3	228	107	493	B 46X	B 46X	4-67
						1	491	654	59	55	50	123						
												261	179			B 64X	B 64X	

BUS MILEAGE DATA

PERIOD 7 ENDING JULY 15 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR	
9612	NAV	924			584							342		14	241	B 66S	B 66D	12-62
9613	NAV	3342			567					7			428			B 84S	B 84S	6-58
9614	NAV				568									67	528	B X	B X	11-58
9615	NAV	3359			566								159	133		B 54X	B 54X	3-66
9616	NAV	1468			543								390	59		B 1X	B 1X	4-58
9617	NAV	2331			592							89	307		156	B 38X	B 38X	4-58
9619	NAV				568							143	140	4	253	B 14X	B 14X	10-66
9620	NAV	3778			563							387	192	92	42	B 41X	B 41X	4-64
9621	NAV	4014			557								442	195		B 13X	B 13X	9-65
9622	NAV	2523			572							382	269	2	462	B 28X	B 28X	7-65
9623	NAV	213			563					2			180	65	326	B 80X	B 80X	6-67
9624	NAV	2073			581							58	160	101	296	B 48S	B 48S	4-66
9625	NAV	3235			584								465	97	104	B 47S	B 47X	9-66
9626	NAV	18			557					69			141		80	141S	X	5-59
9627	NAV	3281			595					65			138	23		B138S	B138S	1-59
9628	NAV	2972			592							362	160	219	47	B 56X	B 56X	1-58
9629	NAV	3364			584					52		411	124			B124S	B124S	11-58
9630	NAV	3814			594								500	44		B 32X	B 32D	9-66
9631	NAV				560								202	48	55	B 78S	B 78X	3-58
9632	NAV	3270			574							355	265	148	201	B 15X	B 15X	3-64
9634	NAV	3264			564							138	92	7	320	B 29X	B 29S	5-67
9635	NAV	2703			592					34		120	211		246	B109X	B109X	6-58
9636	NAV	3184			566					50			147			147S	95S	7-65
9637	NAV				572							278	69	31	36	B 69X	B 69X	1-59
9638	NAV	3199			590							393	155		51	B 33S	B 33D	6-62
9639	NAV	1541			560					14		318	87		252	B 87X	B 87X	1-66
9640	NAV	2998			562							268	274			B 5S	B 5X	5-67
9641	NAV	3119			589					133			207	25	19	207D	118X	1-58
9642	NAV	3374			569							438	423			B 20X	B 20D	1-65
9643	NAV	3615			575							288	133			B 15S	B 15X	11-58
9644	NAV				558							508	73	10	279	B 73S	B 73S	1-63
9645	NAV	3376			559					33		256	170	48	72	B104S	B104S	1-52
9646	NAV	3594			571					33		111	197	132		B104D	B104S	4-67
9647	NAV	2695			592					4		254	212			B 83S	B 83X	6-58
9648	NAV	3541			588					100						B173S	B173S	2-59
9649	NAV	3208			560							147	184	45		B 55X	B 55X	1-63
9650	NAV	3205			552					2			162	117	269	B 80S	B 80D	4-58
9651	NAV	1304			574								142	218	261	B 1X	B 1X	1-66
9652	NAV	3526			583					24		240	214	89		B 93X	B 93X	4-58
9653	NAV	2281			589								303	147		B 32X	B 32X	2-58
9654	NAV	3553			556								433		168	B 23S	B 23X	6-67
9655	NAV	3672			566					58		323	215	17	145	B134D	B134X	1-67

BUS MILEAGE DATA
PERIOD 7 ENDING JULY 15 1967

PAGE 77

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR	
9656	NAV	5014			543					56			130	128		B130S	B130S	1-66
9657	NAV	3850			569					72		295	141	158	365	B141D	B141S	2-66
9658	NAV	3758			577					7			480	221		B 90S	B 90D	11-58
9659	NAV	3582			554								323	56	167	B 31S	B 31X	10-66
9660	NAV	2831			575								132	33	369	B 19X	B 19X	12-62
9661	NAV	1800			565							6	169	80		B 1X	B 1X	1-58
9662	NAV	3615			581								275	45		B 22X	B 22X	2-59
9663	NAV	2789			580							61	20	14		B 20X	B 20X	5-58
9664	NAV	3327			576					53			251	15	448	130X	35D	8-58
9665	NAV	2603			595								31	17		B 31X	B 31X	4-58
9666	NAV	3022			589							62	121			B 77X	B 77X	3-59
9667	NAV	3522			570								179	21		B 74X	B 74X	3-61
9668	NAV	3154			569							162	162	5	226	B 35X	B 35X	8-66
9669	NAV	2340			561							441	71			B 71X	B 71X	9-65
9670	NAV	3455			576								179	224	212	B 54S	B 54D	5-58
9671	NAV	3058			569							95	364	147	415	B 62X	B 62X	4-67
9672	NAV	3670			583					45			123	66	18	B123S	B123X	3-58
9673	NAV	3407			573					34			455	4		B108X	B108X	6-58
9674	NAV	3012			560								430	40		B 53X	B 53S	2-59
9675	NAV	3282			549							35	178	181		B 75X	B 75X	2-58
9676	NAV	3074			571								450	15		B 71X	B 71D	1-58
9677	NAV	3172			565								436	98	64	B 45S	B 45X	6-66
9678	NAV	2996			566								49	98	340	B 49X	B 49X	7-65
9679	NAV	2877			562								196	17	7	B 7S	B 7D	12-58
9680	NAV	2704			574					51				96		B123S	B123S	5-59
9681	NAV	3409			571					60			132	25	58	132S	36X	7-62
9682	NAV	3186			556					58		284	135			135D	31S	1-64
9683	NAV				561					64			47	5	318	134D	47	1-66
9684	NAV	3059			588							153	147	228		B 3X	B 3X	6-67
9685	NAV	44			565								429	1	300	B 62S	B 62X	9-65
9686	NAV	2397			551							59	256	11		B 2X	B 2X	1-66
9687	NAV	2996			564					26		100	98	217	512	B 98D	B 98X	9-58
9688	NAV	3516			531					5		196	391	12	371	B 78S	B 78S	3-66
9689	NAV	570			532								269	43	73	B 6X	B 6X	9-64
9690	NAV	2828			571							397	186	52	371	B 60S	B 60X	3-65
9691	NAV	1076			535					42		315	177	8	507	112S	1X	5-66
9692	NAV	3990			563							282	428	53		B 29X	B 29D	3-58
9693	NAV	3372			554					52			126	84		B126S	B126D	9-62
9695	NAV	3408			560					38		355	452	85	284	B110D	B110X	3-59
9697	NAV	3659			551								431	84	316	B 62X	B 62X	2-64
9698	NAV	4589			575					8		155	357	14	312	B 84S	B 84X	2-58
9699	NAV	2794			573					59		254	208		426	B136S	B136X	8-66

BUS MILEAGE DATA

PERIOD 7 ENDING JULY 15 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT		REAR
9700	NAV	2			583					4			386	67		B 84D	B 84D	3-66
9701	FGL				552								282	2	165	B 52X	B 52X	6-58
9702	FGL	3252			560					75		8	55	75		B148S	B148S	1-66
9703	FGL	2118			585							353	193	9		B 67X	B 67X	8-62
9704	FGL	3257			556					40		16	325	29		B112D	B112S	11-66
9705	FGL	2808			552								22	7		B 22D	B 22X	4-64
9706	FGL	3063			573								61	126	8	B 61X	B 61X	3-64
9707	FGL	2936			587								208	109		B 19X	B 19X	4-64
							315	43	452	70			252	409		B 23X	B 23X	
9709	FGL	3126			561								425	73		B 21X	B 21X	8-65
9710	FGL	2921			569								458	84		B 28X	B 28X	9-65
9711	FGL	694			551					23		20	232	71		B 93D	B 93D	8-65
9712	FGL	2434			556							263	426	31		B 2X	B 2X	8-65
9713	FGL	2434			548							396	420	95	19	B 21X	B 21X	2-59
9714	FGL	2654			526					38			109			B109S	B109S	8-64
9715	FGL	2238			553							37	183	38		B 20X	B 20X	8-65
9716	FGL	3103			554					39			375	102		B110X	B110X	8-65
9717	FGL	3378			552					16		68	102	4		B102S	B102X	8-65
9718	FGL	2434			538							54	360	35	23	B 35S	B 35S	12-58
9719	FGL	2434			548							240	143		112	B 3S	B 3D	8-64
9720	FGL	2942			507					11			347	40	40	B 85S	B 85S	8-64
9721	FGL	3223			591								183	61		B 65D	B 65X	2-64
9722	FGL	3156			535								43	69	21	B 43S	B 43X	4-63
9723	FGL	2260			543					16		359	89	65		B 89S	B 89S	5-59
9724	FGL	2800			539								138	99	30	B 8X	B 8X	4-63
9725	FGL	2085			548					51		441	414	156		B122S	B122S	6-63
9726	FGL	2766			526					61		446		33		B 14X	B 14X	2-67
9727	FGL	2434			543					47		108	115	10		B115S	B115S	8-65
9728	FGL	891			543					65		133	133	25		B133D	B133S	5-63
9729	FGL				522					27			389	3	412	B100S	B100S	3-63
9730	FGL	3032			549							213	151	38		B 17X	B 17X	11-66
9732	FGL	2804			539					65			136	108	31	B136S	B136X	5-63
9733	FGL	2434			553					40		334		195	293	B 13X	B 13X	2-67
9734	FGL	638			569					61			134	54		B134S	B134S	12-62
9735	FGL	2798			530					63		130	347	58	232	B135S	B135S	3-63
9736	FGL	2434			545					28		97	103	81		B103S	B103S	3-59
9737	FGL	2434			548					41			260	68		B112S	B112S	5-63
9738	FGL	2434			515								101	43	304	B 3X	B 3X	9-66
9739	FGL	2570			527								395	30	280	B 8X	B 8X	6-65
9740	FGL	2808			548							23	138	152	289	B 24X	B 24X	10-64
9741	FGL	2434			548								276	174		B 55S	B 55S	5-65
9742	FGL	2434			532							58	71	181	110	B 71S	B 71S	3-65

[illegible]