

Bob H.

SUMMARY OF MOTOR AND TROLLEY BUS DATA

FOR THE 13th FOUR-WEEK PERIOD ENDED DECEMBER 30, 1967

WITH ACCUMULATIONS TO DECEMBER 30, 1967

SUMMARY OF MOTOR AND TROLLEY BUS DATA FOR THE 13th FOUR-WEEK PERIOD ENDED
DECEMBER 30, 1967 WITH ACCUMULATIONS TO DECEMBER 30, 1967

DIESEL BUSES

Bus Series	Description	No. Pass.	Year Purch.	*No. of Veh.	Total Miles This Period#	Gal. Fuel Consumed**	M.P.G.	Pints Oil Added	M.P.P.	Bus Life Miles in Thousands			Refer to Pages
										Accum. Total	Avg. Per Bus	Avg. Eng. Miles	
100- 249	GM THD-5301	50	1961	150	415,385	101,748	4.08	9,117	46	42,546.3	283.6	261	1- 4
300- 449	GM TDH-5301	50	1962,63	150	322,913	86,479	3.73	5,441	59	24,362.8	162.4	161	4- 8
500- 600	GM TDH-5502	55	1948	40	36,133	10,438	3.46	688	53	27,976.9	699.4	139	8, 9
601- 700	GM TDH-5103	51	1950,51	100	164,803	47,030	3.50	4,408	37	59,629.9	596.3	156	9-11
800- 804	GM TDH-5303 A/C	50	1965	5	18,207	3,512	5.18	208	88	405.8	81.2	81	11
1400-1464	GM TDH-4507	45	1947,48	36	78,057	19,134	4.08	1,014	77	19,681.6	546.7	148	11,12
3000-3238	Flexible F2D6V-401-1	50	1965	239	840,492	222,372	3.78	12,021	70	25,337.3	106.0	106	12-17
3239	Cummins F2DV8C-401	50	1965	1	2,720	795	3.42	42	65	87.1	87.1	9	17
3240-3244	Flexible F2D6V-401-1 A/C	50	1965	5	16,770	3,830	4.38	187	90	413.9	82.8	83	17,18
3300-3449	Flexible F2D6V-351-1	42	1966	150	517,336	123,524	4.19	3,573	145	10,095.9	67.3	67	18-21
3500-3694	Flexible F2D6V-401-1	50	1966	195	682,228	168,962	4.04	5,562	123	8,396.6	43.1	43	21-26
3695-3699	Cummins F2DV8C-401-1	50	1966	5	14,960	3,526	4.24	123	122	140.7	28.1	28	26
6501-6630	GM TDH-4506 & 4507	45	1946,47	1	2,605	573	4.55	12	217	716.7	716.7	43	48
8499	Twin Coach F2D6V-401	48	1960	1	582	808	.72	34	17	140.6	140.6	35	60
8500-8650	Twin Coach F2D6V-401-1	50	1961	151	357,882	101,272	3.53	9,716	37	39,764.0	263.3	246	60-63
9000	Flexible 6V53	35	1967	1	2,568	533	4.82	24	107	20.5	20.5	20	67
Total Diesel Buses				<u>1,230</u>	<u>3,473,641</u>	<u>894,536</u>	<u>3.88</u>	<u>52,170</u>	<u>67</u>	<u>259,576.0</u>	<u>211.0</u>	<u>140</u>	

PROPANE BUSES

5000-5499	Twin Coach 52-S-2-Hydr.	52	1950,51	411	916,502	476,979	1.92	13,127	70	230,464.9	560.7	187	27-36
5500-5999	Twin Coach FL-2-P-40	52	1953	497	1,047,739	614,292	1.71	17,258	61	264,216.8	531.6	205	36-48
7200-7299	Mack C-49 PGT	49	1956,57	100	220,024	143,264	1.54	2,500	88	46,061.1	460.6	119	48-50
8000-8149	Twin Coach FT2-P40	50	1956,57	150	452,169	260,888	1.73	6,835	66	59,089.4	393.9	194	50-54
8200-8349	Twin Coach FT2-P40	50	1958,59	150	383,394	214,862	1.78	6,761	57	54,038.8	360.3	184	54-57
8400-8498	Twin Coach FT2-P35	44	1959	99	202,076	110,355	1.83	3,081	66	31,210.0	315.3	213	57-60
8700-8847	Flexible F2P-401-1	50	1963	148	470,929	261,026	1.80	5,581	84	30,906.9	208.8	159	63-67
8848	Flexible F2P-401-1 (Cummins-Vale V8)	50	1963	1	1,754	1,093	1.60	10	175	177.7	177.7	44	67
8849	Flexible F2P-401-1 (GMC TORO-Flow-V8)	50	1963	1	2,926	2,387	1.23	59	50	153.1	153.1	22	67
Total Propane Buses				<u>1,557</u>	<u>3,697,513</u>	<u>2,085,146</u>	<u>1.77</u>	<u>55,212</u>	<u>67</u>	<u>716,318.7</u>	<u>460.1</u>	<u>188</u>	

TROLLEY BUSES

Bus Series	Description	No. Pass.	Year Purch.	*No. of Veh.	Total Miles This Period#	Bus Life Miles in Thousands		Refer Patent Pages:
						Accum. Total	Avg. Per Bus	
9203-9322	A.C.F. Brill	44	1948	43	73,961	23,313.7	542.2	68
9323-9367	Pullman	44	1948	8	8,220	4,060.1	507.5	68
9368-9412	St. Louis	44	1948	23	60,204	16,961.7	737.5	68,69
9413-9761	Marmon-Herrington	49	1951,52	<u>330</u>	<u>913,887</u>	<u>188,988.0</u>	<u>572.7</u>	69-77
Total Trolley Buses				<u>404</u>	<u>1,056,272</u>	<u>233,323.5</u>	<u>577.5</u>	
Total Surface Buses				<u>3,191</u>	<u>8,227,426</u>	<u>1,209,218.2</u>	<u>378.9</u>	

* Does not include buses authorized to be scrapped.

** Dispenser correction for propane buses included here and in the individual bus listing.

Effective October 1, 1963, Mileage calculated on Hubodometer Readings.

NOTES: #1 - The number to the left in columns for Engine Change, Head Change and Converter Change indicated the number of Units that have been used in the Vehicle, Viz., "3" means that two Units have been removed and the third Unit is now in operation. Certain CTA buses and former Motor Coach Buses do not show this typed number as our records do not go back to the time the original Units were removed.

#2 - "H" in the Head Change Box indicates a High Compression Head.

Location	Abbreviation	13th Four-Week Period Mileage Comparison Ended December 30, 1967				
			Hubodometer Reading	Schedule Miles	Difference	%
Archer	ARH	Motor Buses	7,171,154	7,079,930	91,224	1.29
Beverly	BEV					
Forest Glen	FGL					
Kedzie	KED					
Keeler	KEL	Trolley Buses	<u>1,056,272</u>	<u>1,040,789</u>	<u>15,483</u>	<u>1.49</u>
Lawndale	LWD					
Limits	LIM					
North Avenue	NAV					
North Park	NPK	Total	<u>8,227,426</u>	<u>8,120,719</u>	<u>106,707</u>	<u>1.31</u>
52nd	52					
69th	69					
77th	77					

Accounting Department,
January 17, 1968

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR	
100	LWD	2767	4.0	32	269			2 33	2 33					3 8		B 37S	B 37X	N 4-61
101	LWD	3372	4.4	146	260	2	11	2 11	2 11					2 57		B 30S	B 30X	N 4-61
102	LWD	3255	3.9	45	262				2 100					2 47		B 30S	B 30S	N 4-61
103	LWD	3559	3.7	33	248					65				2 81		B 15D	B 15X	N 4-61
104	LWD	3021	3.8	24	276									2 79		B 11S	B 11S	N 4-61
105	LWD	3650	4.0	45	264									3 15		B 14D	B 14X	N 4-61
106	LWD	3815	4.0	103	255	2	16	2 16	2 16					2 73		B 38S	B 38X	N 5-61
107	LWD	3629	3.7	78	261			2 16						2 77		B 17X	B 17X	N 5-61
108	LWD	3762	3.9	70	291	2	120	3 120	4 120					4 43		B 16X	B 16S	N 5-61
109	LWD	3780	4.0	45	257			2 54						2 98		B 11S	B 11D	N 4-61
110	LWD	2956	3.6	53	256									4 1		B 24S	B 24X	N 5-61
111	LWD	2211	3.9	39	269				2 131					3 70		B 43S	B 43S	N 4-61
112	LWD	3133	4.1	55	263		62	2 62	2 62					4 27		B 18S	B 18X	N 5-61
113	LWD	3566	3.3	36	252			2 172						4 34		B 45S	B 45D	N 5-61
114	LWD	4060	4.4	109	271	2	12	3 12	3 12					2 24		B 34D	B 34S	N 5-61
115	LWD	3563	6.1	222	263		62	2 62	2 62					4 26		B 14S	B 14S	N 5-61
116	LWD	3912	4.1	46	274			2 104						2 83		B 37S	B 37X	N 4-61
117	LWD	4144	4.1	34	273		65	3 65	3 65		261			3 13		B 23X	B 23X	N 5-61
118	LWD	3593	3.6	28	253									2 78		B 3S	B 3S	N 5-61
119	LWD	3493	3.6	30	255			36	36					2 49		B 12S	B 12X	N 5-61
120	LWD	3541	4.2	37	262	2	113	4 113	4 113	24				4 113		B 61D	B 61X	N 5-61
121	LWD	2996	3.7	26	257					38				3 38		B 16S	B 16D	N 4-61
122	LWD	3672	3.6	32	281			2 153						4 24		B 26S	B 26X	N 4-61
123	LWD	2030	3.9	45	234			2 25	2 25					2 51		B 2S	B 2S	N 5-61
124	LWD	3331	3.7	35	259			2 156	2 156					4 18		B 25S	B 25X	N 4-61
125	LWD	3242	3.8	39	256			2 164	2 164					3 76		B 26S	B 26S	N 5-61
126	LWD	3685	4.1	68	264			3 29	2 29					3 29		B 16S	B 16X	N 5-61
127	LWD	3735	4.1	29	287			3 51	2 254					2 89		B 13S	B 13X	N 5-61
128	LWD	3264	3.9	37	256								22	2 104		51X	21X	N 5-61
129	LWD	3541	4.0	57	262	2	42	2 42	2 42					3 87		B 15S	B 15S	N 5-61
130	LWD	4112	3.9	46	303			2 43						4 69		B 7S	B 7D	N 5-61
131	LWD	3635	3.9	60	311			3 193	3 131	75				2 149		B 69D	B 69X	4-61
132	LWD	3738	3.6	35	305					27				57		B 39X	B 39X	5-61
133	LWD	3501	4.0	44	305				2 220					3 153		B 27X	B 27D	5-61
134	LWD	3734	4.5	35	298									3 34		B 6S	B 6S	4-61
135	LWD	3324	4.4	32	314			2 89						3 87		B 24S	B 24S	5-61
136	LWD	3663	3.7	43	298									5 85		B 17D	B 17D	5-61
137	LWD	3719	4.0	41	282		38	2 38						4 13		B 22S	B 22X	4-61
138	LWD	34	.3		292									3 5	217	B 8S	B 8S	5-61
139	LWD	3048	3.3	41	312					18				3 57		B 44S	B 44X	4-61
140	LWD	3539	3.8	30	304			3 83	3 83				111	4 115		B 4S	B 4S	5-61
141	LWD	3570	4.4	25	291		60	2 60	2 60	124				4 108	18	B 18X	B 18S	5-61

BUS MILEAGE DATA

PERIOD 13 ENDING DECEMBER 30 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR	
142	LWD	1354	5.5	32	299					65				3 70		B 40X	B 40X	N 4-61
143	LWD	3378	3.7	33	301									5 6		B 50X	B 50X	N 5-61
144	LWD	3565	4.1	36	288		88	2 88	2 88					3 52		B 57D	B 57X	N 5-61
145	LWD	3368	4.0	24	297									3 77		B 27S	B 27X	N 4-61
146	LWD	1189	3.1	30	307			2 96	2 96					4 24		B 55S	B 55X	N 5-61
147	LWD	3616	4.2	68	295	3 41		4 41	5 41					4 51		B 21D	B 21S	N 5-61
148	LWD	3869	4.2	47	288									3 10		B 66X	B 66D	N 5-61
149	LWD	2690	3.6	32	301									4 16	135	B 2S	B 2S	N 5-61
150	LWD	3997	4.1	57	298		27		2 27	125				4 29		B 36S	B 36S	N 5-61
151	LWD	3587	4.3	137	298			2 30	2 30					2 123		B 24D	B 24X	N 5-61
152	LWD	3360	4.6	258	290	2 34		3 34	3 34				109	3 43		B 24S	B 24D	N 5-61
153	LWD	3760	4.0	40	312			2 50		43				3 94		B 4S	B 4S	N 5-61
154	LWD	3741	4.2	36	297									4 11		B 24X	B 24D	N 5-61
155	LWD	2764	3.8	38	310									5 62		43S	23X	N 4-61
156	BEV	2215	4.3	51	270					36	202			3 85		B 3S	B 3S	10-67
157	BEV	2565	4.3	41	297									3 53		B 38D	B 38D	10-67
158	BEV	2373	4.2	40	289								97	3 67		B 32S	B 32S	10-67
159	BEV	2941	4.5	37	287									3 14		35S	10X	10-67
160	BEV	2835	4.4	50	236						94			2 45		B 21S	B 21S	N 4-61
161	BEV	2640	4.4	97	230	3 26		3 26	3 26		22			2 95		39D	12X	N 5-61
162	BEV	2924	4.6	49	225			3 75	2 84		103			2 34	34	B 83X	B 83D	N 5-61
163	BEV	2423	4.1	40	228			3 116	2 116							B 6D	B 6S	8-65
164	BEV	2940	4.5	45	243					31			189	2 40		B 12X	B 12D	N 5-61
165	BEV	1199	3.8	33	230					93				5 23		B 22D	B 22S	8-67
166	BEV	662	4.3	28	230					65				3 11		B 14D	B 14D	8-67
167	BEV	3004	5.0	34	237									2 46		B 23X	B 23S	8-67
168	BEV	2531	4.8	39	236			2 133		39				2 21		B 20X	B 20S	8-67
169	BEV	2827	4.2	235	238		20	2 31	3 11	65	7			3 40		B 18S	B 18S	8-67
170	BEV	2339	4.2	37	232					1				2 11		32D	12D	8-67
171	BEV	3179	4.8	81	245			3 82	2 212	31			30	3 16		30D	16D	8-67
172	BEV	2579	4.2	47	221			2 114	2 114	64	95			3 34		20D	4S	8-67
173	BEV	1782	4.1	39	254									2 100		B 26D	B 26S	8-67
174	BEV	2527	3.2	34	287									2 73		B 5S	B 5S	8-67
175	BEV	2138	3.9	50	221			2 102		45	93			2 4		B 19X	B 19S	8-67
176	BEV	2778	4.9	55	215			2 3	2 3					2 18		B 7D	B 7S	8-67
177	BEV	452	3.7		207		46	2 46	2 46							B S	B S	8-67
178	BEV	2459	4.1	49	207			2 86	2 86	76				3 37		30D	11X	8-67
179	BEV	2154	4.3	53	216						80			2 76		B 20X	B 20S	8-67
180	BEV	2620	4.3	70	207			2 168	2 168		62			2 16		B 5S	B 5S	8-67
181	BEV	2673	4.5	62	187											B 60X	B 60D	8-67
182	BEV	2565	4.3	38	196						64			2 42		55X	17S	8-67
183	BEV	2132	4.5	39	211									2 154		B 22D	B 22S	8-67

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE										PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.		BRAKE RELINE	
								LEFT OR SINGLE	RIGHT		Box	Column					FRONT	REAR
184	BEV	2353	4.4	57	208									2 25		B 5S	B 5S	8-67
185	BEV	1987	4.7	36	205					1	27			3 13		69X	19D	N 5-61
186	BEV	1703	3.4	65	210						84			2 51	143	B 1S	B 1S	N 5-61
187	BEV	2840	4.2	41	204					3				3 25		B 21D	B 21S	N 5-61
188	BEV	3023	4.0	68	199			2	3	2	3	84				B 21D	B 21D	N 5-61
189	BEV	4553	7.2	85	201		192			36				2 152	125	B 5D	B 5S	N 5-61
190	BEV	2567	4.2	43	277					37				2 38		B 22S	B 22S	N 5-61
191	BEV	2047	4.5	36	287					9				2 112		B 18D	B 18D	N 5-61
192	BEV	2978	4.9	165	284		98	2	98	2	98			3 47		B 11S	B 11S	N 5-61
193	BEV	2848	7.2	64	286					26				3 43		B 18X	B 18X	N 5-61
194	BEV	2561	4.4	43	276									4 65		B 3D	B 3D	N 5-61
195	BEV	2888	4.4	33	258			2	62		29			3 57		B 29S	B 29X	N 5-61
196	BEV	2885	4.6	24	294			2	253	2	253			2 43		B 30X	B 30D	N 5-61
197	BEV	2497	4.3	208	303		35	2	35	2	35			3 29		46S	12S	N 5-61
198	BEV	2600	4.8	35	270			2	55	3	55			3 50		B 40S	B 40X	10-67
199	BEV	2961	5.0	102	286	2	14	2	14	2	14	36		3 45		B 49S	B 49S	N 5-61
200	BEV	2491	4.3	88	273		46	4	46	3	79	9		3 46		B 14S	B 14D	N 5-61
201	BEV	2645	4.4	75	292		54	2	79	3	45	10		2 41		B 9X	B 9D	N 5-61
202	BEV	1870	3.7	25	290									2 52		B 17S	B 17S	N 5-61
203	BEV	2196	4.6	33	280			2	243	2	243	40		2 87		B 18X	B 18S	N 5-61
204	BEV	2821	4.5	42	330					8				2 45		B 5S	B 5S	N 5-61
205	BEV	2826	4.7	40	278					244				3 46		41D	11S	N 5-61
206	BEV	2880	4.3	35	287			2	151	2	151	64		3 50		B 27D	B 27S	N 5-61
207	BEV	2504	4.4	43	293					2	20	22	106	2 90		B 45D	B 45D	N 5-61
208	BEV	2638	4.6	188	309		46	3	25	2	46	41		3 3		52D	19D	N 5-61
209	BEV	3588	10.6	128	289									3 55		45D	11S	N 5-61
210	BEV	2256	4.6	225	285	2	3	3	3	3	3			4 40		17X	17D	N 5-61
211	BEV	1788	4.4	77	281		19	3	19	3	1	34		3 19		9D	9D	N 5-61
212	BEV	2431	4.3	39	285									3 37		B 20X	B 20X	N 5-61
213	BEV	2862	4.5	34	287									5 3		B 14D	B 14X	N 5-61
214	BEV	2803	4.5	33	275									3 54		B 26X	B 26X	N 5-61
215	BEV	1589	3.2	33	283								11	4 103		B 11D	B 11X	N 5-61
216	BEV	2415	3.9	34	294					107				3 33		B 19D	B 19X	N 5-61
217	BEV	2923	3.7	34	284					35			91	2 45		B 14S	B 14D	N 5-61
218	BEV	3246	4.5	45	289			2	237	2	237			2 38		B 21X	B 21D	N 5-61
219	BEV	2220	4.3	35	305			2	43					3 131		B 33S	B 33X	N 5-61
220	BEV	2242	3.1	29	358								16	5 27	286	B 16S	B 16S	N 5-61
221	BEV	2398	4.7	184	344	2	61	2	61	2	61			3 61		B 25X	B 25D	N 5-61
222	BEV	2837	4.9	32	353					25				3 105		B 11X	B 11D	N 5-61
223	BEV	2873	5.4	99	345		71	3	71	3	71			5 2		B 27X	B 27D	N 5-61
224	BEV	1945	3.8	49	360			2	321	2	321		104	3		42X	9X	N 5-61
225	BEV	2635	4.2	79	337		53	2	53	2	53	91		3 45		B 10X	B 10D	N 5-61

BUS MILEAGE DATA

PERIOD 13 ENDING DECEMBER 30 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR	
226	BEV	2124	4.1	70	351			2 116	2 116	78			9	3 113		B 9S	B 9S	N 5-61
227	BEV	2514	4.4	64	343								5 27		38X	11X	N 5-61	
228	BEV	2788	4.1	61	353								3 60		B 3S	B 3S	N 5-61	
229	BEV	2490	4.6	39	357			3 255	3 255	29			103	3 59		B 19X	B 19D	N 5-6
230	BEV	2523	4.0	40	345						295		5 5		B 3S	B 3S	N 5-61	
231	BEV	2101	4.4	34	350					38			5 40		B 26X	B 26D	N 5-61	
232	BEV	2520	4.3	48	333			3 146	3 146				103	3 50		B 11S	B 11D	N 5-61
233	BEV	2722	4.7	143	337		43	2 43	2 43	112	7		6 43		B 16X	B 16D	N 5-61	
234	BEV	3406	5.1	58	342								94	4 9	83	45X	25X	N 5-61
235	BEV				348			3 179	3 179				2 103		B 30S	B 30X	N 5-61	
236	BEV	2216	5.0	52	330	2	96	2 96	2 96				2 96	127	B 2S	B 2S	N 5-61	
237	BEV	3278	4.5	56	345								3 50		B 40S	B 40X	N 5-61	
238	BEV	2459	5.0	52	344								86	3 46	121	B 11X	B 11D	N 5-61
239	BEV	2353	4.2	61	345					3			113	3 37		34X	6S	N 5-61
240	BEV	2677	4.5	35	337								3 42		B 23X	B 23D	N 5-61	
241	BEV	2660	4.6	31	347					79			12	5 45		B 12X	B 12S	N 5-61
242	BEV	443	4.1	22	345								3 118	66	B 16D	B 16X	N 5-61	
243	BEV	2378	4.6	58	344								4 43		B 11X	B 11D	N 5-61	
244	BEV	2327	4.7	96	345			2 239	2 239				4 4		B 42X	B 42D	N 5-61	
245	BEV	1974	4.2	34	354			2 314	2 314	36			7	4 73		B 7S	B 7S	N 5-61
246	BEV	2697	4.5	192	318		47	3 7	3 7	72			3 6	236	B 14S	B 14D	N 5-61	
247	BEV	2577	4.3	184	346	2	16	2 16	2 16				3 12		B 47X	B 47X	N 5-61	
248	BEV	2459	4.1	40	348								4 13		B 31D	B 31D	N 5-61	
249	BEV	2929	4.6	32	353								24	6 24		B 24X	B 24S	N 5-61
300	LIM	1525	3.3	63	133					16					B 13D	B 13D	N 1-63	
301	LIM	1335	3.8	121	126					18			2 35		B 32X	B 32D	N12-62	
302	LIM	2025	3.9	135	140					18					B 22D	B 22D	N12-62	
303	LIM	1576	3.4	87	130					53	3		2 14		B 32D	B 32D	N 1-63	
304	LIM	1818	4.0	72	137					28	35				B 9D	B 9D	N 1-63	
305	LIM	2142	3.2	56	133					3			2 75		B 2S	B 2D	N12-62	
306	LIM	1920	4.0	51	134			2 80		17					43X	8D	N 1-63	
307	LIM	1749	4.2	49	132					16					B 17X	B 17D	N12-62	
308	LIM	1686	3.7	99	126					3					B 22X	B 22D	N12-62	
309	LIM	1558	3.5	119	136					22	27		2 4		B 13X	B 13D	N 1-63	
310	LIM	1634	2.6	43	136					17					B 9D	B 9D	N12-62	
311	LIM	942	3.9	85	139			2 41		18	16				B 16D	B 16D	N 1-63	
312	LIM	2278	4.0	59	144					2					46X	9S	N12-62	
313	LIM	1967	3.8	75	136					15	4		2 11		B 28X	B 28D	N 1-63	
314	LIM	5			126					21					B 6D	B 6D	N 1-63	
315	LIM	1136	4.4	103	123					11	23				B 5X	B 5D	N12-62	
316	LIM	2222	4.3	92	136					28					B 12X	B 12D	N12-62	
317	LIM	1271	3.7	57	132					3					B 11D	B 11D	N 1-63	

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT		REAR
318	LIM	1558	4.1	111	134					18						B 34D	B 34D	N12-62
319	LIM	1605	3.7	53	122					15						B 7D	B 7D	N 1-63
320	LIM	1964	4.0	89	135					19						B 13X	B 13X	N12-62
321	LIM	1549	4.0	53	135					72						B 7X	B 7D	N12-62
322	LIM	1795	4.1	105	143					22						B 17X	B 17D	N 1-63
323	LIM	1721	3.9	156	132			2	7	4			2	40		B 14X	B 14D	N12-62
324	LIM	1861	4.0	56	137					20			2			B 16D	B 16D	N12-62
325	LIM	1966	3.8	54	127					4	67					B 32X	B 32D	N12-62
326	LIM	2084	3.9	80	134					16						B 12X	B 12D	N12-62
327	LIM	1913	3.5	70	134					17						B 17X	B 17S	N 1-63
328	LIM	3047	4.1	39	131					25						B 16X	B 16D	N 1-63
329	LIM	1883	3.0	29	142					19						B 50D	B 50X	N 1-63
330	LIM	1762	4.5	67	136					17						B 25X	B 25D	N 63
331	LIM	1452	3.6	48	132					14	8		2	17		6X	6X	N 1-63
332	LIM	1477	3.6	52	122					3						B 13D	B 13D	N12-62
333	LIM	1778	3.4	98	135					11						B 17X	B 17D	N 1-63
334	LIM	2352	3.5	40	137					10			2	22		B 23D	B 23D	N 1-63
335	LIM	1959	4.8	75	135					13	3					B 6D	B 6D	N 1-63
336	LIM	1298	3.9	129	136					23				43		B 46X	B 46X	N 1-63
337	LIM	2158	3.8	86	127					7						B 7D	B 7D	N 1-63
338	LIM	2517	3.9	93	135					4						B 20D	B 20D	N 1-63
339	LIM	1545	3.6	77	140					26				37		B S	B X	N 1-63
340	LIM	1683	3.3	70	135					19						B 13D	B 13D	N 1-63
341	LIM	1975	3.0	58	131					22						B 47X	B 47D	N 1-63
342	LIM	1922	4.1	73	142					26			2	30		B 24D	B 24D	N 1-63
343	LIM	1647	4.5	78	131					25			3			B S	B S	N 1-63
344	LIM	1491	3.6	74	122					24						B 8D	B 8S	N 1-63
345	LIM	2029	4.2	169	133					25			2	13		B 8D	B 8D	N 1-63
346	LIM	1957	3.6	67	134					15			2	65		B 29D	B 29D	N 1-63
347	LIM	2110	3.5	62	125					23			2	21		B 21D	B 21D	N 1-63
348	LIM	2441	3.9	59	134					5	45					B 26X	B 26D	N 1-63
349	LIM	2228	3.6	47	135					25	33					B 36X	B 36S	N 1-63
350	LIM	2564	3.7	67	125					21	17		3	2		B 16D	B 16D	N 1-63
351	LIM	1716	3.6	46	132				2	68	24		2	22		B 14D	B 14D	N 1-63
352	LIM	1772	4.9	84	137					10						B 29X	B 29S	N 1-63
353	LIM	1540	3.7	48	127					22						B 14D	B 14D	N 1-63
354	LIM	2614	4.1	54	131					22	37					B 31D	B 31D	N 1-63
355	LIM	1656	3.0	66	133			2	27	2	27					B 3S	B 3S	N 1-63
356	LIM	5789	8.8	137	136				2	25	20					B 35D	B 35D	N 1-63
357	LIM	1713	3.8	100	143					3	17					B 30D	B 30D	N 1-63
358	LIM	2043	3.6	37	135			2	45	2	45					B 15D	B 15D	N 1-63
359	LIM	2149	3.8	63	134					6	8					B 16D	B 16D	N 1-63

BUS MILEAGE DATA

PERIOD 13 ENDING DECEMBER 30 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE			
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT		REAR	
360	LIM	1647	4.1	35	136			2	47		16						B 4D	B 4S	N 1-63
361	LIM	1366	3.9	136	138												B 21D	B 21D	N 1-63
362	LIM	2019	3.7	57	131						35						B 22X	B 22D	N 1-63
363	LIM	3180	4.1	63	138						17						B 13X	B 13D	N 1-63
364	LIM	2203	4.3	51	133				2	36	14			2	16		B S	B X	N 1-63
365	LIM	2044	3.2	44	120						17			2	12		B 17D	B 17D	N 1-63
366	LIM	1904	3.9	76	123						18			3	16		B 25X	B 25D	N 1-63
367	LIM	1734	3.7	91	132						25	28			32		B 16D	B 16D	N 1-63
368	LIM	2153	3.2	37	140						18	65		2	23		B 44D	B 44D	N 1-63
369	LIM	2256	4.1	83	125				2	93	10						B 9D	B 9D	8-65
370	LIM	2468	3.6	53	132						20	14		2	22		B 30X	B 30X	N 1-63
371	LIM	1819	3.8	53	137						16			2	18		B 25D	B 25D	N 1-63
372	LIM	1616	3.8	70	129						18			3	19		B 27X	B 27D	N 1-63
373	LIM	2141	3.7	56	133						27						B 17D	B 17D	N 1-63
374	LIM	2886	4.0	56	132			2	95		5			2	20		47X	9D	N 1-63
375	LIM	2190	3.7	81	117						21	8		2	14		B 10D	B 10D	N 1-63
376	LIM	2126	3.6	48	129						8		33				B 21D	B 21X	N 1-63
377	LIM	1796	3.5	78	132						4	11					B 17X	B 17D	N 1-63
378	LIM	2211	3.6	51	140						18	19					B 25X	B 25D	N 1-63
379	LIM	1901	3.8	95	132						2						B 12D	B 12D	N 1-63
380	LIM	1431	4.8	89	133						6						B 15D	B 15D	N 1-63
381	LIM	1715	3.7	47	135						27			2	31		B 35X	B 35D	N 1-63
382	LIM	1250	3.7	50	139						12						B 47X	B 47D	N 1-63
383	LIM	1650	4.1	97	126						22			2	27		B 10X	B 10D	N 1-63
384	LIM	1787	4.5	111	134						20			2	31		B 44D	B 44D	N 1-63
385	LIM	1630	3.6	45	138						21						B 24X	B 24D	N 1-63
386	LIM	2203	4.1	37	139						4	15					B 39X	B 39D	N 1-63
387	LIM	1856	3.6	58	136						11						B 6D	B 6D	N 1-63
388	LIM	1921	3.7	42	139						4						B 31D	B 31D	N 1-63
389	LIM	2458	3.8	64	130						22	16		2	19		B 14D	B 14D	N 1-63
390	LIM	2215	3.8	50	137						13						B 22X	B 22D	N 1-63
391	LIM	2108	3.6	50	132						17						B 17X	B 17D	N 1-63
392	LIM	1744	4.7	134	137						21				65		B 28X	B 28D	N 1-63
393	LIM	1471	3.4	86	132						13			2			B 13D	B 13D	N 1-63
394	LIM	972	5.1		135			2	54		13	15					B 32X	B 32D	N 1-63
395	LIM	1335	3.3	121	128						18						B 20X	B 20D	N 1-63
396	LIM	2196	4.0	84	134						18						B 16X	B 16D	N 1-63
397	LIM	1667	3.5	33	133						3			2	41		B 35D	B 35D	N 1-63
398	LIM	2217	3.9	58	128						22	48		2	2		59S	14D	N 1-63
399	LIM	2966	3.7	47	141						13	16					B 16D	B 16D	N 1-63
400	LIM	1860	3.8	53	140						4			2	11		B 42D	B 42D	N 1-63
401	LIM	2314	3.4	43	150						22						B 31D	B 31D	N 1-63

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT		REAR
402	LIM	1688	3.7	38	158					21						B 44D	B 44D	N 1-63
403	LIM	1613	3.6	55	160					2				2 14		B 2S	B 2S	N 1-63
404	LIM	2014	3.9	25	166					29				2 53		B 31X	B 31D	N 1-63
405	LIM	3096	3.9	44	203				2 131	21				2 62		B 14S	B 14S	N 1-63
406	LIM	2496	4.8	96	206				2 126	13						47D	11X	N 1-63
407	LIM	3846	3.8	49	212					20	60			2 60		B 24S	B 24S	N 1-63
408	LIM	1654	3.4	59	229					19				2 56		B 19D	B 19X	N 1-63
409	LIM	3676	4.3	75	212					35	13			2 59		B 6S	B 6S	N 1-63
410	LIM	3003	4.4	50	207				2 69	33				2 77		B 33S	B 33S	N 1-63
411	LIM	3218	4.3	44	205					23				2 63		B 38D	B 38D	N 1-63
412	LIM	1910	3.8	83	181		45	2 56	2 45	21				3 10		B 57X	B 57D	N 1-63
413	LIM	2168	4.0	58	200				2 191	12				2 31		B 11D	B 11S	N 1-63
414	LIM	1637	3.8	49	185					10						24S	1S	N 1-63
415	LIM	1188	3.7	59	214					20						S	S	N 1-63
416	LIM	1686	3.1	240	212	2 23		2 23	2 23	23						B 79S	B 79X	N 1-63
417	LIM	2143	3.6	43	219				2 28	11						29D	11X	N 1-63
418	LIM	1075	3.8	71	194					20				2 6		B 36S	B 36S	N 1-63
419	LIM	3810	3.8	66	221					21				3 58		B 13S	B 13S	N 1-63
420	LIM	3123	4.0	48	253					19				3		B 37X	B 37D	N 1-63
421	LIM	2993	3.8	50	258					42				3 29		B 56S	B 56X	N 1-63
422	LIM	3630	4.6	47	248					5				2 115		B 46S	B 46X	N 1-63
423	LIM	2278	3.5	25	242					13				4 32		B 51D	B 51X	N 1-63
424	LIM	2937	4.2	75	233				2 1	30				2 53		59X	20X	N 1-63
425	LIM	1502	3.4	71	225					12				3 48		B 35D	B 35X	N 1-63
426	LIM	3853	4.2	55	243					34				2 102		B 29S	B 29D	N 1-63
427	LIM	3318	3.8	75	247				2 68	39				3 20		B 20D	B 20D	N 1-63
428	LIM	2882	3.6	50	242					20			25	2 62		B 25X	B 25D	N 1-63
429	LIM	2469	4.6	112	254			2 189		30						B 39S	B 39X	N 1-63
430	LIM	2930	3.8	57	227					30				2 66		B 46S	B 46X	N 1-63
431	LIM	4602	4.3	48	224				2 114	33	47			2 80	17	B 39X	B 39X	N 1-63
432	LIM	4310	4.0	59	217				2 95	34	44			4 13		B 22S	B 22X	N 1-63
433	LIM	3505	3.5	53	239						48			2 56		B 12S	B 12S	N 1-63
434	LIM	3255	4.2	52	214					44	15					B 21X	B 21X	N 1-63
435	LIM	3635	3.9	56	235					34	6			2 11		B 24X	B 24X	N 1-63
436	LIM	1012	4.0	59	198			2 56		11				2 48		B 42D	B 42S	N 1-63
437	LIM	1674	4.1	83	206				2 130	18	73			2 39		49D	8X	N 1-63
438	LIM	1562	3.4	48	190					17	27					B 23X	B 23X	N 1-63
439	LIM				184					6				3 18		52D	6X	N 1-63
440	LIM	3325	3.9	67	236		111			14	40			2 61		B 33S	B 33X	N 1-63
441	LIM	1774	4.1	77	243					19						B 97S	B 97D	N 1-63
442	LIM	1687	3.5	43	248					13						B 34X	B 34D	N 1-63
443	LIM	2068	3.9	45	236					18				2 60		B 24S	B 24X	N 1-63

BUS MILEAGE DATA

PERIOD 13 ENDING DECEMBER 30 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor		DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column		FRONT	REAR				
444	LIM	3354	4.2	79	265					32	40			3	37		B 24S	B 24X	N 1-63
445	LIM	3694	4.1	76	259			4	59	2	59	36		2	99		38X	7D	N 1-63
446	LIM	3709	3.9	88	255		121	2	121	2	118	6	53	2	54		B 16X	B 16D	N 1-63
447	LIM	3605	3.9	62	254					30	68			2	158		B 11D	B 11X	N 1-63
448	LIM	3248	4.0	70	268					30	48			3	48		48S	26D	N 1-63
449	LIM	3360	4.0	50	260					32				2	85		B 25X	B 25D	N 1-63
500	NAV	2228	4.9		530	3	47		47	48	204		271	48	92	B 24S	B 24X	11-66	
501	77				680		173		127	351	9		107	46	25	B 16X	B 16X	7-65	
502	77	1628	3.3	40	656		214		142	381	382		342	130	41	B 37S	B 37X	6-63	
507	77	910	2.4	113	663		70		70	24	269		134	55	338	B 50X	B 50D	11-65	
508	77	1186	4.2	74	653		129		129	434	38		3	70	97	B 3S	B 3X	8-67	
514	ARH				668		121		121		137		24	56	135	B 24X	B 24X	2-65	
515	77	1164	2.9	44	705		130		86	406	27		210	115	40	B 39D	B 39S	2-64	
520	ARH	884	2.8		737		222	39	39	15	372		241	4	45	B 75S	B 75X	3-65	
523	77				668		176		72	287	214		310	285	96	B 42S	B 42X	1-64	
525	77				695		276		3	413	440		106	4	7	336	B 7X	B 7S	8-67
530	77	1508	4.0		698		74		6	405	43			74	56	B 16D	B 16X	1-60	
531	ARH				672		91		91	2	235		121	91	84	B 12X	B 12D	2-64	
533	ARH				670		145		12		175		298	13	88	B 12X	B 12X	6-64	
537	ARH				748		411	11	11	156	155		126	31	72	B D	B S	2-65	
539	ARH				792		63		63	434	190			129	72	B 31X	B 31X	12-64	
541	77	316	4.9	13	774		159		101	29	215		145	58	214	B 8D	B 8D	9-65	
544	77	1599	3.6	66	810		106		106	293	86		189	7	1	186	B 48S	B 48D	7-66
546	77	1503	4.4		775		46		46	399	442		213	8	10	107	B 52D	B 52X	4-62
548	77	1386	4.0	42	783		155		72		124		122	299	191	B 52D	B 52X	1-64	
549	77	957	4.0	41	802		50		50	61	119		86	50	193	B 51D	B 51D	1-66	
550	77	178	3.9	89	785		149		149	238	169		309	101	95	B 9X	B 9S	3-62	
554	77	823	3.0	28	786		169		86	364	86		94	130	257	19X	69D	6-63	
556	77	1023	4.0	28	760		105		82	2	109		57	103	183	B 57S	B 57X	3-63	
557	77				739		151		151	50	72		86	316	376	B 22X	B 22X	4-62	
562	77	2019	3.5	21	715		121		121	5	83		169	127	249	B 58D	B 58D	8-61	
564	77	980	1.6	70	695		56		56	343	79		283	98	103	B 10X	B 10D	5-65	
565	52	2074	5.0	103	694		68		68	59	225		216	235	67	B 43X	B 43D	3-66	
566	77	1881	3.9	34	700		96		96	152	313		115	9	30	142	B 33S	B 33S	3-64
567	77	781	5.0	20	723		142		142	81	327		305	5	19	127	B 46D	B 46S	12-61
570	77	694	2.7	38	703		130	14	14		249		195	9	11	69	B 30S	B 30X	8-58
573	77	1147	3.0	38	721		120		120	3	264		202	100	179	B 71X	B 71D	12-61	
577	77				711		151		151	58			234	3	7	152	B 23S	B 23S	6-66
580	77	2005	4.8	200	641		92		3	332	87		336	6	19	117	B 30D	B 30S	4-63
581	77	1499	3.3	374	641		110		92	336	252		183	134	36	B 70D	B 70X	3-62	
582	77	2126	4.4	43	638		65		65	4	84		65	63	90	B 7X	B 7D	1-65	
584	77	913	2.0	41	632	4	89		47	13	79			7	17	69	B 42S	B 42X	5-63

BUS MILEAGE DATA
PERIOD 13 ENDING DECEMBER 30 1967

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE													PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor		DIFF.	BRAKE RELINE			
								LEFT OR SINGLE	RIGHT		Box	Column		FRONT	REAR					
587	77	1752	4.4	30	642	2	42		42		8	146		68	59	387	B 49S	B 49X	12-61	
593	77	434	1.7	54	618		75		75		33	276		86	7	3	157	B 2S	B 2D	1-62
596	77	535	3.5	66	618		54		54		4	296		222	54	1	B 53S	B 53S	5-65	
597	52				616		351	7	5	7	32	68		136	7	7	278	B 15X	B 15X	9-66
600	KEL	533	2.9		620		330	99	99		30	121		116	9		B 45S	B 45S	8-67	
601	KEL	1290	3.6	117	564	3	32		32		372	172		289	212	195	B 38X	B 38X	8-62	
602	KEL	1221	4.4	87	573		37		37		24	186		99	36	43	B 50S	B 50D	9-65	
603	KEL	1363	3.7	36	567		131		131		279			240	36	35	B 42X	B 42X	4-65	
604	KEL	1140	3.8	21	587	2	172		34		315	177		79	7	13	B 14S	B 14X	10-62	
605	KEL	1379	3.8	26	584	2	333	135	77		333	188		120	4	13	B 19X	B 19D	12-63	
606	KEL	1126	4.0	59	624	5	57		57		404	141		96	5	194	B 16D	B 16D	2-66	
607	KEL	1235	4.1	68	588		32		32		32	186		270	6	32	B 51X	B 51S	2-66	
608	KEL	1609	3.6	100	566	4	124	36	36		54	189			145	418	B 41D	B 41S	7-64	
609	KEL	1212	4.5	50	579	6	10		7	10	11	39		11	5	43	B 11D	B 11X	3-65	
610	KEL	1449	3.6	24	591	2	141		32		384	51		124	42	86	B 66X	B 66S	4-65	
611	KEL	1166	5.1	58	584	3	90		90		90	173			66	223	B 20S	B 20X	1-64	
612	KEL	1240	3.6	16	631	4	305	158	98		305	193			26	428	11D	49D	7-62	
613	KEL	1292	3.2	107	606	4	199	82	82		199	154			253	21	B 64X	B 64X	3-65	
614	KEL	1167	3.9	46	574	2	104	5	5		128	100		216	38	314	B 10D	B 10X	5-64	
615	KEL	1480	3.8	82	602	3	103	5	5		423	230			21	180	B 58X	B 58X	5-63	
616	KEL	1006	3.3	50	586		97		49		172	164			5	7	138	B 34X	B 34S	2-64
617	KEL				582	3	124	44	124		6	173		61	8	9	228	B 3X	B 3S	4-64
618	KEL	1260	4.2	40	596	4	89		89		338	122		56	247	62	B 56S	B 56D	2-63	
619	KEL	1251	3.3	50	597		66		66		396	129		317	65	226	B 45D	B 45X	2-63	
620	KEL	1395	3.9	23	601	2	402	3	8		31	169			218	193	B 17X	B 17S	9-64	
621	KEL	1258	2.8	22	590	2	179		79		353	158		133	53	340	B 15D	B 15D	6-63	
622	KEL	1155	3.7	41	605	2	82		82		46	194		57	134	403	B 57X	B 57X	12-63	
623	KEL	1135	3.8	25	600	3	80		16		371	208		189	52	185	B 40X	B 40S	6-63	
624	KEL	1351	4.0	90	586	4	93	27	76		12	138		304	6	318	B 34X	B 34S	12-65	
625	KEL	1258	4.2	66	589	2	146		5	17	113	29		330	354	350	B 44S	B 44X	11-65	
626	KEL	1182	4.2	22	636	2	313		146		313	36		231	207	44	B 33D	B 33X	9-64	
627	KEL	1201	3.9	50	590	3	182	29	29		64	7		48	43	68	B 48X	B 48S	6-57	
628	KEL	515	3.1	128	615	4			9		181	46		122	24	114	19D	31D	11-65	
629	KEL	1350	3.5	30	599		81		150		24	177		167	101	31	B 8D	B 8S	7-64	
630	KEL	1433	3.7	36	603	2	203	32	73		433	87		330	4	285	50	B 74X	B 74D	12-65
631	KEL	1067	5.8	76	612	5	43		9	14	14	184		182	8		182	B 26D	B 26D	12-64
632	KEL	1236	3.6	28	587	2	153		81		377	279		236	172		B 10S	B 10S	1-64	
633	KEL	1379	4.1	65	586	4	46		46		39	132		191	303	393	B 39X	B 39X	4-64	
634	KEL	1358	3.7	14	600	3	370	140	150		5	139		163	71	73	B 49X	B 49S	10-58	
635	KEL	987	3.5	18	607	2	172		101		1	172		188	5	8	419	B 36S	B 36S	7-62
636	KEL	1098	4.3	30	610	2	132		3		51	106			3	217	50	B 32S	B 32D	7-62
637	KEE	1306	3.8	28	588	3	137		6	15	319	12		169	7	159	187	B 1X	B 1S	6-67

BUS MILEAGE DATA

PERIOD 13 ENDING DECEMBER 30 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR	
638	KEL	1353	4.6	61	647	51		51		327	259		203	75	146	B 28S	B 28X	2-65
639	KEL	1151	3.7	57	650	2 106	56	56			275		56	8 6	292	B 56X	B 56X	12-63
640	KEE	992	3.5	18	642	4 387	128	127		387	52		260	7 17	230	37D	X	5-67
641	LWD	151	2.8	37	637	3 67		67		162	107		134	35	269	B 12X	B 12D	10-64
642	LWN	1882	3.0	117	632	4 4		9 4		8	245		340	8 6	319	B 42X	B 42X	7-67
643	LWD	1841	3.9	34	646	4 39		39		50	5		337	59	48	B 44X	B 44X	11-64
644	LWD	1905	3.8	70	647			50		52	138		142	50	23	B 26D	B 26D	11-64
645	LWN	1799	3.6	41	662		170	8 19		72	23		47	5 170	186	B 47S	B 47X	10-67
646	LWD	1766	3.5	56	668	4 19		8 19		19	19		167	10 19	457	22X	60D	6-62
647	LWD	2189	3.8	64	657	3 62		62		5	69		242	62	404	B 50S	B 50D	8-62
648	LWD	2242	3.4	11	650	2 190		190		37	178		287	80	287	B 24D	B 24X	11-62
649	LWD	2021	3.7	56	639		96	9 4		300	6			77	3	B 20X	B 20S	3-64
650	LWD	1673	3.7	41	657		157		99	345	187		317	43	183	8D	55X	8-65
651	LWD	2104	3.2	60	570	3 141		141		370	224		209	80	235	B 2S	B 2S	3-62
652	LWD	2359	3.4	10	571	2 206		108		56			109	51	177	B 36D	B 36D	5-66
653	LWN	2188	3.1	45	547	2 167		114			8		279	45	328	12D	57X	11-67
654	LWN	2086	3.5	38	580	2 306	182	113		240	50		212	4 187	99	B 11X	B 11X	10-67
655	LWD	2081	3.3	34	586	3 138		6 15		256	134		75	41	203	B 75S	B 75S	10-65
656	LWD	2262	3.6	61	590	2 180		54		395	265		273	5 56	166	B 25D	B 25D	7-65
657	LWD	2075	3.7	62	660	3 77		16		3	256		129	6 77	135	B 61X	B 61X	1-65
658	LWD	2211	3.5	13	653	2 179		5 13		59	49		61	16	5	B 2D	B 2D	5-59
659	LWD	2053	3.6	31	629	3 153		4 32		7	54			69	168	B 26S	B 26X	5-65
660	LWD	2014	3.8	61	645	3 164		7 21		47	50		270	38	244	B 39D	B 39S	10-65
661	LWD	2262	3.5	119	635	4 78		78		50	4			10 13	100	9S	130S	1-65
662	LWD	2027	4.0	38	631		632	225		219	53			112	268	B 21X	B 21S	5-65
663	LWD	1490	3.4	106	654	2 51		51		250	33		163	32	8	B 59X	B 59X	2-66
664	LWD	381	3.7	47	642	3 159		7 12		52	402		87	6 145	246	B 33X	B 33S	4-64
665	LWD	2373	3.6	81	658	3 75		75		13	162		275	75	150	B 55X	B 55D	3-64
666	LWD	2395	3.3	66	642	4 80		7 31		195	33		87	80	107	B 26D	B 26D	9-65
667	LWD	2287	3.4	65	643	3 194	55	55		382	287		261	9 7	486	B 55D	B 55X	5-65
668	LWD	1264	3.2	48	644	2 1		7 1		457	53		162	6 5	241	B 50D	B 50D	12-64
669	LWD	2201	3.2	40	627	2 94		69		5	57		264	5 22	346	B 17S	B 17X	3-64
670	LWD	1857	2.5	51	670	2 157		132		270	26		82	33	130	B 33X	B 33D	1-65
671	LWD	2885	4.3	17	672		672	149		22	73		235	267	18	B 20S	B 20D	10-64
672	LWD	2088	3.2	53	654	2 59		59		437	279		232	297	541	B 55X	B 55X	12-65
673	LWD	1960	3.4	23	647		225	77		449	268		113	5 7	101	B 50D	B 50S	4-66
674	LWN	2261	3.7	28	557	2 333	151	14		25	41			6 13	304	30S	76D	10-67
675	LWD	2500	3.7	64	548	2 179	76	76		25	147		253	10 9	379	B 23S	B 23X	10-65
676	LWD	1688	3.3	24	547	3 242	30	131	38	332	212			32	372	B 80D	B 80X	12-64
677	LWD	2009	3.3	27	549	3 149		5 6		40	50		124	3 154	213	B 34D	B 34D	10-62
678	LWD	2004	3.2	40	554		137			417	23		234	9 41	366	B 4D	B 4D	9-57
679	LWD	2181	3.7	48	543	3 160	20	4 20		297	147		124	61	452	B 11X	B 11D	3-62

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE													PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE			
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR		
680	LWD	2251	3.6	45	561	2 157		29		48	55		4 9	373	B 34D	B 34D	4-62		
681	LWD	1933	3.3	60	543	4 117		9 19		302	73		86 9 36	464	B 28X	B 28X	5-61		
682	LWD	2280	3.4	27	540	3 204		9 16		331	226		179 54	318	B 9X	B 9X	12-64		
683	LWD	434	2.7	86	566	2 152		6		50	28		363 8 7	423	B 30D	B 30S	6-65		
684	LWD	1857	3.6	51	525	2 100		100		384	196		85 63	345	B 2D	B 2D	7-65		
686	LWD	2339	3.7	41	538	3 180		81		8	200		154 44	334	10D	52S	12-51		
687	LWD	1995	3.9	199	543	108		28		417	146		122 6 2	241	B 30S	B 30D	4-65		
688	LWD	2212	3.5	20	543	2 181		76		181	31		399 75	290	B 40X	B 40S	7-66		
689	LWD	2311	4.0	33	534	2 178		92		400	202		98 5 225	290	B 41D	B 41S	6-62		
690	LWD	1935	3.4	37	538	2 143		4 13		58	201		249 6 24	12	B 8X	B 8S	4-62		
691	LWD	2191	3.5	70	540	4 80		80		331	170		170 4 273	349	B 28X	B 28X	2-65		
692	LWD	1936	3.6	88	524	2 166		44		58	193		131 11 16	402	B S	B S	2-59		
693	LWD	2019	3.7	44	541	3 20		6 20		153	47		202 79	259	B 70X	B 70S	3-62		
694	LWD	2071	3.7	35	540	2 247	113	85		55	26		171 114	152	B 17S	B 17X	4-66		
695	LWD				523	2 104		74		72	189		5 62	306	5D	54S	12-58		
696	LWD	2417	3.8	83	533	156		74			194		15 66	106	B 15X	B 15S	7-66		
697	LWD	2320	3.7	24	537		229	63		407	30		211 137	129	B 37D	B109X	2-66		
698	LWD	2567	3.5	62	544	2 144		16		53	191		188 8 22	423	13X	79D	10-64		
699	LWD	2206	3.9	35	535	2 132		46		72	167		158 4 12	98	B 32X	B 32X	3-66		
700	LWD	1930	3.7	60	546	2 196		77		70	142		274 7 37	362	B 41X	B 41D	7-58		
800	BEV	3261	5.2	63	79										B 27S	B 27X	N 4-65		
801	BEV	3943	5.4	85	82										B 29X	B 29X	N 4-65		
802	BEV	3705	5.3	142	80										B 28X	B 28X	N 4-65		
803	BEV	3458	5.6	82	80										B 28X	B 28X	N 4-65		
804	BEV	3840	5.2	89	83										B 29X	B 29X	N 4-65		
1400	LWD	2597	4.3	49	586	163	89	61		56			271 122	49	B 30S	B 30S	11-60		
1401	LWD				576	30		30		6		297	247 8 6	28	B 56X	B 56S	3-61		
1403	LWD	2459	4.2	102	549	3 24		8 24		257	30		230 62	64	B 35D	B 35D	9-65		
1404	LWD	3062	6.4	139	566	83		83		67			35 50	266	B 35D	B 35X	7-65		
1405	NAV	2477	4.2	48	554	113		113		19			123 50	205	B 33X	B 33D	11-67		
1406	LWD	2455	4.5	204	580	364	26	10		10	278		126 59	130	B 32S	B 32D	3-62		
1407	LWD	2383	5.0	238	566	84		84		48	203		128 88	310	B 5D	B 5D	8-65		
1408	NAV	2860	4.1	52	578	102		32		69			309 89	109	68X	60D	10-67		
1409	NAV	2081	2.9	80	547	319	41	4 15		15			48 103	265	B 48X	B 48D	11-67		
1411	NAV	2323	4.6	54	597	151	87	62		37			20 64	153	B 20X	B 20D	7-65		
1413	NAV	2471	4.8	39	577	102		102		48	228		81 68	146	81X	98X	1-62		
1416	NAV	2642	3.8	165	515	4 7		6 7		26			237 54	37	B 26D	B 26D	1-48		
1418	NAV	2056	4.0	93	434	70		70		44			115 94	69	B 47X	B 47D	11-67		
1419	NAV	1671	3.4	139	422	4 33		6 33		13	256		141 5 31	235	B X	B X	5-67		
1422	NAV	940	3.6	117	411	79		79		42	125		239 80	263	B 31S	B 31X	8-61		
1424	NAV	2093	3.8	116	408	2 391	133	3 33		221			20 94	90	B 20X	B 20X	3-65		
1426	NAV	2401	3.8	44	416	2 101		101		13			151 45	160	B 73S	B 73S	6-67		

BUS MILEAGE DATA

PERIOD 13 ENDING DECEMBER 30 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED			
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE					
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR				
1428	NAV	2727	4.5	29	423	4	367	217	6	14		30		148		6	16	B 67D	B 67D	7-65	
1429	NAV	1147	3.2	54	430	3			4	1		11			135		66	275	B 55X	B 55X	9-67
1432	NAV	1965	3.5	109	427		75			75		35			82		93	143	B 14X	B 14X	11-58
1434	NAV	2976	4.5	56	569		433	50		50		274		201	102		18	436	B 60S	B 60S	9-67
1436	NAV	2428	4.3	303	587		279	155	4	25		246			64	7	25	232	B 64D	B 64S	10-62
1441	NAV	1792	3.7	89	617		148			116		46		250	83		115	135	B 8X	B 8D	8-67
1443	NAV	2432	4.1	143	619		152			40		8		249	78		61	266	B 78D	B 78X	9-67
1444	NAV	1847	5.0	230	617		101			101				168	101		73	160	B 17D	B 17S	8-61
1446	NAV	21	.4		596		153		6	7		9		183	93		62	100	B 4D	B 4D	10-67
1448	NAV	2350	4.0	117	614		62			62		6			8	8	13	86	B 8X	B 8S	7-67
1451	NAV	3147	4.8	89	619		193	35		30		273			315		133	211	B 12D	B 12S	11-58
1454	NAV	1552	4.7		617		307	55		55		25		151	256	5	26	239	B 54X	B 54X	1-57
1455	NAV	2363	4.8	196	606		206	67		67		15		169	200		59	61	54S	75D	6-67
1456	NAV	2576	4.2	117	596		121			121		82		127	80	7	10	235	B 32D	B 32D	3-62
1457	NAV	2464	4.2	68	568		138			88		18			71		15	239	B 12D	B 12D	10-67
1458	NAV	2151	5.2	76	578	4	31		6	31		33			295		55	197	B 35D	B 35X	6-67
1460	NAV	1949	3.6	30	584		135			109		256			304		102	442	B 61S	B 61D	2-62
1462	NAV	1994	3.2	33	556		112			112		21		177	143	7	3	73	B 43X	B 43S	10-65
1463	NAV	3205	4.5	228	557		90			90		335			196		66	70	B 3D	B 3D	11-67
3000	BEV	3566	5.0	62	137											5	4		B 1S	B 1S	N 3-65
3001	BEV	4473	4.7	65	138											4	52		80S	30D	N 2-65
3002	BEV	4130	4.3	67	145														B 34X	B 34D	N 2-65
3003	BEV	3305	4.5	50	138											5	21		B 3S	B 3S	N 2-65
3004	BEV	4040	4.5	76	141														B 4S	B 4S	N 2-65
3005	BEV	4446	5.2	117	138							25							57X	15S	N 2-65
3006	BEV	2707	4.3	82	137							79							B S	B S	N 3-65
3007	BEV	4861	5.4	135	145							5							B 8S	B 8S	N 2-65
3008	BEV	4791	6.5	140	140											2	37		62X	17S	N 2-65
3009	BEV	3549	6.0	73	140														B 28D	B 28S	N 2-65
3010	BEV	4636	5.2	57	128							21							67S	24D	N 3-65
3011	BEV	4476	4.7	248	139											2	138		B 36D	B 36D	N 3-65
3012	BEV	4067	5.0	145	134								30						76S	21D	N 2-65
3013	BEV	4132	4.6	65	135											4	40		45X	15S	N 2-65
3014	BEV	3814	4.6	119	141														B 7S	B 7S	N 3-65
3015	BEV	4804	5.6	154	133											2	130		B 33X	B 33S	N 2-65
3016	BEV	4166	5.9	71	139														58X	25S	N 3-65
3017	BEV	4768	4.7	216	140														64X	17D	N 3-65
3018	BEV	3790	4.7	122	139											2	136		B 44X	B 44D	N 3-65
3019	BEV	4159	4.9	99	139								130			4	5		84S	22D	N 3-65
3020	BEV	4298	5.0	122	141														B 5D	B 5S	N 3-65
3021	BEV	4497	4.5	124	134												70		73X	28S	N 3-65
3022	BEV	3105	4.3	124	134											3	50		B 32X	B 32D	N 3-65

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR	
3023	BEV	3041	4.6	132	144											B 42D	B 42D	N 3-65
3024	BEV	4236	4.1	73	126											B 18X	B 18D	N 3-65
3025	BEV	2888	3.5	48	122											B 35X	B 35D	N 3-65
3026	77	3281	3.6	113	116								4 8			B 34D	B 34D	N 3-65
3027	77	4000	3.6	95	117								2 49			B 30X	B 30D	N 3-65
3028	ARH	3463	2.8	44	112						51		57			B 59S	B 59	N 3-65
3029	ARH	3339	2.7	74	106						19					B 20X	B 20D	N 3-65
3030	ARH	2562	3.5	39	109											B 19D	B 19D	N 3-65
3031	ARH	4349	4.8	217	103						18		2 59			B 45S	B 45X	N 3-65
3032	ARH	3387	3.8	116	109											B 23X	B 23D	N 3-65
3033	ARH	3339	2.9	65	112					91						70S	22D	N 3-65
3034	ARH	3453	3.6	66	107						34					B 22D	B 22D	N 3-65
3035	ARH	976	.8	25	105											B 35D	B 35D	N 3-65
3036	ARH	4438	5.0	134	105						23					B 26X	B 26D	N 3-65
3037	ARH	3116	3.2	91	110											B 2S	B 2S	N 3-65
3038	ARH	3000	3.3	68	100											44X	14S	N 3-65
3039	ARH	3339	3.3	58	109											B 27X	B 27D	N 3-65
3040	ARH	3512	3.6	121	112						33					B 38X	B 38S	N 3-65
3041	ARH	4419	4.3	58	110						25					B 6S	B 6S	N 3-65
3042	ARH	3144	3.2	101	48								3 14			48X	10D	N 3-65
3043	ARH	3297	3.3	164	108								2 16			B 11S	B 11D	N 3-65
3044	ARH	3045	3.1	44	111						65		54			57X	12D	N 3-65
3045	ARH	3776	4.2	102	110						84					B 29D	B 29D	N 3-65
3046	ARH	3451	3.9	95	110						10					B 4S	B 4S	N 3-65
3047	ARH	2820	2.7	50	101								3 45			B 41S	B 41X	N 3-65
3048	ARH	4373	4.5	97	108						16					B 22X	B 22X	N 3-65
3049	ARH	3552	3.6	44	105						27		3 14			63S	19D	N 3-65
3050	ARH	4152	5.3	76	107						24					B 21D	B 21D	N 3-65
3051	ARH	3451	3.4	55	109								3 26			B 31X	B 31S	N 3-65
3052	ARH	4619	4.8	159	112								2 12			B 22X	B 22D	N 3-65
3053	ARH	3389	4.8	73	108											B 23X	B 23D	N 3-65
3054	ARH	3639	4.0	93	108						11		56 49			B 15D	B 15D	N 3-65
3055	ARH	2657	2.7	57	108											B 24D	B 24D	N 3-65
3056	ARH	3481	3.1	71	103											B 16S	B 16D	N 3-65
3057	ARH	4300	4.7	56	106											B 30X	B 30D	N 3-65
3058	ARH	2794	3.0	35	107								3 13			B 15X	B 15D	N 3-65
3059	ARH	3951	4.1	96	108						18					59X	46X	N 3-65
3060	ARH	3213	3.0	146	95						17		4 7	44		B 37X	B 37X	N 3-65
3061	ARH	3431	3.7	103	110						45					B 12D	B 12S	N 3-65
3062	ARH	2075	3.8	56	95											46S	10D	N 3-65
3063	ARH	1144	1.4	20	107						7					B 18X	B 18S	N 3-65
3064	ARH	3770	3.5	78	107											B 22D	B 22D	N 3-65

BUS MILEAGE DATA

PERIOD 13 ENDING DECEMBER 30 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT		REAR
3065	ARH	4408	4.3	293	104								2	102		B 5S	B 5S	N 3-65
3066	ARH	1490	3.9	186	106						4					61X	32D	N 3-65
3067	ARH	3692	3.1	45	102								2	21		B 41X	B 41X	N 3-65
3068	ARH	3212	3.2	73	105						29			57		60X	46D	N 3-65
3069	ARH	3687	3.3	83	103						17		3	49		B 11S	B 11S	N 3-65
3070	ARH	3339	4.4	41	107						22					52S	11D	N 3-65
3071	ARH	3503	3.7	103	112						19					B 3S	B 3S	N 3-65
3072	ARH	3608	4.3	42	107						32			56		B 20X	B 20D	N 3-65
3073	ARH	3432	2.7	45	110						38					B 30X	B 30D	N 3-65
3074	ARH	3827	3.3	63	112											B 21X	B 21D	N 3-65
3075	ARH	3546	2.9	80	107						87		4	26		51S	35D	N 3-65
3076	ARH	1336	2.2	23	107						64			52		B 20D	B 20D	N 3-65
3077	ARH	797	1.9	15	106											B 2S	B 2D	N 3-65
3078	ARH	4225	3.4	43	106						106			58		B 31D	B 31D	N 3-65
3079	ARH	3939	3.5	37	106								2	84		B 21D	B 21D	N 3-65
3080	ARH	3899	4.0	118	106						22					B 52X	B 52X	N 3-65
3081	ARH	2486	2.3	50	112						17					B 23X	B 23S	N 3-65
3082	ARH	4548	4.5	77	109					31						B 27X	B 27D	N 3-65
3083	ARH	4198	4.5	110	100											B 23X	B 23D	N 3-65
3084	ARH	2506	2.1	64	104						21					51X	14D	N 3-65
3085	ARH	2169	2.7	67	101											30X	6S	N 3-65
3086	ARH	3180	4.5	54	105											B 22D	B 22D	N 3-65
3087	ARH	2611	3.4	59	105											B 20D	B 20D	N 3-65
3088	ARH	2927	3.4	117	92								3	31		B 53X	B 53X	N 3-65
3089	ARH	3272	2.9	76	100								3	16		B 43S	B 43X	N 3-65
3090	ARH	3721	3.5	186	101						29		2	48		58X	16D	N 3-65
3091	ARH	4054	4.8	368	103									54		57S	19D	N 4-65
3092	ARH	3317	3.3	57	96											B 23X	B 23D	N 3-65
3093	ARH	3567	3.5	44	106									55		B 14X	B 14D	N 3-65
3094	ARH	3521	3.7	88	96											B 28X	B 28D	N 3-65
3095	ARH	3816	3.8	51	99											B 6S	B 6D	N 3-65
3096	ARH	3354	3.8	115	102											B 28D	B 28S	N 3-65
3097	ARH	3421	3.9	77	105						24					B 51X	B 51X	N 3-65
3098	ARH	2896	3.1	39	102											B 29X	B 29X	N 3-65
3099	ARH	3818	3.9	119	102											60X	46D	N 3-65
3100	ARH	3216	3.5	63	104						15			52		55S	12D	N 3-65
3101	ARH	3454	3.4	98	79						56					B 45S	B 45X	N 3-65
3102	ARH	3869	3.2	138	103						60					54S	18D	N 3-65
3103	ARH	3293	3.3	182	102									52		B 55S	B 55X	N 3-65
3104	ARH	3491	3.8	87	101											55X	18D	N 3-65
3105	ARH	2624	3.7	104	105											B 24X	B 24D	N 3-65
3106	ARH	3178	3.2	59	103						12					19X	19X	N 3-65

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT		REAR
3107	ARH	3180	3.1	39	112						16			3 21		66S	21S	N 3-65
3108	ARH	3699	3.3	94	104											B 33D	B 33X	N 3-65
3109	ARH	3300	4.2	100	101											B 55X	B 55X	N 3-65
3110	ARH	3590	3.7	50	98						30					B 38X	B 38X	N 4-65
3111	ARH	3465	3.3	55	100											51X	16D	N 4-65
3112	ARH	4059	3.6	65	103											B 24X	B 24D	N 4-65
3113	ARH				102											B 17X	B 17D	N 4-65
3114	ARH	2828	3.3	56	102						4		49			B 14X	B 14D	N 4-65
3115	ARH	2966	2.7	92	100											B 5S	B 5D	N 4-65
3116	ARH	3481	4.3	49	107											B 55S	B 55X	N 4-65
3117	ARH	3652	4.3	73	105						39					58S	19D	N 4-65
3118	ARH	3235	3.5	66	98								3 43			55X	19D	N 4-65
3119	ARH	3910	3.1	78	101								2 33			B 30X	B 30D	N 4-65
3120	ARH	3082	3.4	81	96											B 17X	B 17X	N 4-65
3121	ARH	3339	3.8	51	103											B 5D	B 5D	N 4-65
3122	KED	3905	4.2	50	107					105						B 17X	B 17D	N 4-65
3123	KED	3307	3.6	174	108								3 15			63S	20D	N 4-65
3124	KED	5861	5.0	54	109						12		3 14			B 16X	B 16X	N 4-65
3125	KED	4483	4.3	84	103								58			B 14X	B 14D	N 4-65
3126	KED	6516	5.9	100	108						39					64X	20D	N 4-65
3127	KED	4317	3.9	74	105											B 26X	B 26D	N 4-65
3128	KED	4091	3.1	62	113											B 57X	B 57X	N 4-65
3129	KED	4498	3.5	76	106						82					B 15X	B 15D	N 4-65
3130	KED	3882	3.9	94	105								3 7			B 20D	B 20D	N 4-65
3131	KED	4625	5.0	140	109											B 12D	B 12D	N 4-65
3132	KED	4335	4.4	77	105											B 57X	B 57S	N 4-65
3133	KED	5027	3.8	56	96						20					B 12X	B 12D	N 4-65
3134	KED	3985	5.0	49	107											B 70X	B 17D	N 4-65
3135	KED	4022	5.1	37	107											B 23X	B 23D	N 4-65
3136	KED	4752	4.3	46	105											62X	19D	N 4-65
3137	KED	3287	2.7	29	112											B 62S	B 62X	N 4-65
3138	KED	4453	4.3	71	105					68	17					B 15X	B 15S	N 4-65
3139	KED	3872	4.1	59	98						18					B 15X	B 15X	N 4-65
3140	KED	3724	3.8	62	100											B 39X	B 39S	N 4-65
3141	KED	4265	4.0	284	104											B 2S	B 2D	N 4-65
3142	KED	4756	4.6	74	101					31						B 12X	B 12D	N 4-65
3143	KED	3404	5.1	28	95											B 23D	B 23D	N 4-65
3144	KED	4293	5.0	75	105								2 36			B 22X	B 22D	N 4-65
3145	KED	3841	4.6	153	98											B 8X	B 8D	N 4-65
3146	KED	4062	4.2	43	103									22		B 34X	B 34D	N 4-65
3147	KED	3978	5.2	41	102									95		B 32X	B 32S	N 4-65
3148	KED	4188	4.4	56	102											65X	22X	N 4-65

BUS MILEAGE DATA

PERIOD 13 ENDING DECEMBER 30 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT		REAR
3149	KED	3619	3.8	212	102											B 43X	B 43D	N 4-65
3150	KED	3304	4.1	48	98											B 3S	B 3S	N 4-65
3151	KED	2852	3.7	62	101											B 24X	B 24X	N 4-65
3152	KED	3016	4.2	43	106											B 28X	B 28S	N 4-65
3153	KED	3563	4.1	64	97								56			B 15X	B 15D	N 5-65
3154	KED	3641	4.1	77	98											B 26D	B 26S	N 5-65
3155	KED	3139	4.0	98	101											B 33X	B 33D	N 5-65
3156	KED	1286	1.4	31	95											B 1S	B 1S	N 5-65
3157	KED	3585	4.2	112	97											B 3S	B 3S	N 5-65
3158	KED	3305	3.8	73	102											B 34X	B 34D	N 5-65
3159	KED	3614	3.9	78	97								3 16			B 13X	B 13D	N 5-65
3160	KED	3094	3.9	44	96					95	64					B 19X	B 19S	N 5-65
3161	KED	1913	3.6	32	94											B 1S	B 1S	N 5-65
3162	KED	3532	3.8	78	97											47X	14S	N 5-65
3163	KED	3495	3.9	158	97								3 6			B 64X	B 64X	N 5-65
3164	KED	3096	4.5	52	97								3 96			B 2S	B 2S	N 5-65
3165	KED	3366	4.0	71	96											B 10X	B 10D	N 5-65
3166	KED	3618	4.3	27	100						7		2 73			B 30X	B 30D	N 5-65
3167	KED	3440	3.9	95	99											B 29X	B 29D	N 5-65
3168	KED	3918	4.3	85	95								55			B 14X	B 14D	N 5-65
3169	KED	2980	4.4	119	93								5 5			B 21X	B 21D	N 5-65
3170	KED	5429	5.8	301	100											B 5S	B 5S	N 5-65
3171	KED	3558	4.3	46	100											B 26D	B 26S	N 5-65
3172	KED	3234	4.2	46	98											B 26X	B 26X	N 5-65
3173	KED	3574	4.5	76	98											B 30X	B 30X	N 5-65
3174	KED	3392	3.7	141	101								2 5			B 35X	B 35D	N 5-65
3175	KED	3705	3.8	51	99											B 24X	B 24X	N 5-65
3176	KED	3751	4.2	129	91								52			B 12X	B 12D	N 5-65
3177	KED	3872	3.7	52	101											B 23X	B 23X	N 5-65
3178	KED	4181	4.1	104	89								49			50S	13D	N 5-65
3179	KED	3233	3.4	57	99						3		58			B 14X	B 14D	N 5-65
3180	KED	3496	4.3	85	97											67X	24S	N 5-65
3181	KED	3399	4.2	82	92						6					B 6S	B 6S	N 5-65
3182	KED	3306	3.7	73	96					35						63X	23D	N 5-65
3183	KED	3769	4.3	68	97						5		2 4			B 38X	B 38D	N 5-65
3184	KED	3536	4.2	75	99											B 26X	B 26D	N 5-65
3185	KED	4001	4.2	153	98								2 21			56S	21D	N 6-65
3186	KED	3635	3.9	66	94											B 25X	B 25D	N 6-65
3187	KED	3511	3.7	51	96											B 3D	B 3S	N 6-65
3188	KED	3190	4.8	96	100								3 15			B 10D	B 10X	N 6-65
3189	KED	1625	3.9	90	90											B 9X	B 9D	N 6-65
3190	KED	2979	4.0	64	100											B 12X	B 12X	N 4-65

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT		REAR
3191	KED	3009	4.4	115	102											B 39X	B 39S	N 4-65
3192	KED	3027	5.0	84	103											B 41D	B 41D	N 4-65
3193	KED	3582	3.8	66	97											B 22X	B 22S	N 4-65
3194	KED	3485	4.0	96	94								2 89			B 22X	B 22D	N 4-65
3195	KED	2825	3.5	32	100						24					B 23X	B 23S	N 4-65
3196	KED	3390	3.8	66	98											B 25X	B 25D	N 4-65
3197	KED	3607	3.6	257	97											B 27X	B 27D	N 4-65
3198	KED	3462	3.5	56	98											B 21X	B 21D	N 4-65
3199	KED	3538	3.6	63	102											B 6S	B 6D	N 4-65
3200	KED	3092	3.8	52	98											B 28X	B 28S	N 4-65
3201	KED	577	.7	12	97						6					B 26X	B 26D	N 4-65
3202	KED	2993	4.1	85	104											B 8X	B 8D	N 4-65
3203	KED	3491	4.1	85	99											67S	23S	N 4-65
3204	KED	3416	3.9	87	101								3 63			B 22X	B 22D	N 4-65
3205	KED	2874	3.9	130	101						9					B 33X	B 33D	N 4-65
3206	KED	3232	3.4	26	98								4 15			B 13X	B 13S	N 4-65
3207	KED	2752	3.9	46	98											B 28X	B 28S	N 4-65
3208	KED	3599	4.5	81	101											B 4S	B 4S	N 4-65
3209	KED	3867	3.6	64	103											B 4D	B 4S	N 4-65
3210	KED	3491	6.2	67	98								2 60			B S	B S	N 4-65
3211	KED	3571	4.6	85	82						58		2 31			B 30X	B 30D	N 4-65
3212	KED	3032	3.5	104	98											B 22X	B 22X	N 4-65
3213	KED	3491	3.5	61	101											B 30X	B 30S	N 4-65
3214	KED	3340	3.7	53	100								57			60S	21X	N 4-65
3215	KED	2882	4.0	25	99											B 2S	B 2S	N 4-65
3216	KED	3313	4.2	64	98											39X	39S	N 4-65
3217	KED	1052	3.2	40	93						21		3 8			B 16D	B 16S	N 4-65
3218	KED	3463	4.1	82	97											B 14X	B 14D	N 4-65
3219	KED	2960	3.6	39	102											B 10S	B 10S	N 4-65
3220	KED	3447	3.8	84	101											59S	18D	N 4-65
3221	KED	3426	3.7	131	99											B 27X	B 27D	N 4-65
3222	KED	3209	4.2	100	97											B 23X	B 23D	N 4-65
3223	KED	3543	4.0	98	103								2 72			B 30X	B 30D	N 4-65
3224	KED	3505	3.8	166	96			2 20					4 9			B 26X	B 26D	N 4-65
3225	KED	3082	4.0	42	99											B 29X	B 29D	N 5-65
3226	KED	1202	1.4	13	97											B 9X	B 9X	N 5-65
3227	KED	3293	3.6	63	100											B 28D	B 28D	N 5-65
3228	KED	4065	3.9	104	96						23					B 38X	B 38D	N 5-65
3229	KED	3549	4.1	69	100									60		63X	22D	N 5-65
3230	KED	3166	4.4	56	96								2 57			B 18X	B 18D	N 5-65
3231	KED	3313	4.1	89	98								3 45			B 24D	B 24D	N 5-65
3232	KED	3217	3.8	40	99											B 10X	B 10D	N 5-65

BUS MILEAGE DATA

PERIOD 13 ENDING DECEMBER 30 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT		REAR
3233	KED	3505	4.0	85	103											B 35X	B 35D	N 5-65
3234	KED	3614	3.4	66	98											56X	17D	N 5-65
3235	KED	4000	4.8	153	98								3 21			B 21X	B 21D	N 5-65
3236	KED	3290	3.8	71	98								4 16			56S	19D	N 5-65
3237	KED	3472	4.0	62	104								61			64X	23D	N 5-65
3238	KED	3672	3.6	79	98								3 47			B 29X	B 29D	N 5-65
3239	ARH	2720	3.4	64	87	2	9						3 56			B 30X	B 30D	N 8-65
3240	BEV	3390	4.4	45	81											B 2S	B 2D	N 4-65
3241	BEV	3390	4.4	84	84											B 44S	B 44X	N 4-65
3242	BEV	3019	4.2	158	82											B 38X	B 38X	N 4-65
3243	BEV	3617	4.2	124	83											B 5S	B 5D	N 4-65
3244	BEV	3354	5.7	139	82											50S	28D	N 4-65
3300	BEV	4184	4.6	246	89						43		2 72			B 43X	B 43X	N 4-66
3301	BEV	4642	4.9	464	92						44		4 65			48S	26D	N 4-66
3302	BEV	4443	4.4	201	89								2 85			B 18X	B 18D	N 4-66
3303	BEV	3635	4.4	363	83						28		3 65			B X	B S	N 4-66
3304	BEV	4933	5.5	352	82								3 74			B 8S	B 8D	N 4-66
3305	BEV	4208	3.9	221	84						49		2 77			B 4S	B 4D	N 4-66
3306	BEV	3597	4.2	399	92						43		4 26			B 3S	B 3D	N 4-66
3307	BEV	4333	4.4	206	92						41		5 42			B 38X	B 38X	N 4-66
3308	BEV	4070	4.5	127	92						54		2 89			B 43S	B 43X	N 4-66
3309	BEV	3596	4.8	326	89						43		2 74			B 41X	B 41X	N 4-66
3310	BEV	4544	4.2	227	92					28	34		2 38			B 15X	B 15D	N 4-66
3311	BEV	4358	4.8	256	92						62		3 27			B 11X	B 11D	N 4-66
3312	BEV	4196	4.5	182	90								3 30			B 1S	B 1S	N 4-66
3313	BEV	4575	5.3	240	84						7		3 7			B 42X	B 42X	N 4-66
3314	BEV	3436	3.2	381	84						35		3 71			B 22X	B 22D	N 4-66
3315	BEV	4675	5.1	194	87						39		5 72			B 11D	B 11D	N 4-66
3316	BEV	4783	5.2	154	88						41		3 74			B 20D	B 20D	N 4-66
3317	BEV	2756	4.2	95	87								5 51			B X	B D	N 4-66
3318	BEV	4270	4.4	125	93						44		2 88			B 6D	B 6D	N 4-66
3319	BEV	4274	4.6	356	91								2 86			56X	26D	N 4-66
3320	BEV	5291	5.0	293	93						41		2 87			B 14X	B 14D	N 4-66
3321	BEV	4424	4.4	340	90						50		4 61			B 11D	B 11D	N 4-66
3322	BEV	4195	3.8	199	85								3 62			B 4S	B 4D	N 4-66
3323	BEV	4575	5.2	254	88					77	42		2 14			B 7S	B 7D	N 4-66
3324	BEV	4842	4.4	161	90								5 47			B 11X	B 11D	N 4-66
3325	BEV	3669	4.1	159	86						34		6 42			B 45S	B 45X	N 4-66
3326	BEV	4939	4.7	164	94								4 48			B 18D	B 18D	N 4-66
3327	77	3631	4.6	907	86								3 54			B 35S	B 35X	N 4-66
3328	77	4190	5.3	144	90								2 27			B 22X	B 22X	N 4-66
3329	77	4140	4.1	79	84						18		4 53			B 24X	B 24X	N 6-66

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR	
3330	77	4342	4.2	334	88									3 32		B 27X	B 27X	N 4-66
3331	77	3434	4.0	190	87									5 39		B 38S	B 38X	N 4-66
3332	77	4261	4.4	125	87									2 76		B 23X	B 23X	N 4-66
3333	77	2632	2.7	21	86									2 44		B 26X	B 26X	N 4-66
3334	77	6784	6.4	150	82									4 37		B 25S	B 25X	N 4-66
3335	77	4222	3.5	117	80									4 39		B 30X	B 30X	N 4-66
3336	77	4222	3.8	527	81									3 37		B 17X	B 17D	N 4-66
3337	77	4420	4.4	176	86									2 74		B 21X	B 21X	N 4-66
3338	77	4542	4.7	757	87									4 10		B D	B D	N 4-66
3339	77	4550	4.5	189	81					75				3 55		B 23X	B 23X	N 4-66
3340	77	5232	5.3	113	84						44					B 41S	B 41X	N 4-66
3341	77	3758	4.0	69	88									3 3		B 31S	B 31X	N 4-66
3342	77	4273	4.4	388	91									2 45				N 4-66
3343	77	4570	3.9	253	91											B 14X	B 14D	N 4-66
3344	77	4799	4.4	199	87									3 47		B 35S	B 35X	N 4-66
3345	77	4222	4.0	211	90											B 8S	B 8D	N 4-66
3346	77	4222	4.6	168	84	2	49		2	49	2	49		2 72		B 19X	B 19X	N 4-66
3347	77	4037	4.3	109	89									2 25		B 26S	B 26X	N 4-66
3348	77	4198	3.9	161	85									2 37		B 27S	B 27X	N 4-66
3349	77	4380	3.6	199	85									4 37		B 48S	B 48X	N 4-66
3350	77	3972	4.9	248	87											B 2S	B 2D	N 4-66
3351	77	4587	4.2	58	89									3 17		B 37S	B 37X	N 6-66
3352	77	6025	5.6	92	86									2 18		B 31X	B 31X	N 4-66
3353	77	4222	4.0	136	83									6 37		B 29S	B 29X	N 6-66
3354	77	3974	4.1	46	90						28			3 15		B 29X	B 29X	N 5-66
3355	77	3536	5.1	442	80											B 35S	B 35X	N 5-66
3356	77	4674	3.7	73	87									2 34		B 47X	B 47X	N 5-66
3357	77	4364	4.6	272	91									3 27		B 1D	B 1D	N 5-66
3358	77	4384	4.6	141	79						52			2 33		B 5S	B 5S	N 6-66
3359	77	4785	4.9	61	92											B 10S	B 10D	N 6-66
3360	77	3433	4.4	214	86						25			2 12		B 3S	B 3D	N 5-66
3361	77	4213	4.1	162	87									3 13		B 39S	B 39X	N 6-66
3362	77	5597	5.2	79	92						53			2 45				N 5-66
3363	77	4477	3.7	77	92									2 37		B 41X	B 41X	N 5-66
3364	77	4933	4.4	189	84									3 17		B 5S	B 5S	N 6-66
3365	77	3678	5.1	114	87									2 47		B 32X	B 32X	N 5-66
3366	77	7123	7.0	780	89						20			2 47		B 1S	B 1S	N 6-66
3367	77	4356	4.6	128	91									2 91		B 4S	B 4D	N 6-66
3368	ARH	2407	3.7	133	40						20							N 6-66
3369	ARH	1743	3.5	193	40													N 6-66
3370	ARH	2788	4.6	348	41													N 6-66
3371	ARH	2330	4.1	122	38						19							N 6-66

BUS MILEAGE DATA

PERIOD 13 ENDING DECEMBER 30 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR	
3372	ARH	2143	4.0	306	40						12							N 6-66
3373	ARH	2468	3.8	145	39								2 14					N 6-66
3374	ARH	1733	3.5	91	40													N 6-66
3375	ARH	1589	3.9	227	40						21							N 7-66
3376	ARH	2156	3.9	239	37						17							N 5-66
3377	ARH	2023	3.6	69	38						14							N 5-66
3378	ARH	2597	3.0	129	39													N 5-66
3379	ARH	1992	4.5	284	38								2 15					N 5-66
3380	ARH	2263	4.1	98	39						18							N 5-66
3381	ARH	2244	4.2	249	38													N 5-66
3382	ARH	1768	3.0	176	39						14							N 5-66
3383	ARH	2816	4.0	176	41						16							N 5-66
3384	ARH	2585	4.2	172	39													N 5-66
3385	ARH	2116	3.9	111	36													N 5-66
3386	ARH	2502	4.5	92	39						20							N 5-66
3387	ARH	2493	4.3	178	39						21							N 5-66
3388	ARH	2015	3.3	95	39						7		3 24					N 5-66
3389	ARH	1188	3.5	148	36					1	13							N 5-66
3390	ARH	2187	4.4	128	41													N 5-66
3391	ARH	2680	3.8	92	38						15							N 5-66
3392	ARH	1779	4.1	80	37													N 5-66
3393	ARH	1815	4.2	106	40						14							N 5-66
3394	ARH	2469	4.1	53	40						18							N 5-66
3395	ARH	1947	3.5	129	38						12							N 5-66
3396	ARH	2361	4.3	71	39						2							N 5-66
3397	ARH	2545	4.3	159	37						16							N 5-66
3398	ARH	1784	4.0	81	38						15							N 5-66
3399	ARH	894	4.8	111	37													N 5-66
3400	ARH	2128	3.8	133	40						16							N 5-66
3401	ARH	1916	3.9	33	39													N 5-66
3402	ARH	2387	3.3	77	39													N 5-66
3403	ARH	2768	4.0	110	40						17							N 5-66
3404	ARH	2567	4.4	142	40													N 5-66
3405	LWD	3982	4.0	248	66											B 14X	B 14X	N 5-66
3406	LWD	4069	4.1	271	69											B 9S	B 9S	N 5-66
3407	LWD	3592	4.0	189	67													N 5-66
3408	LWD	3796	4.5	122	66						12					B 8S	B 8S	N 6-66
3409	LWD	779	9.9	77	67											B 18X	B 18X	N 6-66
3410	LWD	3251	4.3	232	67											B 21X	B 21X	N 6-66
3411	LWD	3328	3.9	151	66											B 17X	B 17X	N 6-66
3412	LWD	3099	3.5	72	68											B 26X	B 26X	N 6-66
3413	LWD	3339	4.4	85	67											B 19X	B 19X	N 6-66

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE			
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR		
3414	LWD	3530	4.5	196	69											B 29X	B 29X	N 6-66	
3415	LWD	3294	4.0	235	70											B 34S	B 34X	N 6-66	
3416	LWD	4300	4.5	330	67											B 26X	B 26X	N 6-66	
3417	LWD	3851	4.0	962	67						10					B 26X	B 26X	N 6-66	
3418	LWD	3715	4.4	265	64											B 28X	B 28X	N 6-66	
3419	LWD	2041	4.0	226	67											25X	1D	N 6-66	
3420	LWD	3225	4.3	358	70						36					B 38X	B 38X	N 6-66	
3421	LWD	3649	4.1	173	67											B 19X	B 19X	N 6-66	
3422	LWD	3553	4.3	222	62											B 15X	B 15X	N 6-66	
3423	LWD	3229	4.5	94	67								2 60			B 35X	B 35X	N 6-66	
3424	LWD	4020	4.6	138	70								4 11			B 32X	B 32X	N 6-66	
3425	LWD	4394	4.6	199	70								2 59			B 25X	B 25X	N 6-66	
3426	LWD	4155	4.1	180	68											B 23X	B 23X	N 6-66	
3427	LWD	3627	3.9	453	68								2 55			B 22X	B 22X	N 6-66	
3428	LWD	3485	4.0	232	70											B 24X	B 24X	N 6-66	
3429	LWD	3892	4.4	389	67											B 5S	B 5S	N 6-66	
3430	LWN	3393	4.1	226	59								4 34			B 4S	B 4D	7-67	
3431	LWN	3630	4.5	403	61								2 35				25X		7-67
3432	LWN	3303	3.8	194	69											B 18S	B 18X	7-67	
3433	LWN	3705	4.5	463	48								4 34						N 6-66
3434	LIM	2796	4.3	121	41	2 19		2 19	2 19		16		3 20						N 7-66
3435	LIM	3123	4.1	148	52								2 31						N 6-66
3436	LIM	2519	4.5	132	44														N 6-66
3437	LIM	3088	5.4	154	47														N 6-66
3438	LIM	2408	4.5	96	48														N 6-66
3439	LIM	2419	4.3	161	46														N 6-66
3440	LIM	2224	4.4	92	47						12		2 23						N 8-66
3441	LIM	2865	4.2	79	44														N 6-66
3442	LIM	2186	4.2	43	44					32									N 6-66
3443	LIM	1856	4.4	116	44								2 24			B S	B S	N 6-66	
3444	LIM	2501	4.2	96	43						14								N 6-66
3445	LIM	3102	4.5	114	45								3 25						N 7-66
3446	LIM	2881	4.3	102	42														N 7-66
3447	LIM	2417	3.9	92	41								2 24						N 7-66
3448	LIM	2340	4.5	260	41						4								N 8-66
3449	LIM	2474	4.6	154	38														N 8-66
3500	ARH	5382	4.9	125	57						38		2 11			B 20X	B 20X	N10-66	
3501	ARH	4842	3.7	134	43						28					B 8S	B 8S	N10-66	
3502	ARH	3703	4.0	142	48														N10-66
3503	ARH	3607	4.4	212	49						28								N10-66
3504	ARH	4263	5.4	152	40														N10-66
3505	ARH	3414	4.2	103	47						3					B 11S	B 11X	N10-66	

BUS MILEAGE DATA

PERIOD 13 ENDING DECEMBER 30 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR	
3506	ARH	4246	4.3	117	47													N10-66
3507	ARH	3786	4.4	105	44						24							N10-66
3508	ARH	4627	4.5	100	46						12					B 9S	B 9X	N10-66
3509	ARH	4090	4.1	107	48													N10-66
3510	ARH	4471	4.3	165	43													N10-66
3511	ARH	3310	3.9	91	49						3			2 10				N10-66
3512	ARH	3382	4.3	147	49						28							N10-66
3513	ARH	2481	3.7	62	48						27				10			N10-66
3514	ARH	3173	3.6	63	49											20S	20X	N10-66
3515	ARH	3165	3.6	87	46									2 7		B 5S	B 5S	N10-66
3516	ARH	3502	4.4	159	48						22							N10-66
3517	ARH	3720	4.6	112	48						6					21S	21X	N12-66
3518	ARH	3582	3.8	85	45						24			2 6		B 1S	B 1S	N10-66
3519	ARH	3911	4.3	150	42												22X	N12-66
3520	ARH	3607	5.8	109	50						31							N10-66
3521	ARH	4578	3.9	130	47						25							N10-66
3522	ARH	3508	4.3	146	48											B 15S	B 15X	N10-66
3523	ARH	4009	4.1	182	51													N10-66
3524	ARH	2759	4.3	153	48											B 4S	B 4S	N10-66
3525	ARH	4005	4.3	121	49											B 14S	B 14X	N10-66
3526	ARH	3664	4.0	166	45											B 6S	B 6S	N12-66
3527	ARH	4218	4.5	145	51						21							N12-66
3528	ARH	3607	4.3	116	47													N10-66
3529	ARH	3911	4.2	63	50						27				23			N10-66
3530	ARH	3712	4.6	128	38									2 34				N10-66
3531	ARH	3001	4.0	100	48													N10-66
3532	ARH	2952	3.7	140	44													N10-66
3533	ARH	3606	4.4	189	49					13	34							N10-66
3534	ARH	3367	4.0	146	47						23					B 2S	B 2S	N12-66
3535	ARH	3062	3.8	65	46						24			3 39		B 5S	B 5S	N10-66
3536	ARH	3960	4.5	52	45											16S	16X	N12-66
3537	ARH	3711	4.1	95	47						5					B 14S	B 14X	N12-66
3538	ARH	4004	4.8	105	46											B 6S	B 6S	N12-66
3539	ARH	4962	4.8	103	47													N12-66
3540	ARH	2229	4.2	96	47						20							N12-66
3541	ARH	3151	4.1	143	45											B 3S	B 3S	N12-66
3542	ARH	2865	4.3	143	43						26			4 23				N12-66
3543	ARH	3667	4.8	104	49						5					14X	14X	N12-66
3544	ARH	3857	4.3	67	47						22					B 5S	B 5S	N12-66
3545	ARH	2811	3.4	156	41			2 33	2 33		27					B 2S	B 2S	N12-66
3546	ARH	4225	4.5	111	46											B 5S	B 5S	N12-66
3547	ARH	5120	4.9	165	45											B 12S	B 12X	N12-66

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE										PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.		BRAKE RELINE	
								LEFT OR SINGLE	RIGHT		Box	Column					FRONT	REAR
3548	ARH	3730	4.2	120	43						23					B 6S	B 6S	N12-66
3549	ARH	3198	4.2	145	45						8					B 7X	B 7X	N12-66
3550	ARH	3218	4.0	80	46						24					14X	14X	N12-66
3551	ARH	2959	4.0	197	45											11S	11X	N12-66
3552	ARH	3809	4.5	152	45						25					B 8S	B 8S	N12-66
3553	ARH	3697	3.8	154	48											B 4S	B 4S	N12-66
3554	ARH	3471	4.5	105	48						28							N12-66
3555	ARH	3177	4.5	244	42											B 8S	B 8S	N12-66
3556	ARH	4233	5.2	114	42						24					B 9S	B 9X	N12-66
3557	ARH	4014	4.5	200	47								2	12				N12-66
3558	ARH	2537	3.2	70	42						32							N12-66
3559	ARH	2897	3.7	82	45													N12-66
3560	ARH	3784	3.5	46	48											B 3S	B 3S	N12-66
3561	ARH	3888	5.0	108	45						27		2	34		B 5S	B 5S	N12-66
3562	ARH	3923	5.3	135	40											B 14S	B 14X	N12-66
3563	ARH	3977	4.1	88	47													N12-66
3564	ARH	1750	3.2	97	44						30							N12-66
3565	ARH	3868	4.1	203	43						22					15X	15X	N12-66
3566	ARH	4413	4.3	142	48						20							N12-66
3567	ARH	3328	3.4	87	46													N12-66
3568	ARH	3430	4.0	171	44						28							N12-66
3569	ARH	3290	3.7	84	43											B 19S	B 19X	N12-66
3570	ARH	3971	4.5	180	44											15S	15X	N12-66
3571	ARH	3910	4.4	150	44						23					14X	14X	N12-66
3572	ARH	3563	4.4	178	45						31							N12-66
3573	ARH	3199	4.0	114	43						19					B 2S	B 2S	N12-66
3574	ARH	4055	4.8	106	46						13							N12-66
3575	ARH	2818	2.9	80	44						16		2	38	37	13S	13X	N12-66
3576	ARH	4749	4.7	93	46													N12-66
3577	ARH	4041	4.2	192	42													N12-66
3578	ARH	3307	5.3	132	42						27					B 15X	B 15X	N12-66
3579	ARH	4674	4.4	179	47						24		2	23				N12-66
3580	ARH	2616	4.7	218	42						20		2	35		B S	B X	N12-66
3581	ARH	3777	3.8	157	44						17							N12-66
3582	ARH	2834	4.0	128	43						29		2	34				N12-66
3583	ARH	3111	3.8	97	42						26							N12-66
3584	ARH	3350	4.9	372	44								2	31				N12-66
3585	ARH	3213	4.3	110	42						29							N12-66
3586	ARH	3023	4.3	131	47													N12-66
3587	ARH	4052	3.5	94	44								2	9		B 13S	B 13X	N12-66
3588	ARH	2809	3.7	104	43						27					B 4S	B 4S	N12-66
3589	ARH	3978	3.3	88	41													N12-66

BUS MILEAGE DATA

PERIOD 13 ENDING DECEMBER 30 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR	
3590	ARH	3847	4.2	160	40						27							N12-66
3591	ARH	4066	4.3	88	42						30				42			N12-66
3592	ARH	4095	4.2	95	44													N12-66
3593	ARH	3370	3.9	88	43													N12-66
3594	ARH	4569	4.2	175	42						13					B 6S	B 6S	N12-66
3595	ARH	3482	3.1	71	43													N12-66
3596	ARH	3323	4.6	89	42													N12-66
3597	ARH	3213	3.6	119	45						2			2 13				N12-66
3598	ARH	3445	4.3	246	43													N12-66
3599	ARH	4153	4.5	138	43													N12-66
3600	ARH	4369	4.4	104	44													N12-66
3601	ARH	3347	4.0	111	43											B 7S	B 7S	N12-66
3602	ARH	3111	3.8	155	43						28					B 5S	B 5S	N12-66
3603	ARH	3568	4.2	223	43						20							N12-66
3604	ARH	3803	3.9	223	37						8							N12-66
3605	ARH	3939	4.5	218	42									2 8				N12-66
3606	ARH	4034	5.1	109	44						21							N12-66
3607	ARH	4048	4.0	80	46													N12-66
3608	ARH	3689	4.5	119	38						17				38			N12-66
3609	ARH	4250	4.2	137	43						31							N12-66
3610	ARH	3774	3.9	94	43													N12-66
3611	ARH	3547	3.8	236	41						22							N12-66
3612	ARH	3356	3.5	239	42						24							N12-66
3613	ARH	4140	5.5	142	40						30			33		B 4S	B 4S	N12-66
3614	ARH	3294	4.1	84	44								2 20					N12-66
3615	ARH	3859	4.2	148	42						17							N12-66
3616	ARH	4302	4.3	89	40								3 24					N 2-67
3617	ARH	3258	4.0	108	42						15							N 2-67
3618	ARH	3044	4.3	121	41						22		2 33					N12-66
3619	ARH	3174	4.2	126	42						27					B 4S	B 4S	N12-66
3620	ARH	3548	3.6	197	42						28		2 37					N12-66
3621	ARH	3439	3.9	214	41								2 34					N 2-67
3622	ARH	4094	4.2	116	43						22					B 4S	B 4S	N 2-67
3623	ARH	4101	3.8	136	41						37		2 36					N12-66
3624	ARH	3649	4.0	107	43													N12-66
3625	ARH	1480	3.2	164	34						16							N12-66
3626	ARH	3045	4.6	179	36													N12-66
3627	ARH	2617	4.6	261	38						17							N12-66
3628	ARH	2545	3.7	195	36								2 31					N12-66
3629	ARH	2352	3.7	147	33								2 27					N12-66
3630	52	2662	4.0	95	38						14							N12-66
3631	52	3211	4.7	200	41								2 35			B 3S	B 3S	N12-66

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE			
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT		REAR	
																			FRONT
3632	52	3723	4.1	169	45													N 12-66	
3633	52	3068	4.1	340	43													N 12-66	
3634	52	2380	3.8	108	38													N 2-67	
3635	52	3491	3.6	151	36													N 12-66	
3636	52	2997	4.1	230	42													N 12-66	
3637	52	3282	3.8	113	36						18							N 12-66	
3638	52	2955	4.4	109	39											B 2S	B 2S	N 2-67	
3639	52	3286	3.8	193	42											B 3S	B 3S	N 2-67	
3640	52	3479	4.4	99	43									10		B 2S	B 2S	N 12-66	
3641	52	3455	3.8	150	41						3					B 21S	B 21X	N 2-67	
3642	52	3885	3.9	185	43											B 6D	B 6D	N 2-67	
3643	52	3900	4.3	139	42						18					B 3S	B 3S	N 2-67	
3644	52	3991	4.2	181	43													N 2-67	
3645	52	3046	4.1	152	40											B 1S	B 1S	N 2-67	
3646	52	3466	4.3	56	41													N 2-67	
3647	52	3027	3.9	126	42													N 2-67	
3648	52	3045	4.1	138	38						25							N 2-67	
3649	52	3662	3.9	166	39								2	27				N 2-67	
3650	52	3067	4.6	235	42											B 5S	B 5S	N 2-67	
3651	52	2585	4.0	83	37								2	9				N 2-67	
3652	52	3661	5.8	305	39													N 2-67	
3653	52	3681	4.0	118	40						6					B 16S	B 16X	N 2-67	
3654	52	2867	3.6	159	40													N 2-67	
3655	52	3651	3.4	81	40											15S	15X	N 2-67	
3656	52	3440	5.5	172	44				2	40				2	18		B 5S	B 5S	N 2-67
3657	52	2690	3.6	179	39											B 2S	B 2S	N 2-67	
3658	52	3260	4.4	141	37									2	14			N 2-67	
3659	52	3405	4.2	179	38											13S	13X	N 2-67	
3660	52	3512	4.3	106	36									2	30			N 2-67	
3661	52	3982	4.0	234	42						5							N 2-67	
3662	52	3637	4.2	151	38											B 1S	B 1S	N 2-67	
3663	52	3180	3.7	159	43											B 2S	B 2S	N 2-67	
3664	52	3307	4.3	84	42													N 2-67	
3665	52	3101	4.1	172	37													N 2-67	
3666	52	3878	4.5	352	40						4							N 2-67	
3667	52	3337	3.9	115	42													N 2-67	
3668	52	2779	4.4	173	39											B S	B S	N 2-67	
3669	52	2975	3.6	148	40											B 7S	B 7X	N 2-67	
3670	52	2253	3.1	60	39						14					B S	B X	N 2-67	
3671	52	3108	4.1	129	35													N 2-67	
3672	52	3558	4.5	237	40											B S	B S	N 2-67	
3673	52	4837	4.3	179	40													N 2-67	

BUS MILEAGE DATA

PERIOD 13 ENDING DECEMBER 30 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE			
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR		
3674	52	3304	4.4	206	38													N 2-67	
3675	52	2565	3.9	91	38											B 2S	B 2S	N 2-67	
3676	52	3458	4.0	157	40											B 11S	B 11S	N 2-67	
3677	52	3413	3.9	284	36											B 6S	B 6S	N 2-67	
3678	52	2799	4.1	199	38													N 2-67	
3679	52	3556	3.5	148	36											14S	14X	N 2-67	
3680	52	3009	4.2	158	41											B 2S	B 2S	N 2-67	
3681	52	3335	4.1	175	38											B 3S	B 3S	N 3-67	
3682	52	3885	4.4	194	38						7							N 3-67	
3683	52	3111	3.7	84	40													N 2-67	
3684	52	4008	4.5	72	35						4							N 3-67	
3685	52	2747	3.8	80	39													N 2-67	
3686	52	2311	3.7	577	31											B 2D	B 2D	N 3-67	
3687	52	2876	4.0	82	34											B 2S	B 2S	N 3-67	
3688	52	2608	5.0	217	36													N 3-67	
3689	52	3320	4.0	100	38											B 2S	B 2S	N 3-67	
3690	52	3800	3.9	140	38								2	10				N 2-67	
3691	52	3583	3.8	255	40											B 3S	B 3S	N 2-67	
3692	52	3639	4.4	75	35						14							N 3-67	
3693	52	3872	3.8	61	37											7S	7S	N 3-67	
3694	52	3217	4.6	110	33													N 3-67	
3695	ARH	2894	4.4	115	28													N 2-67	
3696	ARH	3087	4.3	171	29													N 2-67	
3697	ARH	3017	4.4	86	27													N 2-67	
3698	ARH	2992	4.0	176	26													N 2-67	
3699	ARH	2970	4.7	106	28													N 2-67	
5001	NPK	1816	1.5	129	508	3	282		17 24	55	66		51	18	10	165	B 1X	B 1X	8-65
5003	NPK	1895	1.8	189	511	2	74		12 21		151		177	13	16	38	B 55S	B 55S	8-64
5004	NPK	2450	1.7	136	517	3	144		16 30	144	118		68	15	39	100	B 6S	B 6S	9-62
5005	NPK	1754	1.7	125	509	2	60	59	13 6	38	74		197	16	18	21	B 22X	B 22D	8-65
5008	NPK	1818	1.5	69	523			195	15 111		6		125	12	23	41	B 35D	B 35D	6-66
5010	NAV	2503	1.6	30	518	3	51		18 35	362	283		117	10	1	68	B 65S	B 65D	7-65
5016	NPK	1984	1.8	90	508	2	138	69	14 69		37		327	15	33	46	B 42S	B 42S	3-64
5020	NPK	2252	1.6	83	511	2	103		19 103		53		292	15	17	81	B 16X	B 16D	10-62
5021	NPK	1715	1.3	61	504	2	150		14 16		280		121	17	20	184	B 13X	B 13S	3-65
5025	NPK	1618	1.5	40	497			165	22 20		126		151	10	18	145	B 39D	B 39S	7-58
5033	NPK	1826	1.6	76	513	4	36		15 36	324	50			11	36	35	B 36X	B 36S	10-67
5034	NPK	1949	1.5	108	515	3	64		18 64		203		265	15	64	136	B 18S	B 18S	12-64
5035	NAV	2018	2.5	201	523	3	162		15 75		81		368	16	16	40	B 35X	B 35D	10-65
5036	NPK	2180	1.9	99	514	3	64		18 15	57	75		62	16	49	66	B 10D	B 10S	10-67
5040	NPK	1721	1.7	143	522	2	183		15 117	346	5		142	13	7	81	B 3X	B 3S	12-64
5041	NPK	1966	1.6	81	498	2	159		11 6	47	34		187	13	78	71	B 24X	B 24D	8-63

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED				
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor		DIFF.	BRAKE RELINE					
								LEFT OR SINGLE	RIGHT		Box	Column		FRONT	REAR							
5042	NPK	1964	1.5	89	499	2	125		17	25		235	53		75	7	142	219	B 23D	B 23D	8-64	
5043	NPK	1793	1.5	89	511	2	129		16	80		62	27		60	12	59	134	B 4X	B 4S	5-65	
5045	FGL	2531	1.9	45	502			114	16	34			24		173	11	24	154	57D	15X	3-64	
5046	FGL	2336	1.5	53	512			257	11	99		169	38		197	10	31	13	B 32S	B 32S	10-65	
5047	FGL	2856	1.8	25	523	3	94		17	5		348	181		221	13	45	188	B 28D	B 28S	2-63	
5048	FGL	1417	1.3	35	480	2	86		17	7		26	145		97	18	29	121	B 16X	B 16X	6-67	
5049	FGL	2663	2.0	102	497	2	122		12	19		19	7		189	13	70	19	B 54X	B 54S	7-64	
5050	FGL	2579	2.2	151	490	3	265	11	17	11			140		140	12	26	107	B 26X	B 26S	7-65	
5052	FGL	2384	2.1	68	522	2	179		16	27		67	50		234	13	47	216	B 11D	B 11D	11-65	
5053	NAV	2236	1.6	106	491			167	17	112			17		369	15	1	13	B 39S	B 39D	6-67	
5054	FGL	3074	2.0	161	521	3	69		11	51		35	211		174	12	69	163	B 25S	B 25S	4-59	
5056	FGL	2401	1.5	133	506	2	47		10	47		27	96		94	14	2	51	B 35S	B 35D	2-59	
5057	FGL	1993	2.1	71	498	2	162	117	10	20			18		17	14	12	6	B 17S	B 17X	6-67	
5058	FGL	2855	2.5	44	496	2	206		12	50			180		180	11	44	108	25D	5X	10-65	
5060	NPK	2175	1.8	42	547	2	195		13	129			3		140	15	48	118	B 14D	B 14X	1-63	
5062	FGL	2966	1.9	44	527			176	12	128	13	42	22	50		127	10	14	174	B 51D	B 51X	3-65
5063	FGL	2618	1.9	30	514	3	31		14	31		46	30		321	14	23	182	B 17X	B 17X	8-65	
5064	FGL	1541	1.2	27	505	2	117		14	82		15	75		89	11	30		B 32X	B 32S	6-65	
5065	FGL	2709	2.0	64	526	2	159	56	13	6			55		383	9	24	25	B 34X	B 5S	4-64	
5066	FGL	2536	2.3	30	525	2	168		14	6			308		396	11	12	157	B 17X	B 17S	3-62	
5067	NPK	3354	2.2	44	514	2	259		12	8		3	47		388	16	19	90	B 4X	B 4S	9-58	
5068	NPK	3099	2.9	81	531	4	21		11	13			63		245	16	2	31	B 56X	B 56S	11-64	
5070	NAV	2361	1.6	157	562	2	188		15	5			113		96	14	15	94	B 11X	B 11S	6-65	
5071	NPK	2390	2.5	119	534	2	126		15	55		58	74			11	87	260	B 49X	B 49S	10-67	
5073	NPK	2739	2.2	136	564	2	7		11	7		388	13		277	13	7	2	B 95X	B 95S	10-63	
5074	NPK	2297	2.0	57	561	3	93		17	94		325	68		113	18	93	60	B 2D	B 2S	4-63	
5075	NPK	2680	1.8	111	572	2	474		14	60		390	118		187	16	9	41	B 7X	B 7S	4-63	
5076	NPK	2370	1.9	139	562	2	148		10	71			83		122	11	45	289	B 63X	B 63S	8-62	
5078	NPK	544	.4	25	573	2	83		18	83			52		83	17	81	52	B 17S	B 17D	11-64	
5079	NPK	1325	2.0	73	559	2	72		18	72		72	174		432	13	72	151	B 17S	B 17S	3-63	
5080	NPK	2319	1.7	64	578	3	100		14	63		63	249		455	17	79	45	B 42X	B 42S	5-64	
5081	NPK	2452	2.4	175	564	3	104		15	28			150		190	11	28	25	B 13S	B 13S	3-63	
5082	NPK	2830	2.2	157	570	3	140		14	76			52		198	9	126	180	B 76S	B 76D	6-64	
5083	NPK	2760	2.3	83	544	4	65		19	65			57		323	13	31	47	B 48X	B 48S	8-65	
5084	NPK	2408	2.3	75	590	3	593	355	20	10		374	108		448	19	28	35	B 53X	B 53D	1-63	
5085	NPK	3202	2.2	533	608	2	378	191	22	19			263		404	10	157	51	B 12D	B 12S	3-65	
5086	NPK	2211	2.2	157	587	3	70		13	70			107		30	19	1	264	B 30D	B 30X	10-65	
5088	NPK	2586	2.1	107	596	2	172		10	62			252		129	12	73	181	B 8X	B 8S	5-63	
5090	NPK	2654	2.2	265	595			176	9	176			56		460	15	21	158	B 2X	B 2S	3-64	
5093	NPK	3175	2.0	113	586	2	126		14	126			104		133	13	5	68	B 63S	B 63S	3-65	
5094	NPK	1902	2.0	100	567	5	115		15	115			93		99	20	7	13	B 37S	B 37S	1-64	
5095	NPK	384	2.0		568	2	123		19	105		173	30		193	14	3	195	B 6D	B 6S	4-62	

BUS MILEAGE DATA

PERIOD 13 ENDING DECEMBER 30 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor		DIFF.	BRAKE RELINE			
								LEFT OR SINGLE	RIGHT		Box	Column		FRONT	REAR					
5096	NPK	1918	2.1		562	4	57		15	57		35		435	15	20	58	B 17X	B 17D	5-66
5097	NPK	2386	2.2	149	567			171	15	110		119		192	11	3	4	44D	13S	2-58
5098	FGL	1104	2.0	78	597	2	231		20	115		44		471	10	105	105	B 22S	B 22S	2-58
5099	KED	2905	2.0	48	605	2	182		13	107		286		107	11	63	33	B 62D	B 62S	12-63
5101	FGL	2645	2.1	40	600	4	426	239	18	4		51		532	12	85	94	B 14S	B 14S	4-64
5102	FGL	2195	1.9	68	610	3	150		11	150	68	60		143	15	31	105	B 30S	B 30S	11-64
5103	FGL	2156	2.0	119	607	4	70		14	13	45	101		293	12	28	167	B 1S	B 1X	12-62
5104	NPK	1864	1.4	207	574			219	11	62		145		7	11	54	48	B 7D	B 7X	5-65
5105	NPK	1789	1.6	127	590	2	156		13	156		220		96	11	41	172	B 45D	B 45S	12-65
5106	FGL	2820	2.3	122	578	2	145		19	86	31	218		141	22	35	190	48D	30D	3-63
5107	FGL	2197	1.6	81	607	3	133		10	133		36		133	12	28	175	B 19D	B 19D	6-66
5109	FGL	2870	2.0	42	634	2	167		10	28		255		261	13	14	246	B 8X	B 8X	10-67
5110	FGL	2659	2.0	42	601	2	226		17	14		96		289	12	180	91	B 29D	B 29X	2-64
5111	FGL	2603	1.8	130	615	4	96		17	34	84	103		101	18	17	111	B 23X	B 23D	3-65
5113	FGL	2519	1.6	81	609	3	132		16	132	85	124		453	17	39	317	62D	15D	9-62
5114	FGL	1982	1.6	47	578	2	188		13	147		106		215	13	9	238	B 44D	B 44X	6-65
5115	FGL	2559	1.9	102	587	2	223	11	18	11		61		376	12	30	91	B 70S	B 70X	8-63
5116	NAV	2248	1.6	140	571	4	107		21	107	326	20		333	19	4	2	50D	12X	9-67
5117	NAV	1190	1.5	79	582	3	23		9	23		162		224	19	22	197	B 41S	B 41S	1-66
5118	FGL	2392	2.1	52	590	2	271	131	18	96	4	55		23	18	22	204	B 23S	B 23S	4-65
5119	FGL	2270	1.9	64	578	3	361	24	17	10		240		214	19	24	29	B 18S	B 18D	12-63
5121	FGL	1233	1.2	61	597	2	144	5	14	5		346		234	13	69	195	B 36S	B 36D	8-62
5122	FGL	2956	1.7	95	590	5	3		16	3	345	157		3	15	3	123	B 3S	B 3S	1-66
5123	FGL	2818	2.0	108	603	2	201		11	201	54	49		441	11	21	295	B 10S	B 10S	9-62
5124	FGL	2446	2.1	29	592	2	336		15	101		111		428	16	98	253	B 21D	B 21S	6-63
5125	FGL	2723	2.6	113	594	2	161		15	15		85		203	15	9	72	B 47S	B 47D	7-67
5126	FGL	2621	2.1	67	600	2	170		15	170		234		421	14	27	217	B 35D	B 35X	4-63
5127	FGL	2367	1.9	56	601	5	88		19	6	65	57		255	15	31	92	B 57D	B 57S	12-64
5129	FGL	2347	1.7	69	574	3	47		13	6		55		298	17	10	40	B 16S	B 16S	1-64
5130	FGL	3203	2.1	114	579	3	148		11	102		16		4	18	7	96	B 4D	B 4S	10-63
5131	FGL	2062	1.8	93	604	2	237		12	27		29		180	14	20	8	B S	B X	11-57
5132	FGL	2922	2.3	91	596	2	130		16	12	83	115		211	9	56	14	B 22D	B 22D	4-63
5133	FGL	577	2.2		583	2	123		15	3		146		204	16	123	90	B 21D	B 21S	7-64
5134	FGL	2303	2.0	67	601	2	175		12	78	399	295		108	11	14	172	B 1S	B 1X	6-64
5135	FGL	2467	2.3	57	560			214	18	4	27	165		205	14	3	26	B 9S	B 9S	12-64
5136	FGL	2576	1.7	37	597			252	13	102	69	170		3	13	131	217	B 3S	B 3X	7-64
5137	FGL	1600	2.0	69	599	2	142		11	142		91		160	18	57	264	B 57S	B 57X	6-62
5138	FGL	2861	2.3	105	605	3	222		13	8		133		146	14	70	64	B 24D	B 24X	10-65
5139	FGL	2555	1.7	67	627	2	244		22	108		80		26	13	4	26	B 26D	B 26X	5-64
5140	FGL	1781	1.6	61	603	3	178		13	171	178	203		449	17	58	79	B 14S	B 14X	7-62
5142	FGL	2300	1.7	63	601	2	217	101	13	37	79	100		420	11	131	9	B 28D	B 28X	3-60
5143	FGL	2685	2.2	83	600	2	235		15	91		69		248	14	20	238	B 52X	B 52X	10-64

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE													PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE					
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR				
5144	FGL	2082	1.8	50	583	2	365	145	10	85			39		164	12	46	148	B 17S	B 17D	9-67
5145	FGL	1953	1.6	325	586	2	375	163	12	131		54	16		358	16	90	136	B 14X	B 14X	7-67
5146	FGL	2347	1.8	180	603	2	69		13	69			155		204	15	5	119	B 38D	B 38S	2-66
5147	FGL	2351	1.7	37	601	2	202	70	15	6		48	126		103	12	22	172	B 15D	B 15S	7-63
5148	FGL	2554	1.9	134	595	2	243	233	12	123		20	10		325	13	38	165	B 27D	B 27X	3-63
5149	FGL	2143	1.9	52	591	3	175	126	20	88			42		167	15	8	63	B 19D	B 19X	11-57
5150	FGL	3176	2.4	352	584	2	209		16	115		79	196		399	15	46	37	66D	19D	12-63
5151	FGL	1705	2.0	113	592	2	210		15	72			132		5	14	6	7	B 5S	B 5X	11-62
5152	FGL	2787	1.9	34	587	2	196		17	106		51	79		149	14	93	8	B 29D	B 29X	12-65
5153	FGL	2755	2.2	45	599	2	282		14	156			157		145	14	57	233	B 11S	B 11D	5-63
5154	FGL	105	.4	13	561	2	186		16	142			113		15	13		65	B 15X	B 15D	2-64
5155	FGL	3311	2.1	137	579	3	71		17	13			259		225	13	26	303	B 8D	B 8D	8-62
5156	FGL	3212	2.2	123	630	2	249		12	97			59		495	10	101	203	B 23S	B 23D	1-66
5157	FGL	1993	1.7	35	601	2	239		11	142		46	242		173	12	21	157	B 21S	B 21S	8-62
5158	FGL	2755	2.1	131	591	4	75		14	75		87	80		134	13	75	138	B 31X	B 31S	1-66
5159	FGL	2340	2.2	234	627	2	232		10	154			103		106	15	32	216	B S	B X	10-58
5160	FGL	2352	2.6	87	590	2	230	132	11	151			237		146	16	12	253	B 54D	B 54D	1-58
5161	FGL	2597	2.0	70	600	3	86		9	86		84	94		212	16	6	84	B 7S	B 7X	1-58
5162	FGL	2670	2.6	133	595	2	191	128	17	12		48	78		203	18	12	31	28D	14X	10-64
5163	FGL				585	3	76		12	7			211		203	11	59	109	B 18S	B 18D	4-66
5164	FGL	2554	1.8	79	617	5	148		17	2			145		462	12	3	25	B 21X	B 21X	1-64
5165	FGL	2533	1.9	70	600	2	208		11	165		76	67		231	17	33	130	B 28S	B 28D	6-67
5166	FGL	2194	1.6	53	587	3	152		15	19		52	4		392	14	152	24	B 9D	B 9X	9-64
5167	FGL	2865	2.0	92	604	2	252	35	16	35		62	241		245	17		58	B 35S	B 35X	9-64
5168	FGL	2534	2.1	74	576	4	78		22	78		311	179		270	12	78	235	B 13X	B 13S	8-67
5169	FGL	2676	2.3	102	602			266	12	60			182		127	11	2	110	B 67X	B 67S	4-64
5171	FGL	2132	1.9	64	572	3	83		12	83		43	28		391	13	1	2	28D	7X	11-64
5172	FGL	1495	1.5	14	567	2	334		11	153		334	78		185	11	11	126	B 57X	B 57S	4-65
5173	FGL	2430	2.1	115	586	4	87		14	87		87	244		143	17	4	85	B 21D	B 21S	8-65
5174	FGL	2453	1.6	37	582	4	140		17	140		242	42		125	17	4	239	B 19D	B 19X	3-66
5175	FGL	4239	4.3	136	581	2	132		18	30			8		130	13	32	93	B 17D	B 17X	8-67
5176	FGL				580	3	76		13	76		39	68		222	14	20	45	B 30D	B 30D	4-64
5178	FGL	1868	1.7	133	605	2	145		17	145		45	168		133	16	42	36	B 1D	B 1D	9-65
5179	FGL	1967	1.5	22	598	3	21		6	21		53	2		198	10	21	61	B 20S	B 20D	3-64
5180	FGL	2299	1.9	60	568	2	191		13	73			154		221	13	41	1	B 11D	B 11S	4-64
5181	FGL	1626	1.4	58	593	2	88		17	4			41		1	15	23	113	B 1S	B 1X	5-64
5182	FGL	2234	1.8	42	596	3	173		15	3			97		201	20	30	111	B 34S	B 34D	2-63
5183	FGL	1754	1.8	43	583	2	159		11	133			81		383	13	38	26	B 48S	B 48S	2-65
5184	FGL	2553	2.0	276	593			248	13	60			364		94	14	6	37	B 48X	B 48X	12-61
5185	FGL	1743	1.8	52	587										1	8	240	22	B 1D	B 1S	2-59
5186	FGL	2615	1.7	118	599	3	177		14	157		61	235		419	15	23	168	B 32X	B 32S	10-63
5187	FGL	2668	2.0	65	578	3	30		12	30			102		137	16	1	329	33X	7S	9-64

BUS MILEAGE DATA

PERIOD 13 ENDING DECEMBER 30 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE										PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.		BRAKE RELINE	
								LEFT OR SINGLE	RIGHT		Box	Column					FRONT	REAR
5188	FGL	3257	2.0	116	586	2 50		12 50			196		14	13 13	27	B 14X	B 14S	1-64
5189	FGL	1741	1.6	52	590	2 123		15 123			158		438	12 9	45	49X	9S	12-64
5190	FGL	2341	1.7	70	572	2 119		14 119			144		79	13 5	285	B 25D	B 25D	4-62
5191	FGL	1616	1.7	76	596	4 68		15 68			141		68	13 4	2	B D	B S	4-64
5192	FGL	2683	3.1	107	572	2 173		13 10		21	2		439	12 137	36	B 10D	B 10S	8-67
5195	FGL	3041	2.0	44	592	2 361	11	12 11			37		240	15 2	121	B 28S	B 28D	10-64
5197	FGL	2074	1.7	47	586	3 57	18	16 57			290		115	16 4	85	B 18D	B 18X	6-63
5198	FGL	2546	1.7	87	588	3 151		17 27			152		194	14 32	65	B 27X	B 27D	6-63
5199	FGL				585	2 317		12 180			9		397	12 57	89	B 28S	B 28X	7-63
5200	FGL	1971	1.7	34	592	2 215	71	10 93		63	85		8	14 18	185	B 8D	B 8X	10-63
5201	FGL	3045	2.5	87	592		279	10 173		53	193		256	11 51	34	B 35X	B 35X	10-64
5202	FGL	1875	1.7	60	591	2 92		21 92		32	419			16 31	60	B 1S	B 1X	1-64
5203	FGL	2601	2.2	43	613	2 204		15 110			62		98	10 44	110	25D	2X	10-64
5204	FGL	4041	4.2	1010	591	3 214	100	13 100		51	33		231	19 24	38	B 29X	B 29D	12-61
5205	FGL	2251	2.0	56	575	3 95		14 95	15 45	206	145		115	10 95	85	B 7D	B 7X	11-62
5206	FGL	2034	1.8	18	596	2 139		10 29			11		224	14 38	6	B 29S	B 29X	6-63
5207	FGL	2639	2.2	77	579	2 110	62	15 62			268		73	11 34	28	B 40X	B 40D	3-64
5208	FGL	2431	1.6	75	592	3 147		15 147			175		243	11 147	64	57D	19D	9-63
5209	FGL	2740	2.1	80	572	2 114		12 51			115		75	13 38	273	B 17S	B 17X	3-58
5210	FGL	3133	2.4	68	608	3 78		15 78			15		109	5 20	427	B 22D	B 22X	11-64
5212	FGL	1786	1.8	44	626	2 266		9 83		88	242		124	14 21	21	B 17D	B 17S	5-66
5213	FGL	2928	2.3	244	581	2 59		13 59		47	154		80	20 53	156	B 19D	B 19X	9-64
5214	FGL	2586	2.1	161	576	3 141	57	17		58	291		193	15 6	27	B 87S	B 87S	6-66
5215	FGL	2699	1.9	44	592	3 22		12 22			78		314	11 6	63	B 22D	B 22S	4-62
5216	FGL	3259	2.2	171	598	3 154		13 63			176		86	13 29	37	B 18D	B 18D	6-67
5217	FGL	2713	2.1	113	606	3 57		9 57			163		214	16 1	1	B 29D	B 29X	6-64
5218	FGL	2934	2.3	38	595	2 146		11 101		70	106		172	11 116	96	B 35D	B 35D	5-63
5220	FGL	2419	1.7	71	587	2 175		13 91			157		165	15 21	2	B 4S	B 4X	1-64
5221	FGL	2792	1.9	103	582	3 49		11 1		3	214		62	16 49	116	B 16S	B 16D	2-64
5222	FGL	1774	1.9	73	597	2 177		10 100			133		315	9 136	152	B 30S	B 30S	1-64
5223	FGL	3064	2.0	87	578	2 160	103	13 119			372		411	10 8	29	B 32X	B 32D	5-63
5224	FGL	2228	2.1	26	609						38		430	9 60	5	B X	B X	12-64
5225	FGL	2487	2.0	21	592		244	10 115			147		266	13 1	389	B 33D	B 33S	3-64
5226	FGL	2428	1.8	242	585	4 57		12 57			373		77	12 57	143	77S	17S	10-63
5227	FGL	2122	1.9	101	581	2 65		12 65		56	155		271	12 65	108	B 28D	B 28S	10-64
5228	FGL	1685	1.8	112	601	2 209		10 15			150			15 27	18	B D	B X	12-65
5229	FGL	2349	1.8	60	627	3 69		11 69		93	68	10	9	15 43	22	B 9X	B 9X	11-67
5230	FGL	2765	2.0	36	585		259	10 31			34		158	14 14	84	B 10D	B 10X	5-66
5231	FGL	2597	1.8	72	578	2 119		7 119			51		235	15 56	34	B 2D	B 2S	9-63
5232	FGL	2721	2.0	40	624	2 228		17 145		38	48		448	8 42	143	B 10X	B 10X	9-63
5233	FGL	2441	2.1	62	575	2 216		11 138			134		142	11 35	45	B 35S	B 35D	12-62
5234	FGL	2797	2.0	99	601	2 232		19 49		52	200			10 36	76	B 36X	B 36D	5-63

BUS MILEAGE DATA
PERIOD 13 ENDING DECEMBER 30 1967

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE														PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor		DIFF.	BRAKE RELINE					
								LEFT OR SINGLE	RIGHT		Box	Column					FRONT	REAR				
																			FRONT		REAR	
5235	FGL	2371	1.8	71	582	2	262		10	157			63		225	13	72	235	B 53D	B 53S	10-64	
5237	FGL	2230	2.1	51	585	3	241	104	13	20		50	220		203	10	41	41	B 30D	B 30X	4-63	
5238	FGL	1815	1.7	29	568	2	16		16	16		31	80		27	12	5	95	B 27D	B 27D	12-57	
5239	FGL	888	1.4	38	570	2	149		15	4			123		74	14		57	B X	B X	5-64	
5240	FGL	2210	2.1	56	590			186	12	155		438	21			12	37	137	57D		13D	2-63
5241	FGL	2427	2.2	41	570				13	31			60		14	13	4	249	B 14S	B 14S	12-63	
5242	FGL	2212	1.9	29	573	2	486		14	5			16		188	14	6	144	B 25X	B 25S	12-58	
5243	FGL	2730	2.0	82	568	2	51		8	51			278		70	10	13	230	B 16S	B 16S	9-67	
5245	FGL	2347	1.6	93	598	2	197		11	32			190		270	10	31	45	B 36S	B 36S	5-65	
5246	FGL	2223	2.0	67	576	2	144		15	44			116		135	10	74	7	B 30S	B 30X	3-58	
5247	FGL	1847	1.9	68	624	2	235		10	80		31	67		363	11	14	17	36S		36S	3-66
5248	FGL	2726	1.9	123	588	3	123		11	123			82		486	10	123	6	B 25D	B 25S	2-65	
5249	FGL	2297	1.8	41	588	2	99		13	5		67	290		242	14	16	350	33X		5D	2-63
5250	FGL	3229	1.8	115	575	2	187		18	28			90		245	15	53	53	56D		16D	7-63
5251	FGL	1961	2.0	46	562			136	8	136			8		291	11	9	3	B 26D	B 26S	10-63	
5252	FGL	2793	2.1	47	607	2	206	57	10	57			139		455	13	71	32	B 36S	B 36D	6-64	
5254	FGL	2576	2.1	99	588	2	140		6	28			4		192	13	4	217	B 32D	B 32S	12-65	
5255	FGL	2692	1.9	117	569	2	174		11	140			47		263	10	31	19	B 27S	B 27X	6-62	
5256	FGL	2372	1.8	47	564	3	132		16	132		72	116		142	12	132	236	61D		14D	11-58
5257	FGL	3027	2.4	48	568	2	138	66	9	66		55	93		454	14	68	189	68D		22S	4-66
5258	FGL	2411	1.6	58	595	2	189		5	133			191		204	15	35	233	B 30S	B 30D	1-64	
5259	FGL	2433	1.9	35	565	2	159		13	159			134		165	14	39	11	B 38D	B 38S	4-66	
5260	FGL	2626	1.8	54	550	2	158		22	80			29		138	16	4	15	B 37D	B 37S	12-64	
5261	FGL	2506	2.1	61	572	2	123		14	7			13		188	14	29	507	B 8D	B 8X	1-64	
5262	FGL	3312	2.5	77	570	2	192		6	159			93		423	14	37	92	B 8D	B 8S	7-67	
5263	FGL	248	.1	5	594	2	210		5	163		100	17		30	15	24	154	B 30S	B 30S	6-62	
5265	FGL	2406	1.9	141	564			223	12	112		36	156		357	9	2	261	B 20X	B 20X	11-62	
5266	FGL	1667	1.6	64	561	3	150		17	150			115		200	14	4	223	B 30D	B 30D	1-64	
5267	NAV	1165	.7	29	561	2	242		22	26		45	27		37	16	29	60	B134D		B134S	11-62
5268	FGL	2044	1.8	120	565	3	178		8	67			120		423	15	5	236	B 44S	B 44D	10-65	
5269	FGL	2758	2.6		561	2	101		14	96		86	133		101	15	38	3	B 25X	B 25S	10-63	
5270	FGL	2726	2.5	54	553	2	213		12	67			95		101	11	1	363	B 21S	B 21D	6-60	
5271	FGL	2029	1.7	72	561	3	114		14	15		13	164		16	11	74	13	B 16S	B 16D	2-66	
5273	FGL	2859	2.2	158	546	13	86	30	14	30		60	179		360	11	10	43	B 35X	B 35D	4-64	
5274	FGL	2414	1.7	120	567	3	157		12	16		158	228		135	20	16	18	B 9S	B 9X	4-66	
5275	FGL	2920	2.1	59	544	2	90		11	28			175		236	13	14	17	B 24D	B 24D	6-62	
5278	FGL	2219	1.9	100	565	2	150		10	66		402	87		10	13	27	60	B 10X	B 10S	6-60	
5280	FGL	2469	1.8	88	558	2	72		13	72		47	134		214	12	46	240	28X		5S	8-65
5281	FGL	2605	2.0	72	574	2	188		11	105		92	204		414	11	45	131	B 16X	B 16S	12-63	
5282	FGL	2106	1.7	91	564	2	155		15	155		59	33		505	13	9	178	B 2X	B 2X	1-64	
5283	FGL	2855	1.8	59	537	3	105	29	19	29		59	144		106	11	3	79	B 23X	B 23D	10-63	
5284	FGL	2423	1.6	62	540	3	300		12	48			76		171	11	25	50	B 27S	B 27S	1-66	

BUS MILEAGE DATA

PERIOD 13 ENDING DECEMBER 30 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE													PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE					
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR				
5285	FGL	2041	1.2	81	552	2	189		13	92			304		281	11	29	74	B 34X	B 34D	5-63
5287	FGL	3157	2.5	157	574	2	153		7	140		50	148		94	12	36	57	B 33D	B 33X	11-62
5288	FGL	2819	1.7	122	553	2	84		12	9		61	122		9	13	75	218	B 9D	B 9X	11-64
5289	FGL	1538	2.3	64	532	3	120		15	22			95		199	14	33	276	56D	33D	11-62
5290	FGL	2959	2.4	72	578	2	226	33	11	33			73		468	12	28	47	B 23S	B 23S	5-63
5293	FGL	2686	2.0	191	548	3	104		16	104		48	150		244	16	3	184	27X	4X	1-64
5294	FGL	2802	2.0	73	571	3	223	132	15	110		408	153		19	10	7	21	B 19X	B 19X	6-63
5295	FGL	2136	1.6	41	570	2	232		12	162			144		436	13	41	27	B 50D	B 50X	10-63
5296	FGL	3			538	3	85		14	85			54		439	12	48	34	B 49X	B 49S	6-65
5298	FGL	2717	2.4	143	557	3	182		15	25		90	8		455	16	38	279	B 16S	B 16X	12-62
5299	FGL	2585	1.7	86	556			34	14	34			29		143	15	3	199	B 34D	B 34X	12-63
5300	FGL	2161	2.0	77	566	6	62		16	62		37	90		241	15		27	B 60D	B 60D	9-64
5301	FGL	2281	2.0	78	570	2	51		11	51			185		124	11	34	315	B 92X	B 92D	10-63
5302	FGL	2091	2.1	190	545	3	60		15	60		52	50		205	3	60	206	64D	17S	12-64
5303	FGL	2101	1.6	70	581	2	131		12	131			104		208	11	131	254	B 69X	B 69S	7-65
5304	FGL	3279	2.3	96	555	2	185		15	73		51	19		265	15	7	23	B 23X	B 23X	10-62
5305	FGL	2933	2.1	127	570	2	223	134	8	223		51	229		229	10	14	52	B 28D	B 28D	4-64
5306	FGL	2178	1.9	94	555	3	128		16	106		66	135		116	9	74	8	B 13D	B 13X	12-63
5308	FGL	2490	2.0	103	551	2	52		12	52		64	108		220	10	15	97	B 10D	B 10D	5-63
5310	FGL	2717	2.0	143	567	2	101		14	101		63	35		194	11	35	489	B 10S	B 10X	2-63
5311	FGL	3383	2.1	99	557	2	52		15	52			48		88	9	52	75	B 62X	B 62S	2-66
5312	FGL	2676	1.9	86	555			255	13	95		24	41		425	13	31	170	B 27S	B 27X	3-63
5313	FGL	2100	1.4	110	560	3	70		12	34		26	126		331	13	130	363	70D	14X	11-64
5315	FGL	2429	2.1	67	543	2	168		11	21		71	273		5	12	23	14	32D	5X	10-58
5316	NAV	2415	2.6	185	535	4	32		14	32			81		249	15	32	63	B 13D	B 13D	10-67
5317	FGL	3027	2.5	104	582	4	258		14	204		448	86		7	11	60	129	B 7D	B 7X	1-58
5318	FGL	2518	1.6	69	563			255	8	153		89	164		425	9	78	9	B 39X	B 39X	6-60
5319	FGL	1300	1.5	325	545	3	122		12	122		72	180		128	14	88	337	B 7X	B 7X	6-67
5320	FGL	2144	1.8	119	560	2	150		11	150			238		408	11	117	28	B 11D	B 11S	5-63
5321	FGL	2662	1.9	102	535	2	112		14	112			62		139	12	71	25	B 34S	B 34X	10-67
5322	FGL	3076	2.0	99	570	4	156		16	25			193		175	12	50	171	B 13D	B 13S	11-67
5323	FGL	1395	1.6	36	554	2	326	256	10	132		65	22		70	11	78	6	B 15S	B 15X	6-67
5324	FGL	3278	2.0	63	561	3	181		13	127			107		82	13	9	332	B 52X	B 52X	10-67
5325	FGL	2549	2.0	47	551	2	178		11	4		41	274		228	22	17	290	B 15D	B 15S	4-65
5326	FGL	3058	2.4	382	554	3	79		15	5		81	158		10	12	79	153	B 10S	B 10S	10-65
5327	FGL	2774	1.9	38	546			224	14	100		85	22		154	12	29	91	B 31D	B 31X	1-66
5328	NAV	1577	1.3	50	549	2	154		8	154			122		193	14	15	109	B 5X	B 5D	4-66
5329	NAV	2168	1.7	94	539	2	369		8	264			82		228	13	57	274	B 31S	B 31X	5-65
5330	NAV	1926	1.6	35	558			273	14	88		90	164		281	11	69	100	B 69D	B 69X	10-65
5331	FGL	3827	3.1	127	567	2	135		10	135		33	256		36	14	11	10	B 36X	B 36X	2-64
5332	FGL	26	.1		559	3	76		13	1			173		258	13	76	141	B 12S	B 12S	2-59
5333	NAV	2367	1.6	182	564	2	384		12	106			120		144		42	214	B 14D	B 14D	7-63

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE										PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.		BRAKE RELINE	
								LEFT OR SINGLE	RIGHT		Box	Column					FRONT	REAR
5334	NAV	3122	2.0	223	558	2 268		13 52			113		193	15 23	29	B 38X	B 38D	7-66
5335	NAV	1930	1.3	68	540	3 124		12 16		426	54		67	14 124	1	B 12D	B 12X	5-65
5336	NAV	1887	1.8	134	549	3 9		13 9		9	265		111	12 9	203	53S	17S	12-63
5337	NAV	2757	1.9	47	551	3 128		8 7		66	228		89	14 6	3	B 23X	B 23X	10-67
5338	NAV	2607	1.7	289	539	5 4		15 4		24	215		225	15 4	230	B 7X	B 7S	8-62
5339	NAV	1429	.9	44	542	3 35		13 35			38		375	15 24	159	B 3S	B 3X	11-65
5340	NAV	1679	2.0	419	538	2 217	24	16 10			144		231	10 137	115	B 80S	B 80X	10-65
5341	NAV	2601	1.8	118	535		33	14 33		69	208		263	11 32	175	B 33S	B 33S	10-63
5342	NAV	2979	1.6	90	531	2 206		11 24		271	83		193	10 44	201	B 46S	B 46D	9-67
5343	NAV	2377	1.4	49	519		225	8 24		251	17		80	13 31	98	B 6X	B 6S	1-65
5344	FGL	2991	2.3	199	564	3 112		13 103		30	50		173	14 40	225	B 88D	B 88X	5-63
5345	NAV	2574	1.3	57	503	2 182	77	10 127		26	111		225	9 27	127	B 3D	B 3X	11-64
5346	NAV	1484	.9	46	529	2 122		15 2			22		212	13 5	342	B 22D	B 22S	4-65
5347	NAV	2787	1.8	56	567	3 312		12 204			206		323	16 26	196	B 29D	B 29S	12-63
5349	NAV	2602	1.5	61	542	4 19		15 19			128		105	11 19	337	B 27D	B 27X	12-63
5350	NAV	2550	1.5	35	513	3 60		14 25		21	39		283	13 25	148	40X	15S	10-65
5351	NAV	2421	1.5	201	516	2 171		9 90		44	274	19	206	12 25	163	B 10S	B 10S	5-65
5352	NAV	2542	1.2		516	2 166		6 84		68	133		380	12 70	70	B 26S	B 26S	4-63
5353	NAV	2641	1.8	57	510	2 158		17 29		77	121		83	18 62	89	B 27X	B 27X	3-59
5354	NAV	2505	1.7	52	526	2 148		9 139			204		146	13 12	70	B 16D	B 16X	1-63
5355	NAV	2713	2.0	79	488	2 147		9 57		40	36		218	12 23	287	B 23X	B 23S	10-67
5356	NAV	2386	1.7	68	520	2 203		9 23			85		171	9 9	255	B 18D	B 18X	9-67
5357	NAV	2505	1.7	113	503	2 189	96	17 84		62	38		373	11 53	317	B 24S	B 24X	5-59
5358	NAV	2549	1.4	110	513								71	19 14	70	B 38D	B 38X	10-65
5360	NAV	2367	1.7	102	514	4 28		13 28			206		222	12 28	414	B 29X	B 29X	10-65
5361	NAV	1964	1.6	72	527	3 73		13 23		73	32		83	14 73	46	B 28S	B 28S	12-65
5362	NAV	2887	1.4	58	500	2 190		9 141			161		245	12 45	69	17D	17D	9-65
5363	NAV	2666	1.8	91	519	2 201		11 88		55	130		129	10 38	185	B 10D	B 10S	10-63
5364	NAV	2101	1.7	50	497	2 53		11 18			73		355	11 53	102	B 3D	B 3X	9-65
5365	NAV	2133	1.6	112	517	3 74		13 23		82	162		276	11 74	376	B 27X	B 27D	6-59
5366	NAV	2720	1.8	113	522	4 13		12 13		312	84		167	14 3	109	B 42D	B 42S	7-67
5367	NAV	2459	1.3	51	512	2 89		11 89			216		210	15 17	36	B 20D	B 20S	7-67
5368	NAV	2698	2.0	89	519	3 63		18 36		367	193		189	11 29	249	B 65X	B 65S	1-64
5369	NAV	2820	1.5	48	527	3 118		16 118		67	127		431	15 30	95	B 37X	B 37X	1-64
5370	NAV	2542	1.7	97	513	3 29		13 29		80	109		247	14 29	22	B 36X	B 36D	8-64
5372	NAV	3467	2.1	101	519	2 112		17 97			89		83	14 34	180	83D	50S	6-67
5373	NAV	2832	1.6	128	521	2 116		12 116		4	49		188	13 116	26	B 16X	B 16S	5-65
5375	NAV	3064	1.9	85	507	3 75		16 75			144			13 33	90	55X	14X	6-63
5377	NAV	3266	2.1	112	531	3 72		10 72		26	170		16	12 72	249	B 16D	B 16D	3-66
5378	NAV	1264	1.4	33	522	2 277		10			131		210	17 5	170	35X	12D	4-66
5379	NAV	2517	1.5	64	515		231	13 166			6		254	39	23	42X	21S	10-65
5380	NAV	2883	1.9	68	522	2 163	8	11 8			199		261	11 25	53	B 4X	B 4S	6-67

BUS MILEAGE DATA

PERIOD 13 ENDING DECEMBER 30 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED			
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor		DIFF.	BRAKE RELINE				
								LEFT OR SINGLE	RIGHT		Box	Column		FRONT	REAR						
5381	NAV	2273	1.7	46	509	3	233	134	10	109			58		162	10	148	169	B X	B X	2-66
5382	NPK	2059	1.4	76	517	2	160		12	142		73	27	87	14	19	123	B 35D	B 35X	8-62	
5383	NAV	2136	1.6	73	526			236	9	49			37	88	10	42	142	B 31X	B 31D	5-63	
5384	NAV	2549	1.9	98	515			225	8	131		172	106	376	10	64	176	B 11D	B 11S	5-66	
5385	NAV	1488	1.4	148	516	2	69		7	69			69	140	10	37	184	49D	3X	10-65	
5386	NAV	2606	1.7	76	514	3	125		13	70		230	166	368	11	68	12	29S	5X	5-66	
5387	NAV	1209	1.5	52	516	3	34		10	34			184	151	12	1	6	B 34S	B 34S	6-67	
5389	NAV	2495	1.5	138	514	2	190		9	115			45	4	9	96	281	B 4X	B 4D	11-67	
5391	NAV	2827	2.1	122	520	2	121		13	9			112	95	12	27	348	B 20X	B 20D	3-66	
5392	NAV	2777	1.7	126	502	2	57		8	22			134	22	81	17	9	316	B 28S	B 28D	4-65
5393	NAV	1916	1.3	49	500	3	101	46	13	46			77	162	11	101	2	B 36X	B 36D	4-65	
5396	NAV	2519	1.6	33	495	3	122	59	12	104			106	6	14	63	128	B 6D	B 6X	9-63	
5397	NAV	2901	2.1	78	529	3	52		13	52			314	103	89	13	52	444	B 20X	B 20D	10-65
5398	NAV	2876	1.8	119	501	2	111		11	111			27	11	14	41	242	B 11X	B 11D	1-66	
5399	NAV	1822	1.7	113	524	2	9		10	9			69	222	13	9	101	B 34X	B 34S	4-63	
5400	NAV	1543	2.1	154	509	4	21		9	21			80	245	10	21	182	B 24X	B 24S	10-67	
5401	NAV	2662	1.6	78	514	2	438		10	155		332	80	235	14	83	270	B 34D	B 34X	10-65	
5402	NAV	2444	1.7	43	546	2	106		15	106			22	216	12	9	261	B 20X	B 20D	2-64	
5403	NAV	3444	1.9	74	524	4	89		16	15		80	37	180	14	19	20	B 58D	B 58S	6-65	
5404	NAV	4526	3.1	69	538	3	70		11	70			138	103	11	5	101	B 56X	B 56X	10-65	
5405	NAV	2671	1.9	157	524	3	185	83	16	16			221		13	24	97	B 22S	B 2S	12-65	
5407	FGL	2520	2.0	105	550	2	164		11	128			52	422	15	12	39	B 52S	B 52D	8-65	
5408	NAV	2462	1.7	41	548	3	142		12	11		288	184	130	12	12	61	B 1S	B 1S	10-63	
5409	NAV	2694	1.3	37	529	2	312		9	33		279	173	252	10	33	188	B 23S	B 23X	1-66	
5411	NAV	2267	1.7	133	543	2	135		15	12			188	273	17	19	145	B 44S	B 44S	7-67	
5412	NAV	1530	1.9	127	592			263	12	84		97	264	179	9	116	262	B 39D	B 39S	11-65	
5413	FGL	1485	1.4	36	540	2	169		8	19			156	444	12	37	88	B 1X	B 1S	9-65	
5414	NAV	2348	1.9	130	537	3	22		16	22		58	110	131	13	22	106	B 25S	B 25X	6-64	
5415	NAV	1874	1.7	66	588	3	112		9	112			139	135	17	25	304	33D	1D	3-66	
5416	NAV	1817	1.0	121	548	3	183		14	16			13	34	10	25	49	B 34X	B 34S	2-65	
5417	NAV	2114	1.4	70	544	3	190		13	85		327	178	198	15	47	96	B 46D	B 46D	11-64	
5418	NAV	3226	2.0	31	571	2	159		19	29			204	125	14	30	146	B 54S	B 54S	5-65	
5419	NAV	3008	2.7	111	593	4	145		11	10		363	386	201	14	27	120	B 65D	B 65X	6-67	
5420	NAV	2881	2.0	61	545	3	141		12	112			101	119	21	36	130	B 33S	B 33X	10-67	
5421	NAV	2477	1.3	47	575	2	172		13	32		398	400	107	13	11	38	B 26S	B 26S	2-64	
5423	NAV	2546	1.5	106	547	3	115		10	115			1	104	231	11	16	54	B 21X	B 21D	7-64
5424	KED	613	1.1	87	562	2	155		16	28			109	17	12	7	58	B 17S	B 17S	3-60	
5425	KED	4475	2.5	279	546	3	63		9	63			185	130	16	14	216	79S	63D	5-65	
5426	KED	2436	1.6	48	578	2	253	20	12	20			119	193	15	2	120	B 72D	B 72S	2-64	
5428	KED	2342	1.6	90	578	2	377	254	14	74			66	231	14	7	2	B 34S	B 34S	6-65	
5429	KED	2548	2.1	84	593	2	131		14	131			127	103	11	22	136	B 49D	B 49X	2-64	
5430	NPK	1123	1.6	56	543	3	104	43	18	43		321	186	174	18	1	67	B 33S	B 33S	6-65	

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE													PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor		DIFF.	BRAKE RELINE				
								LEFT OR SINGLE	RIGHT		Box	Column		FRONT	REAR						
5432	KED	3055	2.0	56	556	2	113		7	113		17	272		452	15	15	36	B 35X	B 35X	9-64
5433	KED	1243	1.4	42	539	2	126		13			44		176	15	8	1	B 11D	B 11X	10-67	
5434	KED	1771	2.1	295	559	3	25		7	25		41	165		235	7	25	165	B 77X	B 77X	2-65
5435	KED	1791	2.2	52	554	2	71		12	71		84	135			12	71	73	B 12D	B 12D	6-67
5436	KED	1729	2.0	50	560			242	15	23		242	43		99	15	32	22	B 4X	B 4D	6-65
5437	NAV	1280	1.6	55	557			247	9			113		306	16	7	51	B 44X	B 44X	9-65	
5438	KED	1225	2.2	58	592	2	197		13	153		272	202		265	18	1	391	B 3S	B 3S	9-62
5439	KED	1294	2.2	92	570	3	240		13	114		85	78		280	14	32	73	B 14S	B 14S	3-63
5441	KED	1705	1.7	43	550	3	130	58	17	58		36	18		104	9	1	17	B 14S	B 14D	2-64
5442	KED	1814	2.0	42	566	3	159	60	11	60			180		331	16	53	102	B 45X	B 45X	1-66
5443	KED	1430	2.0	178	567	2	157		12	123			42		290	13	4	82	B 26S	B 26S	5-65
5444	KED	1642	2.0	42	566	3	125		13	125		336	287		203	16	3	221	B 31X	B 31X	6-65
5445	KED	19			571	18	18		18	18		139	145		262	21	1	21	B 8S	B 8D	3-64
5446	KED	1684	2.0	49	559	2	197		9	106			81		242	11	20	77	B 2D	B 2X	8-65
5447	KED	1578	2.0	43	571	3	204		15	76		417	53		11	11	55	281	B 11X	B 11D	11-65
5448	KED	1545	1.9	49	567	3	60		16	60			71		16	14	4	4	B 16D	B 16S	3-63
5449	KED	1619	1.9	59	569	2	179		11	99		333	218		181	13	20	236	B 3S	B 3D	11-67
5450	KED	2003	2.0	64	583	3	209		11	155			223		291	14	23	248	B 74D	B 74S	7-65
5451	KED	1538	2.4	90	562	2	270		12	110			50		64	15	23	182	B 26D	B 26X	11-62
5452	KED	1334	2.2	36	564	3	369		13	135		444	291		113	12	13	107	B 4D	B 4S	7-63
5453	KED	1547	2.1	44	582	3	7			7			252		264	16	2	93	B 5D	B 5S	7-65
5454	KED	1441	1.9	45	570	4	74		15	58			70		85	17	9	158	B 9X	B 9S	9-65
5455	KED	1738	1.8	158	558	2	157		9	90		158	109		101	15	1	20	B 41D	B 41X	9-64
5457	KED	2405	2.2	80	562	3	51		11	51		74	245		203	13	38	43	87D	65D	3-65
5458	KED	1843	1.8	59	585	2	212		10	182		101	26		310	11	6	83	B 94D	B 94X	4-63
5459	KED	1643	1.7	68	570	2	148		11	148		475	365		211	15	24	210	B 17S	B 17S	11-62
5460	KED	1619	2.1	107	565			22	14	22			74		132	17	12	55	B 50X	B 50D	2-63
5461	KED	1869	2.6	71	547	6	219		15	85			166		387	21	12	178	B 22X	B 22D	11-64
5462	KED	1374	1.9	59	562	4	330		11	190			223		137	15	45	49	B 66X	B 66D	8-62
5464	NPK	2138	1.5	57	549	2	332		12	172			11		118	14	1	85	B 8X	B 8D	10-63
5465	NPK	2126	1.8	118	559	2	180		9	151			53		309	11	136	58	B 18D	B 18S	9-65
5467	KED	1882	3.4	144	557	3	115	93	10	115		348	36		130	13	21	51	B 15X	B 15D	1-64
5468	KED	101	4.8		545	2	158	21	14	21			35		143	16	19	289	47D	9D	3-64
5469	KED	1707	2.3	77	571	3	34		14	34			42		418	14	34	174	B 34D	B 34X	2-64
5470	KED	1328	3.0	102	550	3	99		11	99			39		97	13	21	103	B 13X	B 13S	1-63
5471	NPK	1467	2.0	52	549	3	155		11	24			172		107	14	13	102	B 5X	B 5S	11-67
5472	KED	1771	2.2	41	581	2	153		11	153			38		304	16	5	315	B 29X	B 29S	12-63
5474	KED	1661	2.5	87	583	2	82		12	82			129		218	17	8	148	B 5S	B 5S	1-66
5475	KED	1645	2.4	68	537	3	60		19	60			73		130	10	60	85	B 67D	B 67X	8-64
5476	KED	1609	2.0	160	554	3	88		11	88		88	61		95	12	30	105	B 14D	B 14S	11-65
5477	NPK	1676	1.9	98	531	3	101		10	101			102		148	13	18	297	B 12D	B 12S	11-67
5478	KED	1393	1.4	53	552	3	134		15	46		54	24		203	13	18	63	B 21X	B 21S	9-63

BUS MILEAGE DATA

PERIOD 13 ENDING DECEMBER 30 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE														PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor		DIFF.	BRAKE RELINE				
								LEFT OR SINGLE	RIGHT		Box	Column		FRONT	REAR						
5479	KED	1924	2.3	42	562	3	115		15	9		21	170		140	11	46	233	B 51X	B 51S	6-59
5480	KED	1509	2.1	53	546	2	201		12	41			68		200	12	35	234	B 45S	B 45S	3-65
5481	KED	1610	3.2	161	541	4	131		11	3		18	51		110	10	24	266	48D	12D	1-65
5482	KED	1315	1.9	38	560	2	186		11	1			66		78	10	39	176	B 20X	B 20S	12-64
5483	KED	1496	2.9	124	560	2	145	70	11	103			286		14	18	3	85	B 14D	B 14S	10-62
5485	KED	1414	1.9	70	538	3	165	55	7	55			219		273	10	72	296	B 28X	B 28D	3-60
5487	KED	1466	2.3	91	540	5	85		15	9		85	183		338	9	85	274	B 23D	B 23S	2-66
5489	NPK	1382	2.0	49	550	3	93		7	93		25	70		313	13	33	188	B 24S	B 24S	10-67
5490	KED	1809	2.5	32	553	2	352		6	19			271		287	14	6	61	B 21S	B 21D	6-59
5492	KED	1651	2.4	66	550	4	203		11	150			80			16	49	11	B 31D	B 31X	8-59
5493	NAV	1526	1.3	76	527	2	105		10	105			57		229	14	19	88	B 5S	B 5S	6-59
5494	KED	1494	2.6	373	527	2	161		15	42		386	144		251	13	186	50	B 15D	B 15S	3-65
5495	77	1718	2.7	286	510	3	97		11	70		304	167			12	55	311	B 23D	B 23X	11-65
5496	KED	857	2.7	142	532	2	332		11	22			41		215	11		258	B 55S	B 55D	6-67
5497	KED	1471	2.6	133	518	2	131		15	46			44		95	14	17	238	B 17S	B 17S	12-64
5498	KED	111	.5	8	549	3	138		9	138		306	91		194	10	138	208	B 10D	B 10S	5-63
5499	77	1366	1.9	40	498	3	2		10	2		10	45		317	16	2	113	B 20S	B 20X	6-59
5500	ARH	1654	1.9	66	465	2	174		6	142			60			7	18		B 20X	B 20D	11-67
5501	ARH	2135	2.1	76	462	4	38		5	38			155		145	9	38		B 7S	B 7S	12-65
5502	ARH	1816	2.0	47	449	3	31		13	1		146	115		140	11	23	294	B 25X	B 25D	3-64
5503	ARH	1755	2.2	83	493	2	21		10	15		169	145		92	10	21	87	B 21S	B 21D	3-67
5504	ARH	1859	2.0	59	452	2	98		6	98		201	88		134	10	47	59	B 6D	B 6D	3-64
5505	ARH	2048	2.8	58	466	2	19	185	7	19		5	157		255	9	13	86	B 25S	B 25D	6-63
5506	ARH	1810	1.9	82	476	2	297	163	8	8		144	81			8	25	8	B 18S	B 18X	8-63
5507	ARH	1918	2.0	79	462			167	8	63		23	15			10	31	257	B 15X	B 15X	7-65
5508	ARH	1990	2.1	71	437	3	23		10	7		46	12		66	6	24	397	B 17X	B 17D	6-67
5509	ARH	1780	2.0	71	469	2	21	22	7	22			40			9	21	17	B 36X	B 36S	10-63
5510	ARH	1980	1.8	79	449	2	59		9	24		208	192		101	11	59	312	B 51X	B 51S	5-63
5511	ARH	1933	2.2	107	477			173	4	173			61		73	9	45	58	B 39X	B 39D	12-65
5512	ARH	1911	2.0	50	470	2	96		8	24		121	81		55	6	96	209	B 24D	B 24X	7-65
5513	ARH	1830	2.1	38	498	2	213		8	148		310	247			8	30		B 24D	B 24X	10-64
5514	ARH	1702	2.1	106	466	2	327	161	6	101		172	210			11	23	127	B 7X	B 7S	7-60
5515	ARH	1588	2.2	75	470				4	101		13	151		222	6	9	194	B 16X	B 16S	9-64
5516	ARH	1850	2.4	77	480	2	203		7	24		201	69			7	18	62	B 30D	B 30X	8-67
5517	ARH	1836	2.0	59	471	2	58	43	7	43			117		96	8	16	54	B 20D	B 20S	12-65
5518	ARH	1937	1.8	66	465	2	216		7	20			109		7	5	105	292	B 7S	B 7X	6-60
5519	ARH	2132	2.3	57	471	2	52		6	52			430			10	52	60	B 33X	B 33S	12-65
5520	ARH	1459	2.0	69	459			19	7	19		194	57		1	9	19	51	B 1S	B 1S	4-67
5521	ARH	2232	2.0	111	517			246	8	246		183	424			13	4	86	B 11X	B 11S	5-67
5522	ARH	2140	2.6	112	465	2	99		7	68			122			7	99	79	B 32X	B 32S	9-67
5523	ARH	2106	2.5	72	487	2	139		10	10		228	144			8	11		B 25D	B 25S	4-60
5524	ARH	1974	2.4	51	449	3	23		6	23			94			7	23		B 5D	B 5D	2-64

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE										PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.		BRAKE RELINE	
								LEFT OR SINGLE	RIGHT		Box	Column					FRONT	REAR
5525	ARH	1666	1.7	55	491	2 17		5 17			149		133	6 17	49	B 22X	B 22X	5-60
5526	ARH	2148	2.1	65	469	2 111		8 111		224	62			12 16	46	B 23D	B 23D	10-66
5527	ARH	2142	2.1	66	526		310	5 172			22			6 187	32	B 17S	B 17D	4-65
5528	ARH	1656	2.4	59	474	2 65		9 1		175	3			11 32	208	B 34S	B 34S	10-65
5529	ARH	2154	2.4	65	469		230	7 111			152			6 7		B 3D	B 3S	11-65
5530	ARH	1883	2.3	85	475	2 63	52	9 19		136	126		120	9 17	34	B 7S	B 7X	8-65
5531	ARH	2067	2.4	86	508	2 124		7 124			188			8 23	232	B 14X	B 14S	11-65
5532	ARH	1869	2.7	44	460		298	8 29	9 29	59			59	7 29	19	B 13X	B 13D	6-63
5533	ARH	1990	1.9	58	483		387	8 41			8			8 20	44	B 17X	B 17D	5-60
5534	ARH	1573	1.7	43	459	2 159		8 69		168	5			8 4	90	B 1S	B 1X	6-64
5535	ARH	1644	2.3	38	459		169	7 7		37	18		13	8 27	77	B 13S	B 13D	6-64
5536	ARH	1996	1.9	40	463		203	9 54			50			5 17	61	B 6D	B 6S	7-66
5537	ARH	1884	2.4	47	469			9 96		231	89			7 17		B 20X	B 20X	9-64
5538	ARH	2441	2.3	62	472	2 48		6 48			43		87	9 15	99	B 34D	B 34D	2-67
5539	ARH	1837	2.2	73	504	2 99		7 99		56	426		265	7 99	33	B 12D	B 12S	6-67
5540	ARH	2077	2.0	83	463	2 96		6 96	7 29		365			10 32	32	B 15D	B 34S	6-67
5541	ARH	1938	2.3	45	464	2 34		6 34		29	135			8 16		B 29S	B 29S	11-62
5542	ARH	2036	2.5	96	471	2 142		8 39			96			12 36	211	B 32D	B 32X	6-66
5544	ARH	1882	2.1	40	453	2 379		8 107		60	420			9 23	68	B 14S	B 14S	6-66
5545	69	2197	1.7	59	500	2 30		9 30			15			4 163	23	10S	10X	11-60
5546	69	2550	1.7	115	481	3 65		8 65			135			9 65	121	B 22S	B 22S	3-65
5547	69	2347	1.8	97	508		222	6 163		278	42			5 24	24	29D	10X	6-61
5548	69	2243	1.7	80	474	3 27		9 27		239	156		241	8 27	161	B 10S	B 10S	10-62
5549	69	2745	1.5	130	473	2 447		6 59			152		79	10 77	125	32S	4S	10-62
5550	69	2874	1.7	124	497	2 52		8 52		12	88		13	8 18	150	B 13S	B 13D	4-60
5551	69	2487	1.9	621	505	2 364	118	6 118		26	66			6 118	19	B 12S	B 12X	3-67
5552	69	2862	1.7	136	480	2 86		5 86		41	16			6 9	23	B 5S	B 5D	8-63
5553	69	2243	1.4	70	495	3 2		8 2		28	246		191	7 2	18	B 11X	B 11S	10-64
5554	69	2864	1.7	124	494	2 267		8 12		27	12		104	8 25	209	5S	5D	3-64
5555	69	2029	1.2	75	481		238	9 97			35		261	5 130	141	B 14S	B 14S	11-64
5556	69	2130	1.5	106	498	2 105		7 105		193	371			9 105	268	B 17X	B 17S	8-61
5557	69	2168	1.4	114	495	2 85		8 52		9	82			10 56	186	13X	13X	N10-53
5558	69	1848	1.5	46	483	2 11		7 11		21	301			7 11	199	B 19S	B 19D	9-64
5559	69	2113	1.5	211	487	3 24		9 24		24	112			7 24	18	B 16S	B 16D	3-67
5560	69	2229	2.0	445	495	2 96		7 10		226	96		142	8 96	21	B 7S	B 7D	2-67
5561	69	3126	1.8	89	492	2 132		9 43		17	124			10 32	22	11X	11X	3-67
5562	69	2024	2.1	168	490	2 7		6 7		69	229		168	6 7	52	B 25X	B 25S	7-65
5563	69	2416	2.0	57	504	2 151		10 71			52		256	6 95	154	B 7D	B 7D	3-67
5564	69				487	2 130		6 55		18	86		158	6 4	12	B 5D	B 5S	2-65
5565	69	790	2.3	79	486	2 83		7 83		10	117		116	9 83	116	26X	12X	7-67
5566	69	2326	1.5	33	494		275	9 123		162	35		274	4 90	166	B 13S	B 13D	N10-53
5567	69	2988	2.1	135	503		275	6 180		250	55			10 119	21	B 12S	B 12S	5-60

BUS MILEAGE DATA

PERIOD 13 ENDING DECEMBER 30 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE			
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR		
5568	69	2131	1.7	57	488			10	165	217	243			8	23	409	13S	54D	7-66
5569	69	3910	2.4	134	498	2	25	6	25	57	354		81	10	25	19	26D	4X	3-66
5570	69	2834	2.2	202	492	2	158	7	6	229	121		164	8	102	18	B 34D	B 34S	9-67
5571	69	2655	1.5	156	509			6	53	98	74			6	129	125	B 29S	B 29D	4-67
5572	69	2610	1.7	108	499			5	129	199	76			7	16	19	27D	3X	8-66
5573	69	2451	1.5	106	494	2	86	7	86	65	80			14	19	18	B 18X	B 18S	5-63
5574	69	1654	1.5	63	486			9	54	46	126		118	11		19	B 18S	B 18X	8-64
5575	69	2754	1.7	51	504			5	110	94	67			8	90	118	B 5D	B 5S	10-67
5576	69	2552	1.4	85	491	2	137	5	137	260	185			10	49	53	24X	5X	12-66
5577	69	2291	1.5	176	502			5	107	3	283			7	125	19	B 5S	B 5S	N11-53
5578	69	2515	1.5	86	506	3	127	6	127	31	32			8		306	B 31D	B 31D	4-65
5579	69	2742	1.8	85	489			6	60	213	116		82	7	180	16	B 8S	B 8X	9-59
5580	69	2464	1.4	53	490	2	125	9	66	266	110			9	125	169	B 3X	B 3D	11-64
5581	69	2719	1.4	77	495	2	156	4	156	202	10			8	76	461	B 29X	B 29D	N11-53
5582	69	2667	1.6	59	510			4	207	202	433			8	26	35	35D	14X	2-61
5583	69	2819	1.6	128	507	3	102	8	102		45		14	8	102	350	B 14S	B 14X	5-66
5584	69	2795	1.8	90	481	2	64	8	37	131	119			9	31	16	B 10X	B 10D	11-66
5585	69	2325	1.5	122	497	3	37	8	37	201	66			9	26	147	B 18S	B 18S	6-60
5586	69	2929	1.8	101	503	3	120	8	120		55			12	5	375	12D	12D	8-61
5587	69	659	1.2	47	505			6	153		459			7	131	63	B 4S	B 4S	1-61
5588	69	2291	1.6	95	495			6	70	70	92			6	53	147	B 13S	B 13X	1-66
5589	69	2907	1.6	48	518	2	31	5	31	187	471		188	9	12	17	7D	7S	2-67
5590	69	2928	1.7	75	503	2	117	3	117	183	211			9	40	14	B 10X	B 10D	2-64
5591	69	2503	1.6	75	497	2	113	7	113		67			5	48	11	B 36S	B 36S	2-64
5592	69	3211	1.5	65	486	2	133	7	80	155	13		124	6	44	10	5X	5D	5-61
5593	69	2461	1.5	273	500	2	131	8	66	224	136			9	1	14	45S	16S	11-64
5594	69	358	3.5		491	2	3	9	3	30	86		253	7	3	165	B 5D	B 5S	7-60
5595	69	2557	1.7	170	487	2	135	10	76		122		131	9	72	149	B 19S	B 19X	N11-53
5596	69	2509	1.9	109	511	2	214	5	148		126		231	10	28	26	B 78D	B 78D	10-66
5597	69	2569	1.5	214	511	2	158	5	158	276	231		278	6	36	263	B 76D	B 76S	6-60
5598	69	2365	1.6	63	497			8	144	189	143			9	33	16	B 10X	B 10S	3-60
5599	69	2170	1.6	155	483	2	67	9	67	221	169			10	27	5	B 21X	B 21D	8-60
5600	69	2316	1.5	72	510			4	160	58	115		201	7	126	183	4S	14S	11-64
5601	69	1510	1.4	36	495			8	132		109			7	110	5	9S	9X	6-61
5602	69	2910	1.7	132	496	2	58	7	58		12			8	58	150	B 12X	B 12X	8-64
5603	69	2558	2.1	182	486	4	32	7	32		185		109	13	32	244	B 45D	B 45D	7-66
5604	69	1665	1.3	48	475	2	29	8	29	186	84				1	265	B 16X	B 16S	8-61
5605	69	2043	1.7	40	487	3	222	9	66	158	73		83	11	26	40	B 3D	B 3S	11-64
5606	69	2365	1.5	139	493	2	102	8	102	208	10		186	11		2	B 10D	B 10X	5-64
5607	69	2404	1.5	82	490	2	68	6	68		109			8	68	147	25D	6X	2-67
5608	69	1373	1.7	52	499	2		11		13	85		114	9		213	50D	11X	6-66
5609	69	10			478	2	63	7	63		125		209	8	63		B 25D	B 25S	11-67

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE										PAINTED				
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.		BRAKE RELINE			
								LEFT OR SINGLE	RIGHT		Box	Column					FRONT	REAR		
5610	69	3065	1.6	102	497		337	7	103		33	194		83	12	4	313	B 36X	B 36S	6-63
5611	69	2424	1.2	134	489	2 139	92	8	54		167	133		1	9	115	6	B 1X	B 1X	11-58
5612	69	2723	1.3	55	491	2 73		9	73		42	63			12	73	6	B 19S	B 19S	2-67
5613	69	2489	1.7	62	500		204	10	73		40	131			7	17	6	B 46S	B 46D	8-61
5614	69	2139	1.5	52	505	2 172		8	77		196	137		20	7	12	80	B 20S	B 20D	N12-53
5615	69	2184	1.7	91	502	2 13		8	13			136		220	8	13	5	B 33S	B 33S	9-65
5616	69	2453	1.6	39	506		234	6	40		190	202			7	97	5	B S	B S	N12-53
5617	69	2917	1.8	126	503	2 13		7	13		227	121		164	10	13	257	B 72X	B 72D	1-64
5618	69	2090	1.2	190	509	2 78		7	78		274	167		259	6	78	231	28D	12X	10-64
5619	69	2256	1.7	86	497	3 31		8	31			134			7	31	148	B 25D	B 25S	N12-53
5620	69	3396	1.6	121	502	2 54		8	54			101			9	54	6	B 11X	B 11S	11-64
5621	69	2563	1.6	106	498	2 127		7	88		204	61		112	9	127	232	B 9X	B 9S	10-65
5622	69	2236	1.6	82	467		218	11	6		40	88			9	10	44	B 22D	B 22S	6-65
5623	69	2377	1.4	182	501		207	7	207		196	106		150	5	66	5	B 28S	B 28D	9-64
5624	69	1783	1.2	84	493	2 105		5	105		213	147		268	9	27	22	29S	4X	12-63
5625	69	2746	2.1	144	498		29	8	29		155	324			7	29	9	7S	7D	11-60
5626	69	2479	1.4	137	506	3 99		8	73		155	1			7	25	5	32D	6S	1-65
5627	69	2879	1.8	75	508	2 141		5	141		95	182		275	7	2	135	5X	5X	11-64
5628	69	3180	2.0	151	486	2 162	52	6	52		63	85		112	6	96	23	28D	2D	5-66
5629	69	2856	1.8	109	488	3 70		9	17		261	332			6	70	224	B 5X	B 5D	10-65
5630	69	1987	1.8	50	499		231	7	27		231	203			6	53	4	B 28D	B 28S	N 1-54
5631	69	3261	2.1	120	489	2 262		7	87		73	9		6	7	31	4	B 6X	B 6X	4-61
5632	69	2039	1.8	509	522	2 144		3	144		209	25		192	7	144	129	B 24D	B 24S	2-64
5633	69	3027	1.9	77	490	2 98		6	98			129			6	98	17	33D	6D	10-64
5634	69	2313	1.8	70	488		201	7	143		21	99			5	118	290	B 12D	B 12S	3-65
5635	69	2279	1.6	175	502	2 83		6	1		26	461		257	6	82	4	B 15S	B 15D	6-66
5636	69	2586	1.6	99	499	2 84		5	84		164	288			7	84	294	B 2X	B 2D	9-60
5637	69	2672	1.5	222	497	4 24		6	24			378		195	14	24	308	10S	10X	3-64
5638	69	2606	2.1	93	491		273	6	181			81		285	6	101	65	B 25X	B 25S	N 1-54
5639	69	2563	1.5	102	504	2 60		6	60		30	422			7	60	16	B 23S	B 23D	1-64
5640	69	3015	1.3	188	482	3 30		9	30		251	151		3	6	30	109	3S	3S	2-67
5641	69	2651	2.2	203	481		188	7	129			12		175	9	62	23	B 18X	B 18S	3-65
5642	69	2720	1.7	49	503	2 149		6	81			343		231	7	149	143	B 28D	B 28X	7-65
5643	69	2301	1.6	79	472	2 89		6	89		55	54		9	11	5	2	28X	9X	2-61
5644	69	2251	1.5	56	496	2 255	130	8	53		230	154			8	185	16	5D	5X	9-65
5645	69	2572	1.7	26	486		259	7	61		234	58		169	10	47	2	B 8X	B 8S	9-63
5646	69	2320	1.6	50	479	2 148		7	55		24	415		271	5	31	26	B 7X	B 7S	5-66
5647	69	2367	2.0	73	495	3 92		6	92		260	75		282	8	92		B 19D	B 19S	6-65
5648	69	2496	1.5	83	491	2 143		6	93		166	131			10	96	2	B 9S	B 9S	3-65
5649	69	2836	1.7	128	511	2 149	116	5	116		220	135		137	8	149	25	B 11X	B 11X	4-64
5650	69	2506	1.5	192	502		247	5	99		222	91		93	5	3	8	B 8D	B 8S	11-60
5651	69	2676	1.8	70	509	2 239		5	92		215	83		85	5	104	12	B 34D	B 34S	8-67

BUS MILEAGE DATA

PERIOD 13 ENDING DECEMBER 30 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR	
5652	69	2190	1.9	128	503	2 170		6 170		220	55			5 51		B 17X	B 17D	11-65
5653	69	2026	1.5	92	499	2 101		5 101			267		258	6 16		B D	B S	8-61
5654	69	7			452	2 75		6 75	7 44		257	146	147	8 75		B 23X	B 23S	8-65
5655	69	2319	1.7	110	488	2 155		8 80		27	138			12 155	23	B 2D	B 2S	2-64
5656	69	2074	1.7	172	479	2 61		6 61			14			5 61	149	B 17S	B 17X	2-61
5657	69	2307	1.4	209	494		211	5 136		211	135		79	9 89		B 36D	B 36X	3-59
5658	69	2255	1.7	86	503	3 29		7 29		29	145			7 29		27D	4S	4-64
5659	69	2015	1.9	223	487	2 149		4 149		27	312			7 36	21	B 1X	B 1S	7-63
5660	69	2752	1.6	275	521	3 130		5 130		26	30		304	5 86	24	B 8S	B 8D	12-64
5661	69	3547	1.7	107	500	3 90		4 90			160			6 90	162	B 26D	B 26S	9-59
5662	69	2254	1.5	112	514	3 34		6 34		16	410		242	8 34	302	3X	3S	11-66
5663	69	2262	1.8	150	497		226	6 73			102		220	7 45		B 11S	B 11S	11-67
5664	69	2473	1.7	98	497	2 4		10 4		156	39		171	7 4		B S	B X	11-61
5665	69	3142	1.6	101	502	2 154		9 109		76	85		154	12 22		B 21X	B 21S	8-61
5666	69	2055	1.4	128	496	3 16		8 16		156	128			8 16	19	B 19D	B 19S	5-61
5667	69	2380	1.8	113	508	2 5		6 5		190	47		167	6 5		B 25D	B 25D	7-64
5669	69	3016	2.1	91	490	3 7		9 7		218	160		247	6 7	47	B 17S	B 17X	N 2-54
5670	69	3450	2.2	575	488	2 70		5 70		252	154		252	7 70	450	B 30X	B 30X	11-65
5671	69	1798	1.6	112	482	3 278		6 58		245	69			8		B X	B S	1-66
5672	69	2846	1.6	158	501	2 156		7 67		64	38			8 156		29S	8X	N 2-54
5673	69	2555	1.3	283	477	2 5		9 5		176	138		259	8 5		B 5S	B 5X	10-64
5674	69	1795	1.6	78	496	2 154		7 100		163	93		123	8 123		28D	3X	2-66
5675	69	2153	1.3	97	495	2 147		6 147			140			5 1	64	33S	9X	3-64
5676	69	2040	1.5	113	493		143	3 161		74	181		161	6 22		B 17D	B 17S	8-60
5677	69	2339	1.7	212	491	3 11		6 11		59	365		260	11 2	12	B 21D	B 21S	11-60
5678	69	2747	1.6	67	511	2 147	67	6 67		27	138		100	6 147	407	33D	9X	11-67
5679	69	2231	1.4	117	502	3 26		5 26		23	139		234	10 20	308	1S	17S	2-67
5680	69	2882	1.9	169	493	2 140		6 81		179	406			4 140		B 47X	B 47S	1-63
5681	69	2223	1.7	92	490	2 83		5 20		245	115		151	11 38	12	3X	3X	3-67
5682	69	2837	1.8	101	498	2 128		6 96		168	125		215	8 9		24D	5X	3-61
5683	69	2341	1.6	137	507	2 23		6 23			119		131	8 23		28D	7X	N 2-54
5684	69	1848	1.3	231	495		136	6 136		258	116		272	5 52		B 5D	B 5S	1-63
5685	69	2481	1.5	155	504	3 31		7 31		239	58			7 31	304	18S	18X	N 2-54
5686	69	2354	1.6	25	502			5 171		245	58		285	9 90		B 23D	B 23S	9-59
5687	69	759	1.2	189	475	2 135		6			397			5 135	250	B 11D	B 11X	1-61
5688	69	2045	1.6	204	486	3 29		7 29		260	392		111	9 29		B 15D	B 15X	11-65
5689	69	3402	1.9	134	505	2 502	216	5 144		95	176		287	7 28		B 23S	B 23S	2-66
5690	69	2411	1.4	65	491	2 283		7 22		269	239		168	6 75	267	31D	4D	8-61
5691	69	3033	1.7	337	501		424	7 99		292	291		181	8 41	20	B 11S	B 11X	4-64
5692	69	2002	1.8	111	496	3 30		8 30		30	470			6 4		31S	15D	1-65
5693	69	1919	1.4	76	482		215	4 156		14	144			6 86		B 27D	B 27D	10-63
5694	69	2593	1.4	129	492	3 27		6 27		260	111			10 6	138	B 24X	B 24S	5-67

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR	
5696	69	2578	1.4	128	497		236	7 133		63	23			6 108		B 33X	B 33X	11-64
5697	69	1906	1.8	173	499	2 131		90		31	51			9 1		B 13X	B 13D	7-66
5698	69	2740	1.7	182	490	3 63		9 17		193	64			8 63		B 17S	B 17D	12-65
5699	69	1667	.8	87	576	2 122		7 78			34			8 122	32	B S	B X	3-67
5700	69	2788	1.9	154	496	2 42		7 42		142	11		249	5 42	122	34X	8X	10-66
5701	69	2548	1.5	91	491		183	4 135		205	126			8 33		B 13X	B 13X	8-67
5702	69	2601	1.8	108	501		244	6 98		221	27		101	6 22	15	B 8S	B 8X	12-62
5703	69	2917	2.0	81	498		289	5 139		13	174			10 40	15	B 39D	B 39S	4-60
5704	69	2780	1.8	231	497	2 146		7 24		181	219		82	8 68		B 18X	B 18X	4-66
5705	69	2654	1.5	176	490	3 37		7 37		261	217		188	11 37	95	B 18S	B 18S	2-67
5706	69	1911	1.5	61	498	2 132		7 20		52	109		165	9 11		B 13X	B 13X	12-64
5707	69	2572	1.8	116	500	3 54		7 29		81	96		96	8 54	22	B 14S	B 14S	4-65
5708	69	1900	1.0	70	505	2 30		7 30		30	173		284	8 30		B 7D	B 7X	6-66
5709	69	2469	1.7	88	481	2 71		5 71			90			8 71		B 33D	B 33X	12-66
5710	69	3379	2.0	88	494			6 13			101		257	6 150	288	B 7X	B 7X	3-66
5711	69	2312	1.7	82	492	2 71		7 31		253	147			6 71	85	B 4S	B 4S	7-60
5712	69	2594	1.5	112	500	3 38		10 38		176	186		178	12 36	119	B 40S	B 40D	N 2-54
5713	69	2000	1.3	62	509	2 40		5 40		30	241		198	9 40	263	B 18S	B 18X	7-65
5714	69	2698	1.6	96	479	2 112		5 112		48	136		135	7 63	24	B S	B X	11-64
5715	69	2935	1.5	77	501	2 53		6 53		75	192		263	9 53		B 28D	B 28S	8-66
5716	69	2426	1.3	202	507	2 86		5 86		233	132		165	8 86	132	B 10S	B 10S	12-66
5717	69	2462	1.4	94	502	2 76		8 76		31	44		4	8 34	23	B 4S	B 4X	12-62
5718	69	2251	1.5	72	525	2 144		7 127			91		205	5 144		5S	5X	3-63
5719	69	4364	3.8	121	485	2 31		8 31		23	111			9 31	1	B 26X	B 26S	11-65
5720	69	3358	1.7	152	504	2 454	296	5 141		99	191		96	7 170		36D	17X	5-65
5721	69	2460	1.3	117	497			7 31		46	101		271	10 16	24	B 20S	B 20X	12-66
5722	69	2426	1.5	110	487	2 122		8 122		85	113		256	5 122	83	B 8X	B 8S	12-63
5723	69	2213	1.5	88	475	3 33		7 33		189	122			9 3		B 33D	B 33X	2-66
5724	69	2248	2.0	149	496	2 157		5 157		86				8 72	157	B 10X	B 10S	8-61
5725	69	2389	1.3	66	498	2 30		8 30						9 30	116	B 25X	B 25S	N 3-54
5726	69	3638	2.1	129	519		239	5 10		100	215			7 43	176	B 25X	B 25X	11-66
5727	69	226	1.3	56	505		236	10 10		276	214			8 80	131	B 21X	B 21S	N 3-54
5728	69	2190	1.4	199	495	2 160		7 74		134	94		249	6 36	1	B 3S	B 3X	2-64
5729	69	3118	1.7	194	478	2 136		8 25			171		8	10 27	287	B 8S	B 8X	3-64
5730	69	1794	1.3	99	505	3 96		7 96		185	138		197	6 96	13	21S	3X	4-64
5731	69	2796	1.9	116	500		245	6H 128			287		187	6 100	231	B 23D	B 23S	5-66
5732	69	2302	1.6	44	509	2 166		7H 111		253	125			8 78	20	B 25S	B 25S	8-60
5733	69	2927	1.5	154	491		224	8 105		180	19	109	146	7 34	17	B 43X	B 43D	11-61
5734	69	2214	1.6	73	481			4 113		27	113			10	25	B 10S	B 10S	4-65
5735	69	2637	1.9	52	473	2 129		5 11			37		207	9 122	149	B 24X	B 24S	12-65
5736	69	2683	2.0	67	485		146	7 73		86	56		147	7 112	24	B 50X	B 50D	10-63
5737	69	2223	1.3	47	494	3 37		5 37		192	257			7 138	9	13S	52D	9-66

BUS MILEAGE DATA

PERIOD 13 ENDING DECEMBER 30 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE													PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE			
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR		
5738	69	2913	2.0	112	489	3 72		9 5		57	2		201	8 72		B 1X	B 1D	N 4-54	
5739	69	2321	1.7	105	520	2 141		7 141		228	15			6 30		B 52S	B 52S	11-62	
5740	69	2179	1.8	167	617			10 3		95	73		126	8 106	38	B 5X	B 5D	10-62	
5741	77	2191	1.6	095	518			12 25		263	295		173	7 25	36	B 4D	B 4D	N 4-54	
5742	69	2269	1.9	206	519			29		29	158		174	6 29	36	B 49D	B 49D	2-67	
5743	77	5001	3.1	96	563		437	7 208		9	50		333	11 21	143	10S	10D	8-61	
5744	69	2700	2.0	60	536	2 197		9 46			510		195	7 83	32	B 3X	B 3X	8-67	
5745	77	2181	1.8	114	525	2 4		9 4	8 45		107		6 8	4 21		B 6X	B 6X	N 4-54	
5746	69	2369	1.8		539	2 118		6 109		33	11		109	6 21	70	B 5X	B 5S	1-65	
5747	77	3136	2.1	76	544		249	6 122		35	245			10 8	223	B 13S	B 13D	11-64	
5748	69	2231	1.9	318	557	2 131		11 19		25	298			13 12	43	B 40X	B 40D	6-67	
5749	77	2102	2.1	131	554	2 182		7 134		182	61		209	11 1	37	23S	1X	N 4-54	
5750	ARH	974	1.1	28	554		197	8 82		95	136		113	7 54	40	B 16X	B 16X	5-67	
5751	ARH	1144	1.9	81	554	3 105		9 105			262		178	7 64	224	B 5S	B 5S	2-61	
5752	ARH	1453	1.7	34	559	4 88		14 88		25	119		300	8 88	55	B 6X	B 6X	5-67	
5753	ARH	1063	1.9	62	543	3 49		11 49		110	11		203	7 70	40	16X	6X	6-66	
5754	ARH	1783	1.7	52	564		394	6 199		48	212			8 63	53	B 5S	B 5S	7-66	
5755	ARH	1668	1.8	46	549	2 158		14 15		69	303		198	9 18	19	B 8X	B 8S	1-64	
5756	ARH	767	2.4	127	570	2 23		5 23		88	290		154	11	13	B 7D	B 7S	3-63	
5757	ARH	1503	2.0	46	562	4 79		6 79			107		145	9 16	108	B 7D	B 7X	2-64	
5758	ARH	1413	2.2	41	544	2 15		9 15			164		203	8 15	76	B 5S	B 5D	12-65	
5759	ARH	1604	1.8	57	581	2 206		9 15			319		16	7 55	393	16D	5X	11-59	
5760	ARH	1662	1.9	32	590	2 280		7 215			265		9	7 35	230	B 9X	B 9S	N 4-54	
5761	ARH	1777	2.2	50	571		275	7 110			248			7 21	68	B 10D	B 10S	10-62	
5762	ARH	5			582	2 177		10 177			303			8 34	66	B D	B S	11-66	
5763	ARH	1911	2.3	45	546	2 115	80	44			86		274	10 16	85	16D	51D	10-62	
5764	ARH	1479	1.7	41	576	3 26		8 26		53	316		98	7 26	200	B 2S	B 2S	9-66	
5765	ARH	1544	2.2	59	575	3 17		13 17		96	147		119	8 17	24	B 2S	B 2D	1-64	
5766	ARH	1480	1.6	54	598	2 73		9 73			307		209	10 25	1	7X	7D	6-64	
5767	ARH	2172	1.7	31	571	2 406		6 186		2	214		124	8 37	15	18D	18S	2-66	
5768	ARH	1424	1.7	89	593		318	8 97			369			5 36	5	B 10S	B 10X	4-67	
5769	ARH	1317	2.0	77	597	3 38		10 38			341		193	11 38	32	B 22X	B X	8-61	
5770	ARH	1219	1.6	58	584		239	6 185		21	339		236	10 5	5	21D	1S	3-63	
5771	ARH	1570	1.8	41	583	2 192		9 52		73	293			8 25	67	B 39S	B 39D	6-67	
5772	ARH	1314	1.7	57	581	2 111		7 111		436	214		166	12 111	66	B 21X	B 21S	6-65	
5773	ARH	1401	1.6	36	581	2 172	38	10 38			197		258	8 29	471	B D	B D	7-66	
5774	ARH	1325	1.9	28	528		207	4 115		45	208			9 51	249	24S	8D	6-67	
5775	ARH	236	1.1	39	565	3		7		91	112			3	312	B 11X	B 11S	10-60	
5776	ARH	1201	1.6	37	573		235	6 153		63	310			8 22	33	B 18X	B 18X	8-64	
5777	ARH	1161	1.6	61	584	2 243		5 200		3	104		221	13 13	389	B 1S	B 1S	4-67	
5778	ARH	1421	2.0	88	582	2 190	22	12 22			27					27D	10X	2-66	
5779	ARH	1514	1.8	60	589	3 38		7 38		53	254				2	B 1D	B 1S	N 5-54	

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR	
5780	ARH	1360	1.9	61	588		265	6 32			26		191	8 37	114	27D	10D	3-64
5781	ARH	1317	1.2	33	573	3 131		3 131			34		170	8 131	19	B 27X	B 27D	N 5-54
5782	ARH	1207	1.3	35	582	2 211		9 193			166		300	7 36	40	17X	17X	N 5-54
5783	ARH	710	1.6	355	575	3 154		12 93	13 47		171		122	8 66	165	B 8S	B 8X	2-65
5784	ARH	1422	2.1	79	575	3 41		11 41			201		103	8 41	348	4S	4S	11-64
5785	ARH	338	5.1	84	576	3 135		8 135		24	50			8 135	83	B 6D	B 6X	12-63
5786	ARH	1744	2.2	41	584	3 118		9 74		29	291		187	7 54	68	B 18X	B 18S	5-60
5787	ARH	1648	1.9	51	582	2 128		9 128		88	258			9 69	72	13D	13D	12-62
5788	ARH	1627	1.9	52	583	2 186		5 51			245		186	12 4	81	B 10X	B 10D	7-65
5789	ARH	1510	2.0	39	595	2 149		8 149			28		111	9 29	73	4D	4S	11-66
5790	ARH	1676	1.8	38	583	2 217		8 110		52	152			9 17	72	24D	3X	5-66
5791	ARH	725	1.0	31	570	2 169		10 169		254	330			8 28	69	B 22X	B 22S	6-66
5792	ARH	1471	1.9	58	592		268	7 12			222		148	6 140	118	14X	14X	4-67
5793	ARH	1432	1.8	49	565			4 309		95	111			7 120	71	B 1D	B 1S	8-65
5794	ARH	1084	1.6	54	569		193	11 65			119		216	8 84	246	D	S	6-66
5795	ARH	1564	1.9	47	582	2 358		7 36		103	330		204	9 6	204	B 19D	B 19X	5-67
5796	ARH	1446	1.9	60	573		403	7 61		61	246		229	6 151	77	B 10D	B 10S	11-62
5797	ARH				605	2 127		10 127			333		166	7 6	157	B D	B S	11-60
5798	ARH	1092	1.7	30	578	2 72		3 72		27	53		138	9 72	529	S	X	N 5-54
5799	ARH	1140	2.0	45	554	2 71		8 21		41	137		137	10 33	11	B 16D	B 16S	4-64
5800	ARH	1604	2.2	32	588	2 176		10 43			211			8 96	89	B 10X	B 10D	11-62
5801	77	1826	2.1	73	572	2 82		8 82		353	226		220	8 23	28	B 8X	B 8X	10-67
5802	ARH	1977	2.0	39	580	2 139		7 26			302		100	9 139	76	B 43X	B 43D	7-67
5803	ARH	1444	1.6	42	589	2 151		13 27			249		205	9 7	64	B 4X	B 4X	12-60
5804	ARH	1710	1.9	38	597	3 119		12 29			317		221	9 7	14	28X	10S	2-63
5805	ARH	1894	1.6	41	578	2 206		10 52		49	134		123	9 14	51	33D	17X	11-62
5806	ARH	1552	1.9	36	579		311	8 24			311		9	9 30	62	B 9D	B 9S	9-67
5807	ARH	1516	1.8	47	583	6 87		10 87			111		229	8 23	48	B 5X	B 5D	12-64
5808	ARH	1317	1.7	47	585	2 130		9 9			132		283	9 71	152	B 52X	B 52D	9-67
5809	ARH	1247	1.8	32	585	2 169		11 32		61	304		136	8 39	25	X	D	4-61
5810	ARH	1495	2.1	53	568		176	5 6			131			6 39	49	42X	13D	12-65
5811	ARH	1714	1.5	46	616	3 3		6 3	5 44	95	16		218	8 3	71	B 12X	B 12S	1-64
5812	ARH	1407	1.9	45	594	3 183		8 101			138		338	6 183	64	B 13D	B 13D	2-67
5813	ARH	1465	2.0	58	580	2 157		7 27		101	340		217	11 72	14	B 6D	B 6S	5-59
5814	ARH	1753	2.1	67	583	3 63		10 63			51		13	7 63	55	B 13S	B 13X	2-66
5815	ARH	2166	2.1	50	573	3 118		15 39			233		100	6 118	83	B 17D	B 17X	4-67
5816	ARH	913	1.1	18	582	2 31		7 31			319		259	7 31	27	B 8S	B 8S	5-63
5817	ARH	1804	1.8	37	593		398	6 31			191		131	9 19	581	B 10S	B 10S	4-65
5818	ARH	1446	2.1	65	608	3 25		7 25			240		215	7 25	374	18X	39D	7-60
5819	ARH	1704	2.5	63	579	2 81		10 81			211		116	7 81	9	B 43X	B 43D	3-61
5820	ARH	1924	2.3	24	573	2 359	184	11 54			261		213	10 16	17	B 8S	B 8S	2-61
5821	ARH	1698	2.1	54	554	2 53		9 53			317		8	6 53	250	B 8D	B 8D	2-67

BUS MILEAGE DATA

PERIOD 13 ENDING DECEMBER 30 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE													PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor		DIFF.	BRAKE RELINE				
								LEFT OR SINGLE	RIGHT		Box	Column		FRONT	REAR						
5822	ARH	1682	2.3	56	570	2	156		8	54			314			11	7	65	8S	8D	4-66
5823	ARH	1488	1.8	48	583	2	201		8	78			297		137	7	2	188	B 7D	B 7X	8-61
5824	ARH	1925	2.4	40	562	2	137		13	8	11	53		274	105	9	54	78	B 21X	B 21S	8-61
5825	ARH	1796	1.5	56	600			420	10	131			311		154	11			20X	20X	4-60
5826	ARH	1722	1.8	61	572	3	49		8	49			88		211	7	49	139	B 6S	B 6S	8-61
5827	ARH	1852	1.9	45	602			429	4	85			340			5	52	77	B 2D	B 2S	7-61
5828	ARH	823	2.1	91	570	3	139		14	47			325		253	18	3	67	B 2X	B 2S	1-63
5829	ARH	1571	1.9	41	590	2	341		5	269			113		318	9	73	11	47D	19S	5-67
5830	ARH	1413	1.9	52	598	2	201	42	10	42			134			7	5	65	19X	19D	N 6-54
5831	ARH	1686	2.4	88	590	2	79		7	79			257		171	8	34	202	B 14D	B 14X	8-60
5832	ARH	1562	1.7	71	583	2	116		4	116			165			5	116	148	B 8S	B 8D	4-61
5833	ARH	1721	2.1	31	603	3	70		10	28		4	325		90	9	47	570	B 10X	B 10D	3-66
5834	ARH	1555	2.4	42	561	2	147		7	147			104		181	6	35	73	B 8S	B 8S	7-65
5835	ARH	1161	2.7	50	594			284	10	25			3		170	6	18	127	B S	B D	N 6-54
5836	ARH	1361	1.9	43	589	2	227		9	151		13	173		213	6	54	203	26S	3X	N 6-54
5837	ARH	1842	2.0	68	573	2	82		7	82		38	318		211	10	30	115	B 30X	B 30D	12-65
5838	ARH	649	1.7	27	604	2	181		4	181			233		199	9	181	84	B 4S	B 4S	N 6-54
5839	ARH	1183	2.0	53	585	4	10		7	10			222		142	11	10	37	B 12X	B 12S	9-60
5840	ARH	1732	1.9	46	586	2	14		5	14			319		220	6	14	47	13S	X	11-61
5841	ARH	2117	2.2	48	576			288	10	125			216		290	7	51	49	B 15D	B 15D	6-61
5842	ARH	472	.9	16	597	3	128		13	50		30	151			10	24	67	B 7D	B 7S	8-61
5843	ARH	1790	1.8	40	586	2	208		13	200			378		215	7	48	49	B 7D	B 7D	10-66
5844	ARH	1489	2.0	41	569	2	30	438	7	30		438	154			7	30	80	B 11S	B 11X	3-67
5845	77	1728	2.0	66	592	2	298		10	37		67	325		158	7	63	299	B D	B D	11-67
5846	ARH	1132	1.6	56	587	2	185		7	83			52		162	6	185	132	B 10D	B 10X	3-63
5847	ARH	1389	1.7	39	588			245	10	29			217		217	5	65	29	B 16X	B 16S	6-61
5848	ARH	1611	2.4	55	579			256	7	214			318		313	8	110	397	B 9X	B 9D	N 7-54
5849	ARH	1931	2.8	71	584	3	10		8	10			317		174	7	10	174	47D	14S	N 7-54
5850	ARH	2478	3.2	103	591	3	42		8	42		42	313			4	98	20	B 54X	B 54S	9-64
5851	ARH	1582	2.2	68	582			35	11	35		34	266		127	10	6	47	B 2X	B 2S	7-61
5852	ARH	1163	2.0	72	555			257	11	56			261		203	14	13	75	B 8S	B 8D	3-66
5853	NPK	1193	.8	17	591			302	6	99			280		225	7	37	73	28X	7D	7-61
5854	NPK	767	1.2	31	561	2	167		8				290		181	5	81	51	B 16S	B 16S	6-61
5855	NPK	2191	1.5	45	577	3	72		12	72			337			12	29	27	B 9X	B 9S	4-62
5856	NPK	2043	1.3	32	581	2	136	67	6	67		67	312		62	8	82	218	27D	14D	12-65
5857	NPK	321	1.2		592	2	26		6	26		32	288		195	8	26	64	B 10D	B 10D	N 7-54
5858	NPK	2729	1.5	44	572			290	7	36			290			9	52	87	B 14X	B 14S	2-65
5859	NPK	2297	1.3	49	565	3	57		9	57			329		85	8	57	59	16D	16D	5-63
5860	NPK	1880	1.0	29	579	3	30		5	30			122		233	12	21	89	4S	4S	5-60
5861	NPK	2614	1.7	30	581	2	186		8	53			134		234	9	39	328	12D	12D	3-61
5862	NPK	2405	1.2	28	580			480	7	37		91	169		267	5	41	72	B 19S	B 19X	10-65
5863	NPK	2258	1.1	28	553	2	197		5	35		29	246		230	8	36	51	B 33S	B 33D	12-65

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR	
5864	NPK	2005	1.1	33	589	2 160	71	8 71		37	257		190	7 43	224	B 4S	B 4S	8-61
5865	NPK	2343	1.3	37	597	2 282	127	9 81			345		243	5 45	52	B 27D	B 27D	9-66
5866	NPK	2325	1.3	32	591	2 60		6 60			249		186	6 18	26	10X	10X	2-67
5867	NPK	2564	1.5	40	569		399	12 36		213	122			5 157	86	B 5D	B 5S	1-63
5868	NPK	1885	1.3	37	571	3 42		9 42		44	279			12 2	61	B 13X	B 13S	N 7-54
5869	NPK	843	.8	18	566	2 33		7 33			118		262		32	B 5D	B 5X	6-61
5870	NPK	1925	1.1	33	568	3 93		9 93		54	190		198	9 93	62	B 11X	B 11D	10-63
5871	NPK	1990	1.3	23	570		404	8 166			130		278	11 66	67	B 8X	B 8S	2-65
5872	NPK	1923	1.2	36	575	2 215		6 119			329		4 7		117	B 4X	B 4D	8-61
5873	NPK	2361	1.3	36	588	2 81		11 81		65	332		183	8 81	292	16D	16X	N 8-54
5874	NPK	2667	2.0	34	564	3 17	9	9 9		57	20		20	8 17	196	B 2X	B 2D	6-61
5875	NPK	1903	1.6	39	574	3 21		5 21			157		236	8 5	74	B 15S	B 15X	5-67
5876	NPK	2014	1.1	22	593	3 91		9 34	8 50		361		212	5 91	392	B 45S	B 45D	5-60
5877	NPK	2105	1.3	25	578		293	7 24			306		203	7 18	46	B 15X	B 15S	10-64
5878	NPK	2277	1.2	49	580	3 140		10 39			38		238	8 5	45	B 12X	B 12S	N 8-54
5879	NPK	1961	1.2	40	580	3 37		7 37			157		176	8 37	427	B 1S	B 1X	9-60
5880	NPK	2110	1.4	21	574		280	5 120			122		135	4 151	149	37X	15S	6-66
5881	NPK	1845	1.2	25	582	2 97		6 97			180		10	8 31	82	B 10S	B 10D	10-66
5882	NPK	2253	1.2	40	580	2 102		8 102			350		257	11 2	66	B 11D	B 11D	1-67
5883	NPK	2374	1.6	46	572	3 27		10 27		69	359		219	7 27	67	B 17X	B 17X	6-63
5884	NPK	2399	1.3	41	589	2 91		8 91			229		229	5 91	32	28D	10S	2-63
5885	NPK	2164	1.1	34	595	3 302		9 27			478		139	9 29	34	B 18X	B 18S	1-64
5886	NPK	1487	1.6	37	570		219	5 115			175		239	10 10	81	B 19X	B 19X	11-62
5887	NPK	966	1.0	30	587	2 198		13 11			349			5 13	306	B 3D	B 3S	11-62
5888	NPK	2424	1.2	35	567	2 169		6 169			124		200	7 58	82	B 15S	B 15D	8-61
5889	NPK	2244	1.4	44	553	4 61		8 61			356		20	9 61	45	B 20X	B 20S	10-67
5890	NPK	2211	1.3	36	573	3 56		10	9 56	62	321		191	5 56	85	B 10X	B 10S	9-64
5891	NPK	169	.8	21	574	2 74		6 74		92	250		290	6 10	84	41D	10S	5-65
5892	NPK	2277	1.3	23	581		277	10 27		50	168		197	8 3	40	B 11S	B 11S	3-66
5893	NPK	2134	1.3	42	570	3 56		9 223			285		166	9 56	45	19D	51D	7-66
5894	NPK	2246	1.1	29	562	2 81		5 81			123		218	7 81	265	B 9X	B 9D	N 9-54
5895	NPK	1978	.9	43	572		213	5 135			211		128	6 8	85	B 20X	B 20S	5-60
5896	NPK	2214	1.5	48	571	3 144		9 81		83	119			8 80	86	34X	19X	N 9-54
5897	NPK	1503	1.0	27	581	3 30		9 30			12		187	8 30	41	26D	13S	6-60
5898	NPK	2215	1.5	73	575	2 31		7 31	6 55		66		240	6 31	69	B 8X	B 8S	4-62
5899	NPK	2310	1.3	52	574	2 35		8 35			185		263	6 35	131	B 6D	B 6D	2-61
5900	NPK	2157	1.5	44	552	2 175		5 175			166		169	9 8	35	21X	50X	1-65
5901	NPK	2018	1.4	38	556	2 40		11 40			265			8 39	40	B 13X	B 13D	3-67
5902	NPK	2463	1.1	29	558	2 132		6 33		8	265		105	7 72	40	B 19S	B 19S	5-59
5903	NPK	1583	1.3	49	545	2 196		4 48			101		266	7 196	318	B 16X	B 16X	11-62
5904	NPK	2251	1.6	450	559	2 203		12 203			188		202	6 66	70	B 17D	B 17X	3-65
5905	NPK	2198	1.4	29	544	2 10		14 10			249		251	9 10	218	B 18S	B 18D	10-66

BUS MILEAGE DATA

PERIOD 13 ENDING DECEMBER 30 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED			
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE					
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR				
5906	NPK	2369	1.4	27	533	2	113	54	7	54			278		147	11	2	B 6D	B 6S	5-59	
5907	77	1976	1.0	14	538			189	11	76			172			6	110	B 32S	B 32X	11-67	
5908	NPK	1967	1.4	72	565	2	27		5	27			171		96	9	3	43X	18D	5-65	
5909	NPK	2165	1.4	46	539	2	102	62	11	62			259		286	8	9	B 22S	B 22D	4-65	
5910	NPK	1922	1.3	30	563	2	157		8	157				150	263	7	4	B 4X	B 4S	10-66	
5911	NPK	739	1.7	123	561	2	43		10	43		27	59		209	9	43	B 5D	B 5S	5-59	
5912	NPK	2191	1.2	62	552	2	63	192	19	11		34	117			6	63	46X	14S	5-59	
5913	NPK	1939	1.2	60	552				10	16	9	50	175		11	6	47	11X	44D	1-65	
5914	NPK	1966	1.3	40	582				5	213			178			8	25	23X	56D	4-66	
5915	NPK	1746	1.3	37	570	2	149		8	16		112	152		269	7	27	B 18X	B 18S	9-66	
5916	NPK	1800	1.7	100	579	2	66		13	66			230		192	7	21	B 5D	B 5S	4-59	
5917	NPK	1840	1.0	51	586	2	34		7	34		91	159			7	12	B 46X	B 46X	4-63	
5918	NPK	1916	1.4	43	554	4	24		11	24			266		261	10	24	B 48D	B 48D	7-67	
5919	NPK	1904	1.2	50	551	2	123	102	10	102			211		228	9	123	B 10X	B 10S	3-66	
5920	NPK	2076	1.4	115	586	2	88		8	25			234			11	37	3S	3S	5-64	
5921	NPK	1859	1.3	71	580	30	10		6	10		21	201		259	9	10	B 10X	B 10D	4-65	
5922	77	2846	2.0	76	547	3	103		10	74		4	166		239	10	6	B 8S	B 8X	9-65	
5923	77	2603	2.1	74	554	3	30		14	6		28	198		252	10	30	41D	17S	N12-54	
5924	77	362	.2	6	545	3	79	38	14	38			171		238	6	56	B 1S	B 1S	11-67	
5925	77	2610	2.1	44	563	2	199		4	73			304		130	8	7	B 19S	B 19D	4-67	
5926	77	2734	1.8	30	570				8	70		40	301		262	9	57	B 37X	B 37D	N 1-55	
5927	77	3367	2.0	51	563	2	35		9	35		35	194		229	8	3	B 23X	B 23D	6-67	
5928	77	125	.6	31	560	2	53		7	236	8	53	106		143	8	29	B 18D	B 18D	8-65	
5929	77	2423	1.8	403	557	2	34		7	34			169		157	11	34	B 37S	B 37D	12-65	
5930	77	2743	2.3	31	566				7	40			227		177	10	5	B 20S	B 20S	5-67	
5931	77	3204	2.5	320	550	3	29		11	29			79		300	9	29	B 13S	B 13D	N 1-55	
5932	77	2586	4.4		543	4			14				259		268	20		B 5X	B 5D	5-59	
5933	77	2341	2.1	39	567	3	15		13	15	11	51	4		243	173	7	15	B 6X	B 6S	6-65
5934	77	3356	2.5	50	553	3	36		12	36			227		23	6	36	B 23D	B 23S	3-65	
5935	77	4206	2.6	72	572	3	28		16	28			206		157	9	28	B 31S	B 31D	7-63	
5936	77	2640	1.8	66	553	3	16		12	16			275		254	8	16	B 10X	B 10X	9-62	
5937	77	2522	1.7	66	568	2	73		8	73		300	166			10	15	B 15S	B 15X	9-66	
5938	77	4145	3.1	61	565		44		10	28			161		234	6	44	B 8S	B 8S	N 1-55	
5939	77	2350	1.5	38	550	3	162		8	162		98	222		9	7	102	B 9D	B 9S	1-65	
5940	77	3056	1.8	69	553	2	93		13	45		25	253		296	7	45	B 15D	B 15D	N 1-55	
5941	77	2453	2.0	64	559	3	171		12	171		41	53		135	10	41	B 10X	B 10D	7-63	
5942	77	2014	1.4	118	556	4	41		10	41			192		188	13	41	B 37S	B 37D	4-59	
5943	77	2335	1.6	21	568			455	7	161			242		168	8	55	B 19X	B 19X	3-66	
5944	77	2512	1.3	58	564	5	27		11	27			142		112	10	8	41D	18S	10-66	
5945	77	4020	2.8	95	548	3	158	109	7	67		109	144			12	1	B 6S	B 6D	12-62	
5946	77	2492	1.8	69	560	3	166		8	166		68	136		140	9	10	B 14S	B 14S	5-59	
5947	77	2109	1.7	111	543	3	47		5	70	6	47	109			8	47	B 21X	B 21X	8-67	

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR	
5948	77	3928	3.1	80	624		210	8 39		24	267		174	7 46	37	B 23S	B 23S	3-61
5949	77	1861	1.7	116	547	2 126		7 126		230	263			5 126	33	B 20X	B 20X	10-64
5950	77	2726	2.0	302	545	3 135		9 43			93		218	9 135	32	B 6S	B 6D	3-63
5951	77	3438	1.8	66	537	2 46		9 32			225		154	9 46	119	B 18S	B 18D	12-63
5952	77	2363	1.5	39	561	3 23		7 23					206	6 59	116	B 2S	B 2D	8-61
5953	77	2341	1.6	63	564	3 67		4 67			214		138	13 67	44	B 5S	B 5S	N 2-55
5954	77	2368	1.8	22	558	2 182		5 3		14	5		151	7 11	27	B 2S	B 2S	9-62
5955	77	2450	1.7	55	554		252	2 251			133		160	8 16	360	B 15D	B 15S	3-65
5956	77	2354	1.5	29	545	3 80		10 80			236			7 26	42	17X	17X	7-65
5957	77	4763	3.6	68	545		303	5 47		54	101		160	5 26	43	B 8S	B 8S	3-61
5958	77	2174	1.3	22	555			3 173		110	322		106	5 60	41	B 7X	B 7X	5-61
5959	77	2265	1.8	21	558	2 121		7 63			191		17	13 12	47	37D	5S	2-67
5960	77	2662	2.2	49	545	2 15		8 15			10		2	13 11	214	B 2S	B 2S	12-62
5961	77	4075	2.5	39	551			1 164			165		158	9 28	25	B 16D	B 16S	3-63
5962	77	2182	2.2	64	557	3 22		6 60			353		142	7 74	40	36S	57S	1-67
5963	77	2015	1.7	35	562		209	6 78			24		165	6 45	32	B X	B S	8-61
5964	77	2283	1.8	36	564	2 251		8 20			52		99	6 12	45	B 20D	B 20X	2-67
5965	77	2692	1.8	84	553	2 124		4 43		10	171		15	6 124	393	B 15S	B 15X	2-66
5966	77	698	1.5	21	558	2 27		9 27		302	99		115	6 27	387	B 44X	B 44S	N 2-55
5967	77	2586	1.7	36	554			4 393			337			6 99	36	B 15D	B 15S	2-66
5968	77	4238	3.0	141	558	2 170		2 170			262		281	5 170	473	B 22S	B 22S	3-61
5969	77	765	1.7	8	562	2 218		3 193			121		121	7 33	44	B 2S	B 2X	N 2-55
5970	77	2031	1.5	41	539	3 22		9 22			235		97	6 22	31	B 31X	B 31X	7-67
5971	77	2432	1.6	64	545	2 154		3 154			192		1	7 37	43	B 1D	B 1S	6-61
5972	77	3431	3.4	56	562	2 213		4 104			146		385	7 7	75	36X	10S	1-66
5973	77	3004	1.8	62	551	2 212		6 182			13		181	6 79	35	46D	19X	3-61
5974	77	2368	1.5	102	547	2 26		3 26	2 58		110		240	7 2	122	B 24X	B 24S	10-62
5975	77	2586	1.5	50	522	2 158	52	8 52		74	68		125	7 5	29	27X	4S	9-64
5976	77	2406	1.8	42	531			5 235		65	327			4 88	363	B 20D	B 20S	8-66
5977	77	2940	1.9	23	534	3 113	55	4 55		498	228		18	6 113	41	B 18S	B 18S	N 3-55
5978	77	2153	1.4	71	549	9 4		5 4			196		186	9 4	48	B 21S	B 21S	4-66
5979	77	2483	1.4	56	547	3 43		5 22		60	184		201	8 3	342	B 11D	B 11D	5-59
5980	77	2878	1.9	41	548	3 67		6 67			136		258	6 67	48	B 12X	B 12X	2-63
5981	77	5			560	2 193		3 1			288		214	7 28	305	B 5D	B 5D	9-62
5982	77	2463	1.8	223	532	3 88		7 88		90	253			7 29	46	9S	9S	10-65
5983	77	2692	1.6	70	540	2 98		4 50			182			10 30	58	B 21X	B 21X	11-65
5984	77	2068	1.5	33	555		238	5 118			222		177	5 1	40	B 10D	B 10X	11-65
5985	77	2348	1.5	37	537	8 39		10 39			287			8 39	33	34X	13X	12-64
5986	77	3782	2.6	57	538			31 6 31			329		119	11 31	31	33X	47D	3-67
5987	77	2681	2.0	62	554			39 5 39		47	138		260	9 39	80	10D	10D	4-67
5988	77	2691	1.9		536	2 90		4 90			291		90	9 10	309	B 9D	B 9X	4-63
5989	69	2764	1.6	76	550	3 34		4 34			249			6 34	156	B 6X	B 6S	2-67

BUS MILEAGE DATA

PERIOD 13 ENDING DECEMBER 30 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE				
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR			
5990	77	1607	1.5	30	557			5	43			14	185		205	6	34	21X	21X	2-67
5991	77	2894	1.4	56	544	2	168	305	8	6			307		300	9	30	B 20X	B 20X	11-61
5992	77	2524	1.7	63	550	8	3		8	3			189		106	9	3	B 3S	B 3X	4-59
5993	77	2701	1.8	42	532	2	74		3	74			101		212	11	17	9X	9S	7-63
5994	77	2900	2.2	72	546	2	123		4	32			140		10	6	7	B 10S	B 10S	N 3-55
5995	77	4211	3.4	47	517	3	144	72	8	10		10	184		99	8	19	B 7X	B 7S	9-67
5996	77	2282	1.5	26	532	2	248		7	28		34	145		236	5	76	45D	22D	N 3-55
5997	77	2019	2.0	201	527	3	28		3	28			168		24	10	28	1X	1S	5-66
5998	77	5237	3.1	119	543	3	28		8	28			268		198	6	28	B 25S	B 25D	4-66
5999	77	2772	2.0	86	526	3	30		6	30			102		221	9	30	61X	46X	1-63
6547	NAV	2605	4.5	217	716	4	42			42		173			142		16	10S	27D	8-67
7200	69	2602	1.6	153	476	2	233		7	17	10	17	162			5	50	4S	4X	10-67
7201	69	2510	1.4	89	469	2	225		5	82	5	82			173	4	128	B 35X	B 35S	N12-56
7202	69	2609	1.4	153	457	2	203		6	134	6	5	87	27	143	5	23	B 23S	B 23S	7-66
7203	69	2520	1.6	210	463	2	253		6	28	6	28	243	40	151	7	27	B 20D	B 20S	6-67
7204	69	2689	1.5	192	471	2	152		6	7	6	7	39	70	120	6	118	B 21X	B 21D	4-67
7205	69	1699	1.5	154	457	3	11		10	11	8	11	188	48		7	70	B 18D	B 18S	3-67
7206	69	3332	1.7	133	452	3	135		7	135	6	135	259	95	131	5	43	B 10S	B 10D	8-67
7207	69	2157	1.6	196	471	3	124		9	35	4	35	24	35	119	4	16	32X	5D	3-67
7208	69	2309	1.4	92	465	6	2		6	2	6	2	67	9	152	6	28	B 4S	B 4D	11-66
7209	69	2259	1.2	188	457	2	119		7	94	7	94	80	13	88	3	67	B 14D	B 14S	4-65
7210	69	2691	1.8	244	464	3	301	125	7	6	7	6		96	132	6	81	B 44D	B 44X	3-66
7211	69	2435	1.3	347	464	4	101		6	101	6	101	221	104	112	5	25	B 26X	B 26X	N 1-57
7212	69	537	1.1		482	3			8		7		24	31	97	7	155	B 39S	B 39S	3-64
7213	69	2696	1.6	128	440	2	229		8	12	8	12	289		105	4	31	B 38D	B 38S	12-63
7214	69	2367	1.2	67	469	2	177		7	91	7	91	183	3		4	42	B 21X	B 21D	10-65
7215	69	2332	1.1	388	491	3	35		8	35	7	35	160	60	152	6	35	B 16S	B 16D	11-66
7216	69	2430	1.5	173	457	2	159		3	159	3	159	39	19	171	7	54	B 7X	B 7S	10-66
7217	69	2772	1.6	106	453	3	113		7	113	8	113	228	50	42	4	66	B 16X	B 16S	9-65
7218	69	1958	1.4	103	462	3	160		4	160	5	160	51	174	172	5	145	B 4S	B 4S	9-64
7219	69	4244	3.7	265	477	3	24		8	10	8	10	201	14		4	183	B 15S	B 15S	3-67
7220	69	2855	1.5	135	456	5	8		9	8	8	8	13		136	8	10	B 7D	B 7S	N 1-57
7221	69	2624	1.4	262	463	2	223		6	19		19	201	20	113	6	23	16X	33X	5-66
7222	69	1214	.7	63	474	2	183		7	18	6	18	255	88	87	5	23	B 17S	B 17S	6-67
7223	69	1781	1.0	98	441	2	152		9	31	8	31	159		138	2	273	B 34D	B 34D	N12-56
7224	69	1447	.8	90	436	3	45		7	45	7	45	3		107	5	45	B 39D	B 39D	10-67
7225	69	2474	1.5	72	470	2	139		6	3	6	3	10	52	146	4	176	6X	35D	3-66
7226	69	2944	1.6	122	440	2	186		7	73	7	73	73	96	152	5	67	B 32D	B 32D	10-65
7227	69	2931	1.7	418	452	3	38		5	38	6	38	13		167	4	136	B 56D	B 56D	8-65
7228	69	2471	1.3	145	472	3	83		5	83	5	83	240	52	191	4	117	B 13S	B 13S	6-66
7229	69	2082	1.0	115	434	2	102		7	81	7	81	117		80	10	21	41D	5S	12-66
7230	69	2975	1.5	156	461	2	171		4	32	4	32	70	29	113	3	7	B 24X	B 24S	10-66

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE													PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE					
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR				
7231	69	1707	1.0	65	479	2	165		7	7	7	7	90		3	72	223	B 15S	B 15D	7-65	
7232	69	2635	1.2	219	445	3	2		7	2	6	2	45		76	4	56	153	B 45D	B 45S	3-65
7233	69	272	.7	136	440	3	2		7	2	7	2	61		159	8	37	149	B 2S	B 2S	11-66
7234	69	3302	1.5	275	460	3	88		7	23	7	23	25	46		6	40		30X	7X	4-67
7235	69	2434	1.4	304	444	3	15		7	15	7	15	203	17		4	100	163	B 30D	B 30S	9-64
7236	69	3041	1.8	202	470	2	222		5	18	5	18	63		176	7	163	223	B 22X	B 22X	6-66
7237	69	3452	1.7	115	452	4	19		15	4	13	4	33	53	117	5	80	130	B 11D	B 11S	12-66
7238	69	3251	1.4	270	443	2	189		8	8	8	8	136	92		10	83	149	B 18S	B 18D	6-63
7239	69	2949	1.5	491	462	2	64		4	64	4	64	166	50		4	74	7	B 28D	B 28S	4-66
7240	69	1531	1.3	382	465	2	219		6	80	6	80	77	18	114	8	103	249	B 3S	B 3S	N 1-57
7241	69	3448	1.7	265	458	2	148	27	8	27	8	27	254		112	9	8	93	B 14S	B 14S	3-67
7242	69	1909	1.0	90	477	3	30		6	30	5	30	92	42	93	5	86	197	B 24S	B 24S	7-66
7243	69	2346	1.6	111	464	5	35		7	35	6	35		46	82	3	155	125	B 23X	B 23S	8-65
7244	69	174	.6		474	2	244		7	50	5	50	37		130	5	53	28	B 8S	B 8S	2-64
7245	69	2248	1.4	204	458	2	224		5	159	6	159	25		165	7	25		B 12X	B 12D	3-66
7246	69	2811	1.5	200	471	2	195	28	7	28	7	28	37	67	101	7	28	278	B 47S	B 47X	8-64
7247	69	3558	1.6	593	562	3	3		5	3	5	3	117		65	7	15	188	B 15S	B 15S	12-63
7248	69	445	.2	37	470	2	133		6	44	6	44	281		75	4	133	298	B 4X	B 4X	11-67
7249	69	2264	1.4	102	481	2	216		6	71	6	71	160	15	96	9	31	351	B 25X	B 25D	1-67
7250	77	2068	1.5	114	420	3	90		9	14	8	14	4		35	8	25	81	B 11S	B 11S	2-66
7251	77	870	.9	54	440	3	19		5	19	5	19		102	64	6	80	32	B 6S	B 6S	10-63
7252	77	2075	1.7	71	452	2	181		5	81	7	81		78	15	4	37	87	B 15S	B 15D	9-66
7253	77	2002	1.6	41	440	3	61		6	61	5	61	334	116	161	5	96	26	40S	26X	7-67
7254	77	850	.7	32	471	2	256	168	3	168	6	50		83	158	10	14	241	24X	2D	N 2-57
7255	77	1908	1.7		464	4	93		7	93	7	26	30	40	144	4	93	290	B 24D	B 24D	2-66
7256	77	1564	1.1	48	444	3	35		7	35	7	35				6	18	146	B 3D	B 3D	9-66
7257	77	1993	1.6	71	442	2	192	38	6	49	6	49	29		85	7	37	67	B 19S	B 19X	2-67
7258	77				466	3	111		7	49	7	49	50		97	5	71		B S	B X	5-67
7259	77	2176	1.4	77	440	2	173		4	50	3	173	11		102	8	31	41	B 41D	B 41S	3-66
7260	77	2002	1.9	62	425	4	4		8	4	7	4	46	149	126	5	73	208	B 27X	B 27S	8-65
7261	77	3036	2.1	77	457	3	71		7	71	7	71			78	7	51	186	B 40D	B 40X	N 1-57
7262	77	4537	3.0	141	437	3	5		8	5	8	5	21	4	80	6	10	202	B 16S	B 16S	7-67
7263	77	1820	1.2	67	429	3	9		8	9	9	9	43		68	8	9	95	B 5X	B 5D	6-67
7264	77	2347	1.6	65	483	3	30		6	30	6	17		144	163	4	30	192	15X	29X	12-65
7265	77	1650	1.2	50	474	2	188		5	171	6	188	40		114	5	16	352	B 25S	B 25D	7-63
7266	77				466	2	98		6	23	5	23	59	69	227	4	97	257	B X	B D	12-65
7267	77	2334	1.7	75	446	3	39		8	11	10	8			155	4	18	186	44D	14S	10-63
7268	77	3520	2.7	251	474	2	177		6	17		17	42		105	5	23	235	B 9S	B 9D	10-64
7269	77	2002	2.4		475	2	181		7	9	7	9			117	6	63	194	B 33X	B 33D	5-63
7270	77	2900	2.0	90	451	2	196	86	7	26	6	72	19		323	5	99	198	B 42S	B 42X	4-66
7271	77	2453	1.5	37	450	2	138	21	5	24	5	24				3	175	184	7S	7S	5-64
7272	77	2608	2.3	186	467	4	7		6	7	8	7			128	5	49	285	B 43X	B 43S	N 1-57

BUS MILEAGE DATA

PERIOD 13 ENDING DECEMBER 30 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR	
7273	77	1650	1.6	97	477	2 170		5 70	5 70	291	201			4 105	338	B 1X	B 1D	9-63
7274	77	2002	1.8	74	479	2 206		5 168	5 15	18				5 15	188	32D	B 9X	6-67
7275	77	1123	1.0	56	442	2 190		6 27	5 42	382	49		115	7 1	92	B 20S	B 20X	10-67
7276	77	2778	1.7	53	434	2 215		4 144	4 144	66			128	5 8	217	B 5S	B 5D	6-67
7277	77	2512	1.6	73	444	3 55		5 55	4 55				161	4 55	23	48D	23S	5-66
7278	77	2002	1.5	77	474	3 167		7 2	8 2	43			149	6 24	223	B 47X	B 47X	2-66
7279	77	2953	1.7	64	460	2 175		9 12	11 12	68	68			4 23	176	B 6S	B 6X	12-65
7280	77	3262	2.4	233	459	3 34		6 34	34		208		441	8 46	227	B 17S	B 17S	10-66
7281	77	2002	1.1	34	449	3 63		7 63	6 63	37				7 30	194	B 43S	B 43X	7-64
7282	77	2002	1.5	40	470	4 180	70	5 70	8 55	12			55	5 54	72	B 55X	B 55D	2-66
7283	77	2487	1.8	46	441	3 68		5 68	6 7	54			137	4 157	3	11X	24S	N 1-57
7284	77	1238	1.4	176	472	3 11		5 11	5 11	25	126		88	4 11	46	B 13S	B 13S	6-65
7285	77	1735	1.2	18	455	3 32		10 9	8 16	11			26	9 14	188	B 26X	B 26S	3-65
7286	77	2485	2.2	40	468	2 166		5 11	4 11				146	5 42	222	4S	20S	3-63
7287	77	2426	1.9	52	469	3 2		6 2	7 2	8	193		157	5 2	294	B 30S	B 30D	5-66
7288	77	1232	1.4	36	466	3 57		7 57	6 57	57				7 4	248	B X	B D	3-66
7289	77	992	.9	35	455	2 171		8 68	6 68	24				6 70	31	B 31S	B 31X	10-66
7290	77	2386	1.7	53	467	3 58		6 58	4 58				115	5 4	30	B 30X	B 30D	1-67
7291	77	195	.9	11	466	2 213		8 5	5		94		146	4 154	94	B 28S	B 28X	2-67
7292	77	2002	1.5	21	469	2 210		6 74	5 74	12			149	5 50	241	B 7D	B 7D	3-66
7293	77	2159	1.6	22	470	3 48		12 48	10 48		100		112	4 14	266	B 16S	B 16X	4-66
7294	77	2329	1.5	105	454	3 57		6 7	8 7				27	2 186	47	B 27S	B 27X	9-66
7295	77	1970	1.4	42	460	2 245	229	5 68	6 36	90	63		158	7 19	295	B 3S	B 3X	6-66
7296	77	2106	1.6	52	451	2 213	152	5 30	5 30	44			94	10 4	20	B 29S	B 29X	3-66
7297	77	1395	1.0	53	446	3 147		10 27	9 36	141				7 166		B 19D	B 19S	6-67
7298	77	2558	1.9	106	461	5 22		8 22	7 22	44	78		82	5 104	62	B 32S	B 32D	2-66
7299	77	2329	1.7	83	470	3 22		8 17	6 22	440			153	5 22	257	B 12D	B 12X	4-67
8000	NPK	3568	1.7	137	419	2 67		19 26			14			4 67		B 10X	B 10X	4-66
8001	NPK	2860	1.4	57	419	3 76		13 76			148			5 67		B 12S	B 12S	5-63
8002	NPK	3463	2.1	39	421		236	16 75			7			5 46		B 9X	B 9S	2-64
8003	NPK	3546	1.9	52	431	2 176	77	15 30			69			7 169	9	B 4S	B 4D	2-66
8004	NPK	3444	1.9	84	412	2 128		14 24			186		239	3 197		B 31X	B 31D	4-67
8005	NPK	3805	2.2	79	417	2 162		16 83			140			3 162		B 46X	B 46X	2-65
8006	NPK	3688	1.7	115	416	2 72		15 72			61		164	6 17	203	B 10D	B 10X	2-65
8007	NPK	3653	2.0	51	435		213	9 80			80			4 5		B 57S	B 57D	3-64
8008	NPK	52	.6	3	424	2 50		12 50		105	202			5 54		B D	B S	N 11-56
8009	NPK	3002	1.5	20	429		198	12 10			200		100	5 58		B 19S	B 19X	N 11-56
8010	NPK	3432	1.4	66	420	2 161		12 31			124		186	9 3	297	B 73S	B 73X	12-65
8011	NPK	3543	1.6	64	442	2 62		9 62			79		159	5 76	10	B 30D	B 30X	4-67
8012	NPK	3703	1.9	55	404	2 120		11 70			209			2 120		B 6S	B 6D	1-65
8013	NPK	4055	1.9	96	426	2 147		10 79			143			2 147		83S	59X	1-64
8014	NPK	4554	2.3	50	423		212	11 186			88		131	2 286		10X	40D	N 11-56

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR	
8015	NPK	3604	1.8	133	420	2 36		11 36			73		182	5 36		B 22X	B 22D	6-66
8016	NPK	3371	1.8	112	423	2 108		16 84			210			8 7		B 38X	B 38D	12-65
8017	NPK	3519	1.5	87	423	4 5		11 5			62		232	7 5		B 6D	B 6D	3-63
8018	NPK	3247	1.6	81	425		169	13 31			10		144	4 14	9	B 8S	B 8X	8-67
8019	NPK	2728	1.3	42	416		161	7 224			80			2 77		B 24X	B 24X	N11-56
8020	NPK	4353	1.8	68	416	2 171	82	12 82			121		133		131	B 7S	B 7S	5-65
8021	NPK	2271	1.4	49	794			7 330			80			3 144		B 37X	B 37D	1-66
8022	NPK	3558	1.8	118	430	2 159		9 159	10 57		152		10	8 159		B 10X	B 10D	12-65
8023	NPK	3559	1.7	84	419	2 156		7 66			76		141	5 150		B 31X	B 31X	N12-56
8024	NPK	3872	1.8	55	415	2 153		12 76			36			6 153		B 8D	B 8S	12-64
8025	NPK	4048	1.9	92	402	2 89		14 22			37			5 64		B 33X	B 33D	1-67
8026	NPK	3195	1.6	79	386	2 9		14 9			84		136	4 9		B 20D	B 20S	3-64
8027	NPK	3558	1.8	72	378	3 60		16 27			78		18	6 41		18S	56S	10-67
8028	NPK	3512	1.6	83	388	2 157		12 157	13 54	78	54		24	7 160		B 24X	B 24X	5-65
8029	NPK	3014	1.8	54	401	2 142		7 70			39		192	12 7		B 3D	B 3D	N12-56
8030	NPK	4578	2.3	104	411	2 92		11 61			156		144	6 125		B 23D	B 23S	N12-56
8031	NPK	3784	1.9	88	392	2 32		9 32			177		139	5 29		B 20X	B 20X	1-66
8032	NPK	3411	1.6	100	413	2 88		8 88			50			6 166		B 27S	B 27X	6-65
8033	NPK	2725	1.6	54	408	2 102		10			75			3 2		B 52S	B 52S	1-66
8034	NPK	4188	1.9	139	406	2 129		16 76			116		275	7 8		52X	17D	1-66
8035	NPK	1220	1.4	76	395	2 1		18 1					30	4 1		30S	4X	6-65
8036	NPK	3657	1.8	85	368	2 110	39	12 39			43		171	4 56		B 21S	B 21X	10-65
8037	NPK	3800	2.4	146	377	3 105	98	5 12		59	20		122	6 11		B 18D	B 18X	4-67
8038	NPK	3882	1.7	90	406	2 127		14 22			108		14	7 22		B 14S	B 14X	10-64
8039	NPK	3640	1.6	79	395	2 70		11 70			66		177	5 25		27X	9D	1-67
8040	NPK	3785	1.8	118	401		236	12 51			112			8 25		B 31X	B 7X	2-67
8041	NPK	3033	1.7	65	414		191	11 57			66			3 20		B 13S	B 13S	N12-56
8042	NPK	24	.8	4	421		192	8 81			17			3 2		B 37X	B 37D	N12-56
8043	NPK	3800	1.8	70	415	2 64		11 64			81		25	7 61		B 25S	B 25X	6-65
8044	NPK	3773	1.7	117	422	2 95		13 36			90			5 95	140	15D	53D	7-67
8045	NPK	3062	1.7	68	435		212	13 60			79		12	2 82	9	B 12D	B 12D	N12-56
8046	NPK	3327	1.6	39	410		266	8 26		27	69		112	3 184		B 13D	B 13X	12-63
8047	NPK	3192	1.5	74	415		198	15 61			81			3 198		B 91X	B 91X	7-65
8048	NPK	3567	1.9	104	433	2 19		6 19			126			5 17	9	13D	47D	3-66
8049	NPK	3488	1.8	67	428			11 3			61			4 196		B 23S	B 23X	N12-56
8050	NPK	2643	1.8	62	389	2 26		17 35			40		17	7 35		B 1S	B 1S	N 1-57
8051	NPK	3783	2.0	90	381	2 90	61	10 61			62		249	4 49		B 52S	B 52D	3-67
8052	NPK	4120	2.1	142	409			14 55			50			5 63		B 26S	B 26X	4-67
8053	NPK	3307	1.7	73	376	2 83		14 54			36			8 122		B 7S	B 7X	10-67
8054	NPK	3432	1.7	61	383		161	6 99			72			8 8		B 11X	B 11S	1-65
8055	NPK	2891	1.7	68	371			14 71			104		120	7 2		B 2S	B 2X	7-65
8056	NPK	3064	1.6	61	395	2 35		19			64		206	3 35		B 7S	B 7X	N 1-57

BUS MILEAGE DATA

PERIOD 13 ENDING DECEMBER 30 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE			
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR		
8057	NPK	3797	1.8	49	390	2	46		7	46		74		252	3	55	B 10S	B 10X	4-65
8058	NPK	3500	2.1	85	384	2	84		8	33		38		139	2	103	B 49S	B 49S	N 1-57
8059	NPK	3681	1.8	64	360			31	9	31		63			6	6	B 24S	B 24X	10-65
8060	NPK	3541	2.1	72	357				5	2		150		114	4	28	B 44D	B 44D	N 1-57
8061	NPK	3576	1.7	105	362	2	58		7	31		71		119	4	58	B 49D	B 49D	7-65
8062	NPK	3716	2.0	77	382	2	107		8	9		102		100	4	107	27 B 15S	B 15X	N 1-57
8063	NPK	3527	1.7	113	375	2	84		2	84	3	40		68	3	142	210 B 31S	B 31D	N 1-57
8064	NPK	3289	1.8	80	355			193	11	50				43	4	57	B 52D	B 52S	9-63
8065	NPK	3715	2.0	142	365	2	56		11	56				10	8	19	8S	8D	1-67
8066	NPK	3199	1.8	123	366			125	6	61		14		45	2	22	B 22D	B 22X	3-64
8067	NPK	3845	1.9	89	368	2	40		10	40				56	5	40	B 40D	B 40S	9-65
8068	NPK	3506	2.2	113	387	2	3		12	66				57	5	3	16S	16D	N 1-57
8069	NPK	3555	2.1	50	361			157	12	168				212	5	138	B 48D	B 48S	N 1-57
8070	NPK	2689	1.8	53	368	2	142		11	65		79		64	7	76	B 2S	B 2D	N 1-57
8071	NPK	1649	1.7	86	377			212	14	7				158	4	45	B 11S	B 11S	N 1-57
8072	NPK	3893	1.8	121	386	2	96		8	28		96		23	3	96	B 32S	B 32S	7-67
8073	NPK	3765	1.8	71	378	2	126		9	126				52	4	10	B 16S	B 16X	12-65
8074	NPK	3861	1.7	117	375	2	108		12	10				73	6	108	B 13S	B 13X	9-65
8075	NPK	4143	2.1	94	377			222	13	55		34		120	8	52	B 5X	B 5X	6-65
8076	NPK	3431	2.1	62	388	2	163		12	26					5	68	B 17S	B 17D	N 1-57
8077	NPK	3536	1.9	40	385				9	94				25	4	25	B 18D	B 18X	10-65
8078	NPK	4055	1.9	71	383	2	129	56	11	38				173	4	113	B 38D	B 38D	3-64
8079	NPK	4081	2.3	140	395			171	10	13				14	3	56	B 10S	B 10X	6-65
8080	NPK	3452	1.8	98	374			335	12	93				128	7	16	B 22D	B 22X	5-65
8081	NPK	3171	2.2	85	379			152	6	99				87	5	63	190 B 27S	B 27S	N 1-57
8082	NPK	3279	1.8	327	386	2	142	65	14	65				65	9	16	B 3S	B 3X	N 1-57
8083	NPK	3100	1.9	79	358			127	7	54				35	4	43	B 32S	B 32D	12-65
8084	NPK	3692	1.9	83	382	2	11		8	11				59	5	7	B 4S	B 4X	N 1-57
8085	NPK	1668	.9	32	367			137	11	55				61	5	149	B 25D	B 25D	12-65
8086	NPK	3742	2.0	51	375	2	208		13	12		81		106	5	47	B 49D	B 49S	N 1-57
8087	NPK	3014	1.8	88	372			263	7	67				39	3	124	B 32S	B 32X	12-65
8088	NPK	3303	1.8	110	380	2	55		6	55				97	4	137	B 50D	B 50S	N 2-57
8089	NPK	2972	1.8	92	384			267	11	165				78	3	44	32D	8S	1-67
8090	NPK	3172	2.1	67	361			182	11	51				165	5	92	B 28X	B 28S	8-64
8091	NPK	3433	1.7	39	375				11	50				152	4	50	B 28D	B 28S	9-65
8092	NPK	4084	1.7	81	364			148	7	12				72	5	7	40X	12X	N 2-57
8093	NPK	3088	1.9	93	377			175	10	175				170	8	41	133 B 20D	B 20X	N 2-57
8094	NPK	3827	1.9	64	362			148	14	63				145	5	3	137 B 5S	B 5X	11-67
8095	NPK	2494	1.3	43	371	2	37		13	37		117			4	140	B 21S	B 21S	N 2-57
8096	NPK	2335	1.4	61	374	2	4		6	4				60	6	4	B 32D	B 32S	N 2-57
8097	NPK	2291	1.2	57	362	3	6		9	6		84			7	48	B 7S	B 7X	N 2-57
8098	NPK	1948	1.5	64	371	2	83		8	83				130	7	145	B 49D	B 49S	N 2-57

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE													PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE					
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR				
8099	NPK	2305	1.6	30	358	2	35		17	21			5		111	3	120		B 33S	B 33X	4-65
8100	NPK	2724	1.7	48	360			53	17	19			154			5	9		B 54D	B 54D	2-63
8101	NPK	1425	.9	34	366	2	15		10	23			56		89	6	23		B 44D	B 44S	12-65
8102	NPK	2608	1.5	40	360	2	62		12	62			48			4	62		B 21S	B 21X	11-65
8103	NPK	2755	1.6	56	370	2	204	112	11	26			137			6	26		B 43D	B 43S	N 2-57
8104	NPK	2635	1.6	85	384	2	101	10	9	10			109			5	5	17	B 33D	B 33S	N 2-57
8105	NPK	1263	.9	25	365			114	7	77			78			7	7		B 5D	B 5X	1-64
8106	NPK	2057	1.3	34	357	3	64		16	2			43			5	109		25D	1X	7-66
8107	NPK	2315	1.3	36	353	2	56		10	56			67			2	56		B 15D	B 15D	12-66
8108	NPK	3073	2.1	219	356	2	106	55	12	55			51			4	16		B 8S	B 8X	N 2-57
8109	NPK	2636	1.6	56	379	2	15		8	24			22						B 5S	B 5S	4-65
8110	NPK	2151	1.4	56	376	2	76		10	19			72			4	71		B 36D	B 36S	N 2-57
8111	NPK	2132	1.6	56	370	3	77	42	15	4			97			7	27		B 34D	B 34S	2-64
8112	NPK	2377	1.5	34	378	2	37		7	37			77				37		B 46D	B 46D	N 2-57
8113	NPK	2763	1.8	95	361	2	47		3	3			39			2	47		B 69D	B 69S	6-67
8114	NPK	2334	1.4	39	378	3	8		13	8		44	226			3	2		B 54X	B 54S	N 2-57
8115	NPK	1844	1.2	61	381	2	126	58	9	.6			127			6	126		B 1X	B 1X	N 2-57
8116	NPK	1983	1.1	24	383				7	8			62			3	9		B 3D	B 3X	N 3-5
8117	NPK	1853	1.1	66	397			159	12	31			59			2	55		B 69D	B 69D	N 3-57
8118	NPK	2236	1.4	50	372			134	15	31			157		96	3	73		B 35S	B 35S	N 3-57
8119	NPK	2600	1.3	48	382	2	108		7	108			78		78	6	108		B 15D	B 15X	N 3-57
8120	NPK	1175	.6	19	415				9	22			99		236	5	124		B 30X	B 30X	10-63
8121	NPK	1896	1.1	118	376	2	99	25	13	6			158			6	25		B 1S	B 1X	2-67
8122	NPK	2349	1.2	69	393	2	30		10	6			94			4	50		B 13S	B 13X	8-63
8123	NPK	1223	1.9	244	406	2	45	27	9	27			4		135	4	23		B 7S	B 7X	N 3-57
8124	NPK	2152	1.2	36	377			131	9	43			125		4	3	138		B 4X	B 4X	12-65
8125	NPK	2325	1.5	122	391	2	59	16	7	16			99			8	3		B 22D	B 22D	5-63
8126	NPK	1683	1.1	22	379	2	48		9	25			249			4	93		B 51D	B 51D	7-64
8127	NPK	2518	1.5	51	386			126	14	28			13		105	2	47		52D	11X	N 3-57
8128	NPK	2367	1.4	73	390	2	29		6	17			74			6	29		7S	34S	N 3-57
8129	NPK	2351	1.5	111	398	2	91	65	10	65			84			5	58		B 17S	B 17S	2-65
8130	NPK	2749	1.5	343	405	2	114		14	30			24		106	5	31		B 58D	B 58X	N 3-57
8131	NPK	2522	1.6	57	396	2	67		7	17			56			2	67		B 9X	B 9D	N 3-57
8132	NPK	3014	1.9	79	392	2	55		9	55			181			4	26		B 66D	B 66X	11-65
8133	NPK	2760	1.5	145	390	3	101		8	49			40		206	5	50		B 19D	B 19S	N 3-57
8134	NPK	1846	1.2	27	393	2	27		10	2			146			7	1		B 55X	B 55X	N 3-57
8135	NPK	2451	1.4	66	376	3	50		10	50			46		10	4	50		B 10S	B 10X	10-64
8136	NPK	2748	1.4	51	390	2	164		10	23			155		113	3	154		B 5S	B 5X	12-66
8137	NPK	2664	1.4	60	412	2	154		9	20		154	133			7	4		B 66X	B 66X	2-65
8138	NPK	2508	1.6	89	374			22	10	22			51			5	51	171	B 12S	B 12X	2-65
8139	NPK	1589	1.0	37	400	2	72		10	72			185		99	3	72	88	B 58D	B 58X	N 3-57
8140	NPK	3155	1.7	76	413	2	113		11	113			91		82	5	113		B 23S	B 23D	N 3-57

BUS MILEAGE DATA

PERIOD 13 ENDING DECEMBER 30 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE				
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR			
8141	NPK	1654	1.4	21	407			10	21		85	68		201	8	43	101	35S	X	9-67
8142	NPK	3282	1.9	86	416		413	6	16			151					313	B 26X	B 26S	N 3-57
8143	NPK	2618	2.0	90	410	2	90	10	28		77	97			4	26		B 26S	B 26D	N 3-57
8144	NPK	3452	1.8	28	415			8	95			225		118	5	7		B 22D	B 22S	10-65
8145	NPK	3380	1.9	52	405			5	35			89			12	43		B 55D	B 55X	7-67
8146	NPK	2815	1.6	45	395		227	10	22			38		28	8	29		B 28S	B 28X	12-65
8147	NPK	2919	1.4	56	413		170	7	73			63			5	157		B 28X	B 28D	11-66
8148	NPK	2804	1.8	200	409	2	109	8	109			106		13	3	9		13X	53X	4-67
8149	NPK	2563	1.5	98	269	2	92	4	47		92	6			9	7		B 11D	B 11D	2-65
8200	77	2627	1.4	39	293			5	79		62	20		102	4	72		B 11D	B 11S	1-65
8201	77	2736	1.9	24	349			6	57			242			4	99		B 13S	B 13X	7-64
8202	77	2452	1.9	61	354	2	2	5	2			41			3	71		B 27X	B 27D	3-64
8203	77	2600	1.4	50	340		23	6	23						2	274		B X	B S	5-65
8204	77	2221	1.6	23	351	2	63	5	63			251		73	5	63		B 26D	B 26X	9-63
8205	77	2966	2.2	64	350	2	10	5	10					82	3	33		B 49X	B 49X	2-65
8206	77	2510	1.9	36	344	2	33	7	33						2	161		B 50S	B 50X	5-65
8207	77	3319	2.2	207	345	2	133	7	81			40		174	4	24	279	21S	51D	6-67
8208	77	2731	2.0	75	333		67	6	67			32		8	3	25		B 8S	B 8S	5-67
8209	77	2753	1.8	52	356			5	46		95				3	177		B 24S	B 24D	1-66
8210	77	2899	2.2	55	367	4	26	7	26					170	5	24		B 29D	B 29D	N 8-58
8211	77	2493	1.5	48	406			3	138					15	3	80		B 15S	B 15X	1-64
8212	77	2299	1.4	58	360	2	66	6	7			105			2	119		B 44D	B 44X	9-65
8213	77	5906	4.8	256	324			3	114					14				B 14S	B 14D	8-64
8214	77	1980	1.6	58	358			6	162			226			2	351		B 11X	B 11D	2-66
8215	77	2345	1.6	75	365	2	140	8	140			185		34	4	18		B 34S	B 34X	4-63
8216	77	2824	1.8	65	339			4	170	5	47	145			4	8		11X	11D	N 9-58
8217	77	2416	1.4	63	337	2	70	5	70			328		5	2	41		B 5X	B 5X	7-64
8218	77	2850	2.0	123	340	2	84	4	84					35	5	84		B 35S	B 35X	12-65
8219	77	2039	1.8	40	345	2	87	4						113	4	87		B 1S	B 1S	10-63
8220	77	2779	1.6	29	337			9	29			247			3	47		20D	50D	N 89-58
8221	77	1920	1.5	68	345			6	87			39			4	21		B D	B X	3-64
8222	77	2860	1.9	44	349	2	57	4	57					22	3	57		B 22D	B 22D	4-66
8223	77	2818	1.9	33	321	2	9	5	9		46	38		23	3	41		B 23S	B 23D	10-63
8224	77	2658	1.5	35	388	2	27	5	27		50	51		14	2	27		B 14D	B 14X	11-65
8225	77	2412	1.7	44	371			5	13		56	54			2	378		B 13S	B 13X	N 9-58
8226	77	3204	2.0	43	358	2	48	5	48					29	4	48		B 29D	B 29S	10-66
8227	77	2909	1.5	45	350			4	145					102	2	93		B 13S	B 13X	6-63
8228	77	2366	1.5	53	326			5	56					86	2	77		16D	62D	9-67
8229	77	2471	1.5	35	370			6	44			92		93	2	87		B 1D	B 1X	8-65
8230	77	1673	1.8	40	357			4	42					96	2	124		B 24X	B 24D	6-63
8231	77	2560	2.3	44	340	2	59	5	30			55			3	101		B 23X	B 23S	9-63
8232	77	2595	1.5	41	338	2	41	7	41					161	3	41		B 11S	B 11D	N 9-58

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE				
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR			
8233	77	4593	2.2	287	354	2	147		8	147				86	8	24		B 6D	B 6D	8-66
8234	77	3591	2.0	239	339	2	67		8	67		99	64	105	5	21		16X	16D	12-63
8235	NPK	1539	1.3	31	355				4	157			76			278		B 21D	B 21S	10-67
8236	77	3242	1.7	95	348				3	92					2	108		B 6X	B 6D	6-65
8237	77	2436	2.0	73	340				7	41			33	122	2	225	167	B 23S	B 23X	6-67
8238	77	3386	2.2	49	360	2	48		8	48			349	111	5	26		B 13D	B 13D	6-63
8239	77	3321	2.1	39	348				5	70			42		2	186		B 23D	B 23D	N10-58
8240	77	1930	1.3	31	348				4	142					2	132		B 9S	B 9X	2-66
8241	77	1428	1.3	79	352	2	53				2	53	109		3	53		33S	53D	10-65
8242	77	2672	2.0	74	348	2	38		5	38			45	23		38		B 23X	B 23D	10-65
8243	77	3316	2.1	165	339			83	5	41					2	11		B 38S	B 38D	1-67
8244	77	2787	1.7	45	371	2	44		6	44					3	44		B 15S	B 15D	7-66
8245	77	2999	2.2	57	338	2	82		8	82					4	82		15S	15D	9-64
8246	77	2179	1.7	58	331	2	129		6	129				94	3	129		B 15S	B 15X	12-64
8247	77	2554	2.0	85	349	2	59		5	59					3	59		B 12S	B 12X	10-66
8248	77	3749	5.3	178	344	3	84		6	2		60			4	35		B 3S	B 3S	10-66
8249	77	2034	1.6	42	344				5	147			82		2	82		B 37S	B 37X	12-65
8250	77	2298	2.0	44	320				6	4			40		2	315		B 36X	B 36S	4-66
8251	77	2749	2.3	29	285				3	32		11	183		2	70	59	B 35D	B 35S	3-67
8252	77	1550	1.6	193	353				4	41				8	2	46		B 8S	B 8S	12-65
8253	77	2697	1.9	57	325	2	34		5	34				86	2	34		B 41D	B 41S	12-64
8254	77	2368	2.0	38	335	2	129		7	129			201		5	107		B 4X	B 4D	12-63
8255	77	3273	1.9	35	342	2	19		6	19					3	19		B 21D	B 21X	6-67
8256	77	3164	2.2	98	315	2	60		7	8					4	60		36S	27D	9-65
8257	NAV	2573	1.3	160	320				4	79					3	53		B 15D	B 15S	2-67
8258	NAV	2709	1.6	169	339	2	36		5	36					3	34		B 26S	B 26X	3-66
8259	NAV	2712	1.8	45	335				5	146		48		75	4	22		B 43D	B 43X	8-65
8260	NAV	2328	1.4	136	330	2	108		6	108				87	4	21		B 34D	B 34S	11-66
8261	NAV	3022	1.6	167	339				4	152				34	2	31		B 25D	B 25S	1-67
8262	NAV	2525	1.3	76	318	2	85		5	26		26			3	128	18	B 22D	B 22S	12-66
8263	NAV	1637	1.4	86	341				4	26		52	52					B 45X	B 45X	N10-58
8264	NAV	2350	1.3	61	328				6	94			133	81	2	94		B 45X	B 45S	N10-58
8265	NAV	2328	1.2	66	328	2	84		6	35					3	83		B 32X	B 32X	3-65
8266	NAV	2976	1.6	67	352	2	89		10	89		47	48		4	10		B 38S	B 38S	7-65
8267	NAV	2117	1.4	132	333				4					19	3	55		B 19X	B 19D	5-67
8268	NAV	708	1.0	88	315	2	51		5	51				70	3	51		11S	41D	N11-58
8269	NAV	1379	.9	91	334	2	30		5	30			52	2	2	43		B 2S	B 2X	5-66
8270	NAV	2024	1.1	155	337	3	55		6	55			38		3	86		B 7X	B 7D	N11-58
8271	NAV	1233	1.5	246	329	3			9				29		2	70		B 37X	B 37S	8-65
8272	NAV	2828	1.5	117	341				6	6			155					B 15S	B 15X	1-67
8273	NAV	1617	1.6	40	320				2	139					2	23		B 10D	B 10D	8-67
8274	NAV	2645	2.0	146	313	2	68	35	6	35				101	2	65	62	B 19X	B 19S	8-67

BUS MILEAGE DATA

PERIOD 13 ENDING DECEMBER 30 1967

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE			
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR		
8275	NAV	2829	1.6	217	379			4	223		23	284		2	63		B 21S	B 21X	N11-58
8276	NAV	2843	1.8	315	333	2	32	7	32					3	14		B 14X	B 14X	5-64
8277	NAV	2276	1.3	142	317	2	17	5	17			224		3	44		B 22D	B 22S	7-66
8278	NAV	2263	1.6	107	331	2	76	7	47				15	2	76		B 15S	B 15S	4-66
8279	NAV	2402	1.7	240	331	3	14	5	14		44		16	3	100		B 16S	B 16S	5-63
8280	NAV	2972	2.2	44	336	2	28	7	28			36		2	153		B 23S	B 23X	2-66
8281	NAV	2016	1.3	84	326		160	4	28			224					B 4S	B 4S	2-66
8282	NAV	2587	1.3	117	344			6	97	7	48		20	3	59		B 20S	B 20X	6-65
8283	NAV	3157	1.6	78	328	2	29	3	29			77		4	29		B 36D	B 36S	4-66
8284	NAV	2999	2.2	103	325	2	52	9	17			38		4	43		B 38D	B 38D	9-66
8285	NAV	2472	1.4	88	346			6	122				11				B 11X	B 11D	10-63
8286	NAV	2894	2.0	144	331	4	12	9	12			56		8	12		B 36D	B 36S	12-64
8287	NAV	2328	1.4	44	332	2	35	9	30			171		2	35		B 11D	B 11S	5-63
8288	NAV	2193	1.4	59	352	2	15	6	15		15	139		4	13		B 10D	B 10S	3-64
8289	NAV	109	.1	6	344			4	148			34		2	23		B 29S	B 29D	8-67
8290	NAV	885	.6	40	333	2	2	5	46			104		3	80		B 15S	B 15X	3-64
8291	NAV	2484	1.2	124	341			5	37				45				B 6X	B 6X	10-65
8292	NAV	2772	1.6	198	331	2	24	8	24		21	80		3	24		B 8S	B 8X	4-66
8293	NAV	1710	1.4	213	316			3	108			227					B 25D	B 25S	10-64
8294	NAV	2751	1.3	57	327	2	194	3	194			306		2	194	93	B 40X	B 40S	8-65
8295	NAV	2495	1.5	77	326	2	39	6	39					5	26		B 43D	B 43X	7-64
8296	NAV	3362	1.8	672	324	2	76	8	76			138		4	76		B 19D	B 19D	7-67
8297	NAV	2328	1.3	145	301	2	33	5	33			14		3	80		25X	44D	8-67
8298	77	1984	1.5	64	330			5	145			226		3	97		B 4S	B 4X	8-65
8299	77	1392	2.0	36	323			5	55				85	2	16		B 14D	B 14S	6-65
8300	77	3282	2.1	42	385	2	43	6	43			154	157	6	6		B 11S	B 11S	12-58
8301	77	3018	2.0	61	389	2	57	4	57					3	57		B 26X	B 26S	12-58
8302	77	2729	2.2	77	358	2	68	2	68			115		3	67		B 22S	B 22X	12-58
8303	77	3063	2.3	43	392			4	189			221		3	93		3S	3S	12-58
8304	77	2665	2.6	85	379			3	152					3	36		B 21X	B 21S	1-66
8305	77	2786	2.0	41	401	2	58	3	266	4	58		11	3	58		B 11S	B 11S	12-66
8306	77	3059	1.9	109	404	2	59	7	22	6	59		48	3	33		19S	19D	6-65
8307	77	3153	2.1	137	392	3	123	6	123					7	89		12D	57D	N12-58
8308	77	2752	2.4	48	403	3	5	10	5				248	4	5		B 13D	B 13S	12-58
8309	77	695	.4	40	398			5	172					2	51		17X	58D	N12-58
8310	77	2815	1.8	45	417	3	138	8	66			73		3	138		B 24S	B 24X	5-63
8311	77	2729	1.8	58	387			8	11		8			2	68		B 20S	B 20S	10-64
8312	77	3396	1.9	24	401			8	18		61			2	98		B 15S	B 15D	5-63
8313	77	2980	2.0	40	387	4	19	9	19			174		3	88		B 10D	B 10X	5-63
8314	77	24		1	414			3	48					3	76		B 29X	B 29D	N12-58
8315	77	2865	2.6	130	423	2	53	3	53					4	46		B 9X	B 9X	2-66
8316	77	3200	2.1	84	417	3	73	5	73					2	124		35D	63S	N12-58

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT		REAR
8317	77	2729	3.9	682	414	2 99		8 33					3 99		B 22D	B 22X	9-63	
8318	77	3496	2.3	87	399	2 214		4 20					4 11		B 26X	B 26X	8-66	
8319	77	2713	2.2	50	386	2 144		7 14			225		102	3 44	B 25D	B 25S	11-67	
8320	77	3011	2.0	188	414			6 25					3 25		B 11S	B 11S	N 1-59	
8321	77	3018	2.0	45	421			4 215		106			17	2 52	B 17S	B 17D	N 1-59	
8322	77	2729	1.6	32	405	2 17		8 17					2 130		B 20X	B 20S	6-66	
8323	77	4578	3.3	83	412			2 207					2 68	239	B 30X	B 30X	4-62	
8324	77	4440	3.2	50	411			3 269					131		17X	17X	2-66	
8325	77	2478	2.4	20	409	3 60		7 1	6 60				4 60		B 23D	B 23S	N 1-59	
8326	77	3501	1.7	38	406	2 72		10 19					121	3 72	B 28S	B 28S	N 1-59	
8327	77	2313	1.5	55	404	2 214		7 41					198	5 56	B 6D	B 6S	4-64	
8328	77	2729	1.6	209	403	2 67		4 94	5 67				5 67		B 4D	B 4D	6-64	
8329	77	2278	1.6	20	414	2 224		8 2				152	186	3 224		47D	17X	N 1-59
8330	77	3358	1.8	95	407			5 115			27		27	2 34	B S	B S	N 1-59	
8331	77	3015	1.8	34	409			4 31		26			7		B 7X	B 7X	N 1-59	
8332	77	1			394	2 139		3 139			47		29		B 29X	B 29D	11-66	
8333	77	3834	2.5	85	397	2 35		3 35		35	141			2 70	226	B 11S	B 11X	3-67
8334	77	2729	1.5	40	406	4 121		7 43					14	4 41	B 14S	B 14X	1-67	
8335	77	2729	1.7	90	376	2 68		5 68			48			2 68	B 27D	B 27S	N 1-59	
8336	77	2291	1.6	31	377			5 170			203		151	3 42	B 4S	B 4S	8-64	
8337	77	2707	1.6	33	415	2 28		5 28			232			2 28	11	B 19S	B 19D	2-64
8338	77	2848	2.0	20	380	3 40		3 40					11	3 136	B 11D	B 11D	7-67	
8339	77	2933	1.9	39	396			8 16						2 13	B 16X	B 16D	5-67	
8340	77	2729	1.9	63	392	3 23		5 23			190		102	2 142	B 3D	B 3D	2-67	
8341	77	5193	3.1	75	413			7 1						2 142	B 26S	B 26S	6-65	
8342	77	808	.8	15	356	2 58		4 58			136			5	B 8D	B 8S	6-67	
8343	77	2356	2.2	22	420			7 84		35	179			3 2	B 22S	B 22S	9-65	
8344	77	3182	2.2	60	409	2 96		7 96					145	3 101	B 37X	B 37D	N 1-59	
8345	77	2729	1.7	35	392	2 226		7 37			159		10	3 34	B 10X	B 10S	3-67	
8346	77	2691	1.6	20	413	2 109	62	6 109	7 62		196			3 109	B 22S	B 22X	N 1-59	
8347	77	3236	2.1	179	391	2 128		10 43			43			11 14	14	B 20S	B 20D	8-64
8348	77	1364	1.2	194	382	2 212		5 122			49			4 11	B 6D	B 6D	N 1-59	
8349	77	2598	1.9	60	437			8 23			83		32	2 312	20	B 32D	B 32X	8-65
8400	KED	1946	2.3	45	360	2 15		8 15					84	2 63		B 41D	B 41S	3-65
8401	KED	1782	1.7	52	381		140	3 140			36					B 29S	B 29D	3-64
8402	KED	1507	1.9	188	367	3 1		6 1			175			4 1	B 19D	B 19S	11-65	
8403	KED	1538	1.7	307	392	2 19		3 19			141			2 19	B 17S	B 17S	N 6-59	
8404	KED	2111	1.8	47	376		182	7 71			111				B 25S	B 25X	9-66	
8405	KED	1876	1.8	117	383			3 111					94		B 28S	B 28D	12-64	
8406	KED	2051	1.7	52	389			3 172						3 43	48D	11X	N 6-59	
8407	KED	2010	2.2	44	376			3 189		36	34			3 61	B 26X	B 26D	N 6-59	
8408	KED	1495	1.3	45	375	2 37		4 37			13			4 37	B 42D	B 42S	4-64	

BUS MILEAGE DATA

PERIOD 13 ENDING DECEMBER 30 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE			
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR		
8409	KED	1768	1.5	53	361			4	38				71	2	49		B 71X	B 71D	10-63
8410	KED	2007	1.8	83	385	2	170		5	3				2	170	6	B 38X	B 38S	5-65
8411	KED	1709	2.0	113	381			4	153				3				B 3S	B 3X	8-65
8412	KED	1759	2.4	48	370			3	143		10						B 50D	B 50S	1-66
8413	KED	1889	1.8	49	402			5	156			167		7	2	9	B 7X	B 7D	N 6-59
8414	KED	1858	2.0	33	370			5	50						3	12	B 7S	B 7D	6-63
8415	KED	1027	1.5	46	380			3	43						2	5	B 25S	B 25S	10-66
8416	KED	1675	1.9	22	380	2	233	3	102			13		101			B 48X	B 48S	1-66
8417	KED	1933	2.0	69	374			5	95			31			2	58	B 28D	B 28S	11-66
8418	KED	1460	1.6	33	367	2	19	7	19			163		19	2	19	B 19S	B 19X	1-67
8419	KED	1966	2.1	109	388			4	79								B 32X	B 32X	9-65
8420	KED	1903	1.5	118	379			2	118			140		35	2	75	B 35X	B 35X	1-66
8421	KED	2143	1.7	89	386				99		34			8			B 8D	B 8X	3-66
8422	KED	1774	1.9	104	399	2	150	5	150			26		150	4	21	B 22X	B 22D	11-66
8423	FGL	4038	1.9	41	391	2	74	10	29		304			7	3	74	B 7S	B 7X	N 7-59
8424	FGL	3760	1.9	76	398	2	89	4	89			62			6	57	B 45S	B 45S	N 7-59
8425	FGL	458	.3	16	428	2	86	5	86			52			3	86	B 53D	B 53S	10-67
8426	FGL	2828	1.8	108	420			5	136			57			2	37	B 1X	B 1S	N 7-59
8427	FGL	3517	2.1	167	398	2	131	5	105		106	48			3	51	B 27S	B 27S	9-66
8428	FGL	3892	2.5	68	402	2	52	5	52			34		142	2	52	B 7X	B 7D	N 7-59
8429	FGL	3935	2.2	71	395	2	191	6	104			21		94	3	40	B 47S	B 47D	6-67
8430	FGL	4352	2.2	114	399	2	118	7	11					182	2	118	B 11S	B 11D	12-66
8431	FGL	3429	2.2	77	407	2	176	5	125			3			3	176	B 10D	B 10X	4-66
8432	FGL	2669	2.0	116	395			4	172			7		8			B 8S	B 8X	12-66
8433	FGL	4126	2.2	152	408	2	236	3	239			31					B 71D	B 71D	N 7-59
8434	FGL	2895	2.0	72	406	2	25	5	25			183		114		25	B 28S	B 28X	6-66
8435	FGL	3230	2.0	80	387			4	111			239			3	48	B 48S	B 48S	9-65
8436	FGL	2277	2.6	113	397	2		5				168			4	34	B 61S	B 61D	N 7-59
8437	FGL	2394	2.3	149	406	3	4	6	4			14		36	3	4	B 36X	B 36S	N 7-59
8438	FGL	3400	1.9	72	390	2	78	5	78		1	182			2	78	B 22S	B 22D	12-63
8439	FGL	2445	1.6	188	413	2	133	2	133			97		133	3	9	B 2D	B 2S	12-63
8440	FGL	3806	2.2	181	411	2	94	5	94			59			3	94	55X	18X	4-66
8441	FGL	4558	1.9	70	374	2	58	6	58			55		154	2	58	B 41S	B 11X	6-67
8442	FGL	3820	2.1	76	420	2	5	6	5			100			2	15	B 5S	B 5S	4-64
8443	FGL	3829	2.4	147	377	2	64	6	64		40	12		115	6	18	B 25D	B 25X	12-63
8444	FGL	3049	1.9	89	397	2	49	6	49			92			3	32	B 49X	B 49S	12-65
8445	FGL	615	2.7		397			4	88			104			3	29	B 20S	B 20X	11-65
8446	FGL	4022	2.2	105	396		162	3	173		85	98		167	2	320	B 13S	B 13X	2-64
8447	FGL	3993	2.1	221	410	2	119	5	119		12	54			2	119	B 54S	B 54X	10-67
8448	FGL	3758	2.1	129	397	2	60	5	3	3	60			19	3	90	52X	19X	N 8-59
8449	FGL	3729	2.3	186	377	2	86	5	75		64	274			5	47	77D	25S	N 9-59
8450	FGL	3516	2.3	87	342			4	11		11	100					B 55S	B 55D	12-65

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT		REAR
8451	FGL	2968	2.1	78	337			5 39			20		13	2 81		B 13D	B 13S	12-64
8452	FGL	4153	2.3	47	333			4 200			72			3 125		B 31D	B 31D	12-64
8453	FGL	1182	2.4	49	335	2		9			146			2		B 38S	B 38X	11-64
8454	KED	1232	1.4	68	284			6 92		15						B 53D	B 53S	11-67
8455	KED	1225	1.6	28	284			5 51			32			2 96		B 5S	B 5X	11-64
8456	KED	1466	1.6	81	276			2 173				5				B 5S	B 5X	11-64
8457	KED	1551	1.4	50	273			10 56								B 46D	B 46S	9-64
8458	KED	1514	1.9	151	275			5 54			62					B 31S	B 31X	12-64
8459	KED	1120	1.7	56	281		144	5 47								B 44S	B 44S	8-63
8460	KED	1251	1.5	37	293			6 101								B 5X	B 5X	5-67
8461	KED	1351	1.7	50	281			4 91			57					B 50D	B 50S	12-63
8462	KED	1567	1.4	60	263			2 139			166					B 46D	B 46S	11-64
8463	KED	1658	1.7	33	295			5 141			72		2 15			B 29S	B 29X	N 8-59
8464	KED	1558	2.1	50	290			7 58			73					B 35X	B 35D	N 8-59
8465	KED	2011	1.5	57	283			4 3			129		2 44			B 49X	B 49S	N 8-59
8466	KED	1370	1.6	50	289			8 105			18	61	2 60			B 61D	B 61S	N 8-59
8467	KED	1466	1.4	69	284	2 59		6 59			28					B 50D	B 50S	N 9-59
8468	KED	1236	1.6	58	275			4 81		16		6				B 6X	B 6X	1-65
8469	KED	1608	1.6	100	289			4 66								B 48D	B 48X	10-67
8470	KED	1192	1.3	91	283	2 59		4 59			30		2 59			B 1X	B 1D	3-64
8471	KED	1286	1.9	67	308			5 104			74		73			B 73D	B 73S	11-66
8472	KED	1467	1.5	48	296			3 15				118	28			B 29X	B 29X	12-64
8473	KED	1475	2.0	34	283			4 123			33					B 60D	B 60S	3-65
8474	KED	1604	1.6	32	183			3 80					3 36			B 53X	B 53D	2-65
8475	KED	1705	1.7	31	184			2 85			173					B 40X	B 40D	1-65
8476	KED	1411	1.6	64	186			3 73								B 43X	B 43S	1-65
8477	KED	1323	1.4	82	184			4 98								B 43X	B 43D	12-64
8478	KED	1447	1.5	76	183											B 62D	B 62D	6-66
8479	KED	1686	1.5	58	188			5 6								B 58D	B 58D	2-65
8480	KED	1795	1.6	69	178			5 20								B 44D	B 44D	2-65
8481	KED	1410	1.4	30	193						64		2 101			B 124S	B 124X	1-65
8482	KED	1527	1.7	46	181		87	4 87		28						B 39D	B 39D	1-65
8483	KED	1311	1.5	43	186			3 71								B 20D	B 20D	3-65
8484	KED	1826	1.4	46	189			3 75								B 2S	B 2S	12-64
8485	KED	1238	1.2	44	185			3 82								B 53X	B 53S	2-65
8486	KED	1326	1.3	88	187			3 77								B 61X	B 61D	1-65
8487	KED	1348	1.4	53	186			2 90								B 62X	B 62D	12-64
8488	KED	529	1.4	58	185		62	4 83								B 53X	B 53D	11-64
8489	KED	1457	1.6	33	185			3 81								B 64D	B 64D	4-65
8490	KED	1565	1.6	111	183			4 47					2 42			B 49X	B 49D	11-66
8491	KED	1231	1.3	76	184			4 62								B 25D	B 25D	3-64
8492	KED	1080	1.4	67	186			4 90								B 58D	B 58D	1-65

BUS MILEAGE DATA

PERIOD 13 ENDING DECEMBER 30 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR	
8493	KED	1261	1.5	70	183	2 80		3 23			53			2 80		B 50D	B 50D	1-65
8494	KED	1410	1.2	56	188			4 57			4					B 29X	B 29D	10-64
8495	KED	1741	1.7	35	180		104	2 104					2 172			B 21X	B 21D	7-64
8496	KED	1248	1.3	29	180			3 96					3 23			B 39D	B 39D	4-65
8497	KED	1248	1.4	59	178			4 38					2 164			B 50D	B 50D	10-64
8498	KED	662	.7	30	183			3 109			10		2 26			B 38D	B 38S	2-65
8499	77	582	.7	17	140	3 35		3 87	3 87		122		4 87			45D	22D	10-66
8500	KEL	3315	3.4	43	283	2 148		3 148	3 148							B 47S	B 47X	N 8-61
8501	KEL	3446	3.8	70	247			2 228	2 228							B 18S	B 18X	N 8-61
8502	KEL	2463	3.5	21	235			3 32	3 32				4 50			39S	8X	N 8-61
8503	KEL	3636	4.5	41	253		33	3 33	3 33							B 24X	B 24D	N 8-61
8504	KEL	2809	4.2	117	238		48	2 48	2 48				2 82			B 2S	B 2S	N 8-61
8505	KEL	3003	3.6	12	249			2 239	2 239							B 3S	B 3S	N 8-61
8506	KEL	2176	3.1	18	246						224		2 17			B 37S	B 37X	N 8-61
8507	KEL	3372	3.7	34	236			2 213	2 213		70		3 53			55D	17S	N 8-61
8508	KEL	3221	3.7	38	242								3 35			B 3S	B 3S	N 8-61
8509	KEL	3095	3.9	34	251			2 229	2 229		54					B 3S	B 3S	N 8-61
8510	KEL	3315	4.1	26	247			3 7	2 7							B 5S	B 5D	N 8-61
8511	KEL	2972	3.4	31	216								5 2			58X	21D	N 8-61
8512	KEL	3041	3.4	41	248								2 83			B 4S	B 4S	N 8-61
8513	KEL	2929	3.7	29	254								3 40	209		B 23X	B 23S	N 8-61
8514	KEL	2759	3.8	28	247			2 43	2 43				2 60			40S	12S	N 8-61
8515	KEL	2769	4.0	110	249		82	2 82	2 82	57	11					58D	20D	N 8-61
8516	KEL	2914	3.5	28	254											45X	8D	N 8-61
8517	KEL	2618	3.4	51	248			3 200	3 200				2 56	4		B 20S	B 20S	N 8-61
8518	KEL	2997	3.7	49	233			2 81	2 81				2 87			B 5S	B 5S	N 8-61
8519	KEL	2912	3.8	18	255			2 239	2 239		78		40			B 40S	B 40X	N 8-61
8520	KEL	1756	3.7	92	245			2 6	2 6	27	11					41X	10D	N 8-61
8521	KEL	2294	3.6	25	252					3			2 55			B 23X	B 23X	N 8-61
8522	KEL	3176	3.7	40	245								2 54			B 12S	B 12D	N 8-61
8523	KEL	2782	4.0	52	257			2 11	2 11		5		3 142			B 6S	B 6D	N 8-61
8524	KEL	515	3.0	30	256				2 167				2 47			48S	15X	N 8-61
8525	KEL	3096	3.6	30	273											B 27S	B 27D	N 8-61
8526	KEL	2664	3.8	80	253	2 56		2 56	2 56	193	26		2 24			37S	9X	N 8-61
8527	KEL	2656	3.5	25	232								2 12			B 15S	B 15X	N 8-61
8528	KEL	3051	3.6	36	247			2 159			18		2 43			B 10X	B 10D	N 8-61
8529	KEL	2606	4.5	65	240			2 27	3 27	32						B 4D	B 4S	N 8-61
8530	KEL	3015	3.9	137	260			4 23	4 23				2 24			B 13X	B 13X	N 8-61
8531	KEL	2873	4.2	89	257	2 14		2 14	2 14		20		3 22	1		B 37S	B 37X	N 8-61
8532	KEL	2606	3.6	57	278			2 65	2 65	33			2 2			B 15D	B 15D	N 8-61
8533	KEL	2264	3.6	20	274								2 21			B S	B S	N 8-61
8534	KEL	3361	4.0	22	271			2 78	2 78				2 48			B 30X	B 30D	N 8-61

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR	
8535	KEL	1836	3.3	39	275			2 62			19		39			B 1S	B 1S	N 8-61
8536	KEL	3303	3.8	28	252			2 1	2 1				2 25			B 13X	B 13X	N 8-61
8537	KEL	2688	3.6	37	272			2 244	2 244							B 42D	B 42D	N 8-61
8538	KEL	1732	4.0	54	272			2 33	2 33				4 6			B 32X	B 32D	N 8-61
8539	KEL	2690	3.3	28	275											B 30D	B 30S	N 8-61
8540	KEL	3427	3.9	83	267			2 13	2 13		216		38	2 21		52S	19D	N 8-61
8541	KEL	2778	3.9	86	256	2 29		2 29	2 29					2 65		39D	13D	N 8-61
8542	KEL	2790	3.8	35	264									3 3		B 4S	B 4S	N 8-61
8543	KEL	2985	3.9	26	284											B 1S	B 1S	N 8-61
8544	KEL	2880	3.5	29	276					74				2 57		B 4S	B 4S	N 8-61
8545	KEL	1			255						18			3 22		36S	11X	N 8-61
8546	KEL	3159	4.2	131	276	2 26		2 26	2 26					2 65		43X	21S	N 8-61
8547	KEL	3107	3.8	47	273			2 56	2 56		23			5 13		B 12S	B 12D	N 8-61
8548	KEL	3524	3.8	100	271	2 24		3 24	3 24	63						B 7S	B 7S	N 8-61
8549	KEL	1817	1.8	9	268			2 21	2 21	54				4 3		B 12X	B 12S	N 8-61
8550	KEL	3380	4.0	27	280			2 38	2 38		122			2 61		B 14X	B 14S	N 8-61
8551	KEL	3280	4.1	43	269			2 62		28						B 12D	B 12D	N 8-61
8552	KEL	3057	3.8	40	291											B 49D	B 49S	N 8-61
8553	KEL	2685	3.6	27	257					59				3 21		44S	21D	N 8-61
8554	KEL	2619	3.5	19	279								38			B 38X	B 38X	N 8-61
8555	KEL	3365	3.9	56	281			2 254	2 254	41	86					B 17S	B 17S	N 8-61
8556	KEL	3203	3.8	47	287					1	16			2 5		B 3S	B 3S	N 8-61
8557	KEL	3686	3.9	52	257		67	3 67	3 67							32X	14X	N 8-61
8558	KEL	2623	3.7	57	263			2 11	2 11					5 61	7	B 26S	B 26D	N 8-61
8559	KEL	3142	3.3	32	274					42			34	2 20		B 34S	B 34X	N 9-61
8560	KEL	2593	3.7	55	211			4 108	3 108					3 35		35D	12X	N 8-61
8561	KEL	1459	4.4	31	222			2 123	2 123					4 6		B 8S	B 8X	N 8-61
8562	KEL	3124	3.6	63	231			3 123	3 123	32				2 98		B 20S	B 20D	N 8-61
8563	KEL	3040	3.8	38	238			2 132	2 132	50			40			40D	15X	N 8-61
8564	KEL	3654	3.8	60	230			2 122	2 122		65			5 13		14X	14D	N 8-61
8565	KEL	3264	3.9	112	226			3 20	3 20					3 1		B 23D	B 23S	N 8-61
8566	KEL	2602	3.9	38	229			2 121	2 121	74				3		B 53D	B 53S	N 8-61
8567	KEL	2808	3.9	55	229			2 128	3 123		118		38	3 10		B 38D	B 11X	N 8-61
8568	KEL	2524	3.8	90	216			3 42	3 42		16			3 4		B 40X	B 40D	N 8-61
8569	KEL	3458	3.6	67	224			2 113	2 100		78		36	5 33		36D	16X	N 9-61
8570	KEL	3198	3.4	42	221			2 124	2 124					2 25		B 9S	B 9S	N 10-61
8571	KEL	3686	3.2	37	230			2 129	2 129					2 33		B 6S	B 6S	N 9-61
8572	KEL	2782	3.7	41	229						29					B 57D	B 57S	N 9-61
8573	KEL	4486	4.2	23	226						127					B 30D	B 30D	N 9-61
8574	KEL	2751	4.0	32	235						22					B 43D	B 43S	N 9-61
8575	KEL	3419	3.6	43	225						100			3 31		B 5S	B 5S	N 9-61
8576	KEL	4089	4.1	87	228						42			4 25		B 25S	B 25S	N 9-61

BUS MILEAGE DATA

PERIOD 13 ENDING DECEMBER 30 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE			
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT		REAR	
8577	KEL	3804	3.6	39	234						86					43D	16X	N10-61	
8578	KEL	3733	4.2	79	235					2						B 3S	B 3S	N10-61	
8579	KEL	3168	3.9	51	218						98					B 30D	B 30S	N10-61	
8580	KEL	3527	4.1	27	234			2	5	2	5	82	123			58D	22D	N10-61	
8581	KEL	3184	3.5	45	237									3	80	B 4S	B 4X	N10-61	
8582	KEL	2912	3.0	52	234			2	105	2	105		122			B 24S	B 2S	N10-61	
8583	KEL	3117	3.8	155	226				69	2	69		71		55	B 31S	B 31D	N10-61	
8584	KEL	3214	3.8	59	196								186	2	18	36D	7X	N10-61	
8585	KEL	3232	4.2	37	227					38	133					B 47D	B 47S	N10-61	
8586	KEL	2334	3.6	68	234			2	10	2	10		118		1	B 27D	B 27S	N10-61	
8587	52	2724	3.9	16	242								132			B 42D	B 42S	N10-61	
8588	KEL	2176	3.9	38	240								100			64D	38D	N10-61	
8589	KEL	2495	3.1	56	224			3	68	3	68	31	18		2	15	B 1S	B 1S	N10-61
8590	KEL	2335	3.4	49	277					123	156					B 50X	B 50S	N10-61	
8591	52	2071	3.1	37	247						31			2	19	48X	25S	N10-61	
8592	52	2267	3.2	33	264					134	22					B 2S	B 2S	N10-61	
8593	52	2379	3.8	46	261		72	2	72	2	72		56			B 12S	B 12D	N10-61	
8594	52	2031	3.6	84	259	2	35	2	35	2	35	99	109			B 30X	B 30S	N11-61	
8595	52	2216	3.8	23	256			2	2	2	2		36		2	22	B 22X	B 22D	N11-61
8596	52	2063	3.4	42	266					4	75			2	17	B 19D	B 19S	N11-61	
8597	52	1362	3.5	20	261											B 1S	B 1D	N11-61	
8598	52	2256	3.3	24	268						123					47S	13S	N11-61	
8599	52	1491	3.2	17	261						65			4	23	B 1S	B 1S	N11-61	
8600	52	1511	3.5	16	278			2	262	2	262		56		3	133	B 21X	B 21S	N 8-61
8601	52	2750	3.7	35	262			3	55	30	160			3	65	27	B 28X	B 28D	N 8-61
8602	52	1402	3.7	20	256			4	6	4	6		30	2	162		B 17X	B 17S	N 8-61
8603	52	1916	3.3	26	233			2	35	2	35			5	35		B 53X	B 53D	N 8-61
8604	52	2001	3.5	29	274						77			4	50		B 5D	B 5S	N11-61
8605	52	1515	3.6	84	275	2	47	2	47	2	47	106	40		2	47	B 12S	B 12D	N11-61
8606	52	2667	3.5	48	258			2	70					9	9		B 42S	B 42X	N11-61
8607	52	2519	3.6	38	263						8			2	237		B 32X	B 32D	N11-61
8608	52	2228	3.3	48	262						129			5	99		B 27S	B 27D	N11-61
8609	52	1041	3.5	34	256			2		2				5	37	8	39X	8S	N11-61
8610	52	2407	3.7	37	271						87			3	12		B 22X	B 22D	N11-61
8611	52	1978	3.5	38	267					69	7			3	53		24S	S	N11-61
8612	52	2125	3.7	46	271			2	32	2	32			2	135		37D	37S	N11-61
8613	52	1894	3.1	27	265						7			4	17		B 27X	B 27D	N11-61
8614	52	1483	3.2	31	257			2	2	2	57		110	3	122		B 6S	B 6S	N11-61
8615	52	2389	3.5	59	257			2	98	3	30	74	60	5	91		B 37D	B 37D	N11-61
8616	52	2476	3.7	21	252								154	8	12		46X	12S	N11-61
8617	52	1821	3.9	29	279					213	171			3	83		B 37S	B 37D	N11-61
8618	52	2679	3.3	51	268					28	134			3	73		B 46S	B 46D	N11-61

* Heads Removed for Test Purposes

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT		REAR
8619	52	958	3.0	47	261		8	2 8	8	153	196			9 62		B 29X	B 29S	N11-61
8620	52	2317	3.4	53	306			3 * 6	3 * 6		77			4 28		B 35X	B 35D	N11-61
8621	52	1864	3.7	19	301			2 248	2 248	38	57		23	6 39		B 23X	B 23S	N11-61
8622	52	2289	3.7	120	318			3 * 2	3 * 2		238					B 41X	B 41D	N11-61
8623	52	2013	3.5	27	310			* 247	* 247		229					B 2S	B 2S	N11-61
8624	52	2192	4.0	39	303			3 * 18	3 * 18		152			3 128	143	B 1S	B 1S	N11-61
8625	52	1325	3.3	55	316			2 1	2 1	100	240			3 152		B 21D	B 21D	N11-61
8626	52	1187	3.4	32	305					14	141		4	2 55		B 4X	B 4X	N11-61
8627	52	1193	3.9	66	283	2 13	13	2 13	2 13		5			7		B 5X	B 5D	N11-61
8628	52	1161	3.5	30	311						179			6 11		B 7S	B 7X	N11-61
8629	52	1199	3.5	31	309						2			2 15		38X	10S	N11-61
8630	52	1057	3.3	24	306						104			3 43		B 1S	B 1S	N11-61
8631	52	919	3.0	45	295									7 100		B 12X	B 12X	N11-61
8632	52	1350	3.3	35	315					114	99			7 76		B 27X	B 27D	N11-61
8633	52	1254	3.6	40	298						94			6 41		B 33S	B 33D	N11-61
8634	52	1136	3.4	31	315			2 62	2 62	26	75			7 6		B 12X	B 12S	N11-61
8635	52	882	3.9	29	295						75			8 4		B S	B S	N11-61
8636	52	1255	3.6	26	331						9			3 16		B 12X	B 12D	N11-61
8637	52	1470	3.5	30	296						68			4 9		B 19X	B 19D	N12-61
8638	52	1328	3.9	41	298					1	8		4	4 4		4X	25S	N12-61
8639	52	1102	3.3	68	293			2 4	2 4		72			2 90		B 22X	B 22D	N12-61
8640	52	1300	3.8	31	310					118	204			2 143		43X	16S	N12-61
8641	52	405	3.4	50	308					115				3 61		B 14X	B 14S	N12-61
8642	52	1018	4.2	40	297			3 19	3 19					2 99		32X	11S	N12-61
8643	52	1325	3.8	37	293						151			2 78		B 36X	B 36D	N12-61
8644	52	1516	3.8	21	309						117			4 67		B 12D	B 12S	N12-61
8645	52	544	1.6	16	314			3 11	2 78	38	190			3 44		B 11D	B 11S	N12-61
8646	52	562	4.0	24	304			2 57	2 57		88			3 40		B 43S	B 43D	N12-61
8647	52	483	3.2	30	308			2 147		57	97			5 79		B S	B D	N12-61
8648	52	1348	4.4	67	292	2 46		2 46	2 46	17	115			4 80		B 34S	B 12X	N12-61
8649	52	1416	3.5	34	303						120			6 91		B 5D	B 5S	N12-61
8650	52	1758	4.0	351	287	2 1		2 1	2 1		95			4 90		B 19X	B 19D	N12-61
8700	NPK	1577	1.3	131	198	2 31		5 31		40	108			2 31		B 7S	B 7S	N 3-63
8701	NPK	3753	2.0	89	197		168	2 29			29					B 53X	B 53D	N 4-63
8702	NPK	1818	1.4	25	220			5 17		98	103			3 1		B 21X	B 21S	N 4-63
8703	NPK	3396	1.9	72	221			3 91		22						B 13D	B 13S	N 4-63
8704	NPK	599	1.4	85	218			7		7	93			2 61		B 70X	B 70S	N 4-63
8705	NPK	3460	2.2	115	215		75	4 38		88						B 25X	B 25X	N 4-63
8706	NPK	3116	1.5	32	211			4 66		54						B 34X	B 34S	N 4-63
8707	NPK	3606	1.8	116	208	4 17		7 17		127	96					B 20D	B 20S	N 4-63
8708	NPK	3679	1.8	70	209			5 51			69					B 44D	B 44X	N 4-63
8709	NPK	3455	1.6	55	218			4 15		83	56			2 121		B 15X	B 15S	N 4-63

BUS MILEAGE DATA

PERIOD 13 ENDING DECEMBER 30 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE			
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT		REAR	
8710	NPK	3121	1.4	31	219			4	40			86					B 32X	B 32S	N 4-63
8711	NPK	3397	1.9	73	216		134	3	21			117					B 74S	B 74D	N 4-63
8712	NPK	3617	1.9	65	226			4	34			94					B 47D	B 47D	N 4-63
8713	NPK	2265	1.5	40	197			3	39			42		4	83		B S	B S	N 4-63
8714	NPK	3124	1.7	74	224			5	27					2	148		B 62X	B 62D	N 4-63
8715	NPK	4435	2.4	82	211	2	115	5	31	63	34			2	115		B 17D	B 17S	N 4-63
8716	NPK	3216	1.7	64	203		157	6	28	103							B 28D	B 28S	3-67
8717	NPK	3385	1.8	47	214	2	80	5	80	14	57						B 27X	B 27S	N 4-63
8718	NPK	1816	1.4	50	202		202	4			13			4	27		B 30X	B 30S	N 4-63
8719	NPK	3130	1.7	44	210			6	15	129	67			2	27		77X	26S	N 4-63
8720	NPK	3591	1.9	61	217		217	3	53					2	10		B 63X	B 63D	N 4-63
8721	NPK	3745	2.0	85	212	2	38	7	38	117	51		29	3	31	58	B 29D	B 29D	N 4-63
8722	NPK	3551	1.8	118	219	2	127	6	91		28			2	33		B 15D	B 15S	N 4-63
8723	NPK	777	1.0		221			6		21							B 11D	B 11D	N 4-63
8724	NPK	1976	1.3	61	181		179	2									56X	16S	N 4-63
8725	NPK	3398	1.8	130	202		78	6	37								B 8D	B 8X	N 4-63
8726	NPK	2309	1.5	38	217			4	76		88						B 25D	B 25S	N 4-63
8727	NPK	2541	1.5	94	206		161	2	40		82			2	36		B 64X	B 64X	N 4-63
8728	NPK	3279	2.2	76	224			4	12	12	87			3	14		B 10S	B 10X	N 4-63
8729	NPK	3404	1.7	64	226			4	70	12	36		24	2	42		B 24X	B 24D	N 4-63
8730	NPK	3309	1.6	29	220		135	2	70								B 3S	B 3S	N 4-63
8731	NPK	3496	1.8	69	191	2	67	5	3		60						60X	25S	N 4-63
8732	NPK	3400	2.0	45	225			2	93								B 24D	B 24S	N 4-63
8733	NPK	3617	2.0	62	220			3	32		98						B 15X	B 15S	N 4-63
8734	NPK	2090	1.9	47	202			4	16		84		35				B 15X	B 15S	N 4-63
8735	NPK	1766	1.2	43	225		87	3	87	51	89		1				B 1S	B 1S	N 4-63
8736	NPK	1039	1.6	57	224	3	85	4	2	133	85						29D	3S	N 4-63
8737	NPK	3150	1.7	80	210		79	3	79				18		64		B 18D	B 18S	N 4-63
8738	NPK	4031	1.8	53	221			4	6		102						B 15D	B 15X	N 4-63
8739	NPK	2850	1.6	73	215	2	108	2	108	14				2	2		66X	25S	N 4-63
8740	NPK	3048	1.9	95	208	2	83	4	69	59	82						65X	26S	N 4-63
8741	NPK	3058	1.8	38	214	2	91	6	40		83						B 57X	B 57D	N 4-63
8742	NPK	2990	2.5	66	203	2	128	3	84	4	61			4	40		B 60S	B 60D	N 4-63
8743	NPK	3357	1.9	76	223		21	7	9	4	60						B 40S	B 40D	N 4-63
8744	NPK	3332	1.8	119	222			2	97	38	62						B 27S	B 27S	N 4-63
8745	NPK	3669	1.6	70	208			5	37	42	71			2	54		B 84X	B 84D	N 4-63
8746	NPK	3594	1.6	89	214					95	61		62				91X	27S	N 4-63
8747	NPK	2816	1.5	47	218		110	3	23		102						B 53S	B 53D	N 4-63
8748	NPK	3866	1.9	67	225			3	96		61			2	39		B 31D	B 31S	N 4-63
8749	NPK	3510	1.7	51	216			3	19		98			2	45		B 68X	B 68S	N 4-63
8750	NPK	2576	1.8	51	185	2	27	6	27	10	29						B 48X	B 48D	N 4-63
8751	NPK	3061	2.0	61	172	2	33	5	11	25	64						B 40X	B 40D	N 4-63

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR	
8752	NPK	2			157			3		5	2		2			B 22X	B 22D	N 4-63
8753	NPK	2964	1.9	59	195	2	102	6	5	9	95					B 39D	B 39D	N 4-63
8754	NPK	3203	1.8	39	163			6	33					2	34	B 30X	B 30D	N 4-63
8755	NPK	2455	1.4	81	176			5	13		71				46	B 49X	B 49X	N 4-63
8756	NPK	2868	1.6	69	176	2	66	6	32	57	70			2	66	B 33X	B 33D	N 4-63
8757	NPK	1311	1.9	65	174			5			82			2		B 29X	B 29D	N 4-63
8758	NPK	2749	1.6	44	175	2	80	5	22		53			3	32	B 45X	B 45D	N 4-63
8759	NPK	2816	1.7	74	177	2	63	4	13	63				4	50	43X	43X	N 4-63
8760	NPK	1484	1.7	67	182			6		21	76					B 36X	B 36D	N 5-63
8761	NPK	2714	1.5	33	178	2	78	4	78		56					B 38X	B 38D	N 4-63
8762	NPK	2365	1.4	43	186	2	88	7	5		26					48X	12D	N 4-63
8763	NPK	2450	1.4	31	176			5	6		69					B 45X	B 45D	N 4-63
8764	NPK	2046	1.2	32	186			3	23	86	33					B 47X	B 47D	N 4-63
8765	NPK	2516	1.3	44	172			4	27							B 21X	B 21D	N 5-63
8766	NPK	3142	1.6	87	184			6	25							B 28X	B 28D	N 5-63
8767	NPK	3194	1.9	88	177	4	24	8	24		26					B 53S	B 53D	N 5-63
8768	NPK	2769	1.9	69	187	2	9	4	9							B 39X	B 39D	N 5-63
8769	NPK	2977	1.7	135	184			4	14		83					B 55X	B 55D	N 5-63
8770	NPK	1949	1.5	45	185	2	6	4	6		111					B 46X	B 46D	N 5-63
8771	NPK	1780	1.3	46	183	3	1	5	1							B 48X	B 48D	N 5-63
8772	NPK	3225	1.8	36	166	2	28	5	28		74				27	B 28X	B 28D	N 5-63
8773	NPK	1280	1.6	213	169	2	55	5	38	59	46					B 43X	B 43D	N 5-63
8774	NPK	2815	1.7	43	203			5	16		17			2	164	B 16X	B 16X	N 5-63
8775	69	1923	1.3	128	222	2	43	2	43		28			4	27	B 3S	B 3S	N 5-63
8776	69	3255	1.9	325	215			2	57		32					B 11D	B 11D	N 5-63
8777	69	3192	1.7	74	215	2	4	5	4		8			2	4	36D	10X	N 5-63
8778	69	2764	2.1	83	211			2	102		38			3	48	B S	B D	N 5-63
8779	69	3651	1.6	158	204	2	45	2	45					2	65	B 2S	B 2S	N 5-63
8780	69	3100	1.3	310	216	2	45	5	23		46			3	62	B 12X	B 12X	N 6-63
8781	69	3439	1.6	312	214	2	46	3	46	72				2	32	B 47D	B 47S	N 5-63
8782	69	6182	3.8	237	212			3	126		15			2	125	46D	9X	N 6-63
8783	69	3651	2.0	79	225			2	113	105	18					B 6S	B 6S	N 6-63
8784	69	3635	1.5	151	179	3	36	3	36	59						B 48X	B 48D	N 6-63
8785	69	3095	1.8	343	221			2	10		19		10	2	10	B 10S	B 10S	N 6-63
8786	69	4251	2.0	265	201			3	71	107				2	6	B 8S	B 8S	N 6-63
8787	69	3970	1.7	101	215			2	124					4	12	35D	13X	N 6-63
8788	69	2058	1.1	89	203			4	5	32				3	5	30D	5S	N 6-63
8789	69	3400	1.4	97	220			4	6		71		44	2	26	B 44D	B 44S	N 6-63
8790	69	3400	1.4	106	175			3	27					3	5	31X	3S	N 6-63
8791	69	6667	3.2	148	224			2	189	9			53			53X	24X	N 6-63
8792	69	2340	2.0	585	222			4	2					2	58	B 47D	B 47S	N 6-63
8793	69	4035	1.8	109	213		186	4	8	8	72			2	5	B 20D	B 20S	N 6-63

BUS MILEAGE DATA

PERIOD 13 ENDING DECEMBER 30 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED		
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE			
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT		REAR	
8794	69	4210	2.1	105	226			6	6			67					B 34D	B 34D	N 6-63
8795	69	2954	1.5	70	218		63	4	42	38	34						B 26D	B 26X	N 6-63
8796	69	4056	1.7	92	213	2	27	5	27	4	51	38					6S	6S	N 6-63
8797	69	4287	2.0	65	213							33					B 26D	B 26X	N 6-63
8798	69	8032	3.6	182	218			2	178					4	98		B 42D	B 42S	N 6-63
8799	69	2598	2.1	216	206							61					B 53D	B 53X	N 6-63
8800	69	3998	2.0	166	205			2	175	17	112			2	178		B 7S	B 7S	N 6-63
8801	69	3126	1.5	347	214									2	13		38D	13X	N 6-63
8802	69	3292	1.6	235	219	2	41	5	41	30	54						B 12D	B 12S	N 6-63
8803	69	3089	5.6	237	204	2	36	2	36		56			2			46D	24D	N 6-63
8804	69	3249	1.7	83	218	2	3	2	3					2	37		B 35D	B 35S	N 6-63
8805	69	3429	2.1	76	214						18			4	65		B 21D	B 21D	N 6-63
8806	69	3209	2.0	401	216	2	137	3	137		38						B 7D	B 7S	N 6-63
8807	69	6487	3.4	150	228	2	90	3	90					3	50		B 16S	B 16D	N 6-63
8808	69	2686	1.6	111	216			4	53	41				2	44		64D	21D	N 6-63
8809	69	2261	1.5	102	193		109	4	93		90		11				48D	11D	N 6-63
8810	69	3702	1.9	185	211			3	40								71X	29S	N 6-63
8811	69	4057	1.7	184	210	2	46	3	46	46	64			3	46		B 24D	B 24S	N 6-63
8812	69	3607	1.8	150	218			2	101	102				2	52		B 3S	B 3S	N 6-63
8813	69	4408	1.7	183	223			2	56	15	28			3	17		B 10S	B 10S	N 6-63
8814	69	3564	1.9	162	218					39	12			2	54		B 2S	B 2D	N 6-63
8815	69	2837	1.3	149	219			2	39				12	4	2		42D	12S	N 6-63
8816	69	3718	1.8	143	198			3	54		11						B 23D	B 23D	N 6-63
8817	69	3736	1.7	98	186	2	61	3	61		24			4	59		B 30D	B 30S	N 6-63
8818	69	2789	1.7	199	192	2	35	3	35		30			2	41		B 2S	B 2S	N 6-63
8819	69	968	.3	48	225			5	98								57X	18X	N 6-63
8820	69	3400	1.7	130	220	2	32	3	32				29				B 29D	B 29S	N 6-63
8821	69	3113	1.9	222	202						29			2	26		B 21	B 21X	N 6-63
8822	69	3235	1.8	154	197									4	56		B 27D	B 27S	N 6-63
8823	69	3636	1.6	106	224			3	122					2			B 18X	B 18X	N 6-63
8824	69	3387	1.9	161	192			3	17	12							B 6S	B 6S	N 7-63
8825	69	3436	1.8	143	217			2	179		33			2	104		B 6S	B 6S	N 6-63
8826	69	3824	1.7	152	211	2	39	5	25	85	29		10	2	56		B 10X	B 10D	N 6-63
8827	69	5709	3.3	139	222			3	106								55X	55D	N 6-63
8828	69	2710	1.7	542	229												B 5S	B 5S	N 6-63
8829	69	4246	1.9	193	212			2	181				14	2	24		B 14D	B 14X	N 7-63
8830	69	4414	1.8	65	213			2	43				40	2	40		B 12D	B 12X	N 7-63
8831	69	3064	1.4	54	231					2	58	50		3	11		57X	18X	N 7-63
8832	69	3640	1.9	165	221	2	64	2	64		16		40	3	39		B 40D	B 40S	N 7-63
8833	69	2796	1.4	233	215			2	140								B 6D	B 6D	N 7-63
8834	69	6431	2.7	189	230									2	5		B 14S	B 14X	N 7-63
8835	69	2837	1.5	128	213	3	34	5	31				6	2	56		B 6S	B 6D	N 7-63

[illegible]

BUS MILEAGE DATA

PERIOD 13 ENDING DECEMBER 30 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT		REAR
9208	NAV				525					16			314	69	29	B 89D	B 89D	9-59
9209	NAV	1738			495							63				B 63S	B 63S	10-65
9211	NAV	1786			535					41		293	261			B115D	B115S	10-59
9212	NAV	1749			572					27		495	366		287	96X	7S	9-59
9214	NAV	1545			527							246	102	121	5	B 23X	B 23X	10-64
9215	NAV	2092			528					2		305	308	101		B 72D	B 72D	10-65
9221	NAV				483								298	7	195	B 12S	B 12S	9-64
9225	NAV	1052			524								254	52	326	B 66D	B 66S	6-59
9231	NAV	1714			515							427	312	57	400	B 67D	B 67D	10-59
9232	NAV	2095			483					3			306		284	B 75X	B 75X	1-67
9238	NAV	2262			545							330	338	79	142	B 59S	B 59D	10-59
9245	NAV	1676			512							399	58	88	126	B 58S	B 58D	9-65
9246	NAV	2166			542								85	59	248	B 30X	B 30D	6-59
9255	NAV	1714			534					14		279	165	157		94D	38X	12-59
9256	NAV	1783			549					17		208	327	50	284	B 89X	B 89X	11-65
9259	NAV	1892			551					4		69	175	61	248	B 81D	B 81X	11-59
9260	NAV	1762			527					20		312	98	78	67	B 98D	B 98S	10-64
9262	NAV	1912			528					24		454	350			B 99S	B 99D	8-59
9264	NAV	761			537							14	318		5	B 60X	B 60D	12-59
9266	NAV	1802			547							267	309		237	B 32D	B 32X	10-66
9268	NAV	1910			546					31			305		85	B114S	B114D	11-65
9269	NAV	1284			555					26			366	96		B 98X	B 98S	11-59
9270	NAV	2176			561					38			109		270	B109X	B109D	9-64
9272	NAV	1364			542								162	60		B 28D	B 28X	11-59
9276	NAV	2010			550							269	246	75		B 33D	B 33X	10-66
9281	NAV	2114			557								333	63	183	B 67S	B 67D	11-59
9284	NAV	2026			560					16			326	104	100	B 87X	B 87X	1-60
9286	NAV	1741			545					15			326	40		B 89X	B 89X	1-64
9291	NAV	1891			581							77	337	63		B 29D	B 29D	11-59
9292	NAV	1784			545								295		45	B 25X	B 25X	12-66
9294	NAV	2			560										160	B X	B S	9-59
9297	NAV	1934			556							431	62	22	431	B 62D	B 62D	11-59
9298	NAV	1921			554								302		162	B 46S	B 46D	7-67
9299	NAV	2239			548					20		298	212	164		B 92S	B 92X	9-59
9300	NAV	1986			527								113	22		B 33X	B 33S	9-66
9301	NAV	2245			553					11		405			284	B 87D	B 87D	6-67
9303	NAV	1828			564					44			238			116X	9D	9-66
9306	NAV	1835			564							423			110	33S	33S	10-66
9307	NAV	1880			564					20		311	316	83	326	B 96S	B 96D	10-59
9309	NAV	2433			539								319	39	4	B 61D	B 61D	9-58
9320	NAV	1970			552							298	316	56		B 56X	B 56X	11-59
9321	NAV	2154			578							414	357	115	68	B 64S	B 64X	3-66

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR	
9322	NAV	1733			533					39		331			205	B110S	B110X	11-59
9323	FGL	1223			531					103		167	308	34	225	B174D	B174S	10-64
9325	FGL	1098			483					83			154		221	B154S	B154S	7-64
9335	FGL	879			497					38		375	133	64	271	B109D	B109D	12-63
9338	FGL	414			500							377	63	20	99	B D	B S	2-66
9340	FGL	1249			529					76		204		38	223	278X	148D	4-65
9346	FGL	1384			483					54		19	126		163	B126D	B126S	6-65
9347	FGL	1084			517								295	25	105	B 6D	B 6X	8-65
9362	FGL	889			516									50	51	B 26X	B 26X	12-65
9369	FGL	2219			755					1		576	310		462	B 73X	B 73X	2-61
9370	FGL	3785			730					123		428	219	51	115	14D	199S	10-65
9375	FGL	3396			729					12		46	44	30	324	B 84S	B 84S	11-65
9377	FGL	3206			760					24		92	604	82	385	B 96D	B 96S	1-66
9378	FGL	3201			745					24		8	320	168	304	B 98S	B 98S	11-65
9379	FGL	2697			766					94		304	164	152	590	B164S	B164S	12-60
9380	FGL	3292			820							561	64	142	307	B 64S	B 64S	11-65
9382	FGL	2292			724					116		551	11	106	96	B188D	B188S	10-65
9385	FGL	3098			735					37		495	122	135	369	B122D	B122S	12-65
9386	FGL				717					14		568	161	195	443	B161D	B161S	10-60
9387	FGL	3093			752					4		303	293	204	402	B 80S	B 80S	11-65
9388	FGL	3292			736							597	48	20	224	B 48S	B 48S	5-63
9389	FGL				724					76		540	540	74	357	B148D	B148S	12-65
9392	FGL	1666			735					225		555	255	59	78	B300D	B300D	3-65
9393	FGL	3394			729					111		27	299	107	277	B182D	B182D	5-65
9396	FGL	2874			659							109	296	2	141	B 40D	B 40S	7-64
9397	FGL	3212			716					80		61	390	94	48	B154D	B154S	1-66
9400	FGL	3011			721					27	61	61	249	110	247	B 98X	B 98S	3-61
9402	FGL	4061			733					227		567	97	27	232	B301D	B301D	3-65
9405	FGL	3040			747					28		104	339	246	175	B105D	B105S	2-61
9407	FGL	2517			749							615	317	3	22	B 30S	B 30S	10-60
9408	FGL	2858			741					39		3	112	148	505	B112S	B112S	4-65
9411	FGL				727					92		557	383		278	B163S	B163S	8-58
9414	KED	3286			718					22		171	492	3	162	B117S	B117S	9-58
9415	KED	3941			541							164	166	41	82	B 67S	B 67X	8-66
9416	KED	2832			542								19	117	135	B 19X	B 19X	3-61
9417	NAV	1864			555								116		16	B 7S	B 7D	4-66
9419	NAV	3484			565					27		230	376	65	71	B110S	B110X	10-66
9420	NAV	3070			561								167	227		B 41S	B 41X	9-58
9421	NAV	1900			547							192	438	106	371	B 48S	B 48X	10-58
9422	NAV	2745			549							89		33	35	B 8S	B 8D	12-65
9423	NAV	3437			565					60		383	136	143	310	B136D	B136X	9-66
9424	NAV	2821			538					7			434	24	343	B 84S	B 84D	12-66

BUS MILEAGE DATA

PERIOD 13 ENDING DECEMBER 30 1967

BUS NO.	LOCATION	CURRENT PERIOD			ACCUM- ULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT		REAR
9425	FGL	2390			575					30		353	210	16		B105X	B105X	1-67
9426	NAV	2495			548							264	10	153		B 10S	B 10S	7-62
9427	NAV	3333			532					24			104	66		B104D	B104S	7-66
9428	NAV	2664			568					77		155	153	29		153S	17X	1-60
9429	NAV	512			553					105			226	38		176D	64X	10-64
9430	NAV	3459			546							223	60	6		B 60S	B 60X	6-65
9431	NAV	3116			547					47			103	31		B 65S	B 65S	10-67
9432	NAV	1538			552					56			129	119		B129S	B129S	5-65
9433	NAV	2873			555								182	45		B 45X	B 45X	10-67
9434	NAV	18			554								466	13	383	B D	B D	11-65
9435	NAV	2755			525							260	400	139	245	B 62X	B 62X	3-66
9436	NAV	2495			584								462	81	42	B 55S	B 55D	2-60
9437	NAV	2701			561								43	2		B 43S	B 43S	3-66
9438	NAV	2755			558							290	146	111		B 45S	B 45X	11-66
9439	NAV	2811			550					10		539	402	181		B 85S	B 85X	5-65
9440	NAV	2495			536							446	341	5		B 41S	B 41S	11-58
9441	NAV	2914			547					59		346	188	144		188D	18X	2-66
9442	NAV	2823			575								483	249		B 57S	B 57D	6-65
9443	NAV	3162			582								224	217	282	B 74S	B 74S	1-66
9444	NAV	2495			564					67			143	19	257	B143S	B143X	4-64
9445	KED	3918			567					31			53	102	57	177D	59D	8-58
9446	KED	3215			567					2		32	478	241		B 84S	B 84S	12-65
9448	KED	2667			546					11		201	337		98	88X	20S	3-67
9449	KED	3922			555					48		289	228	37	49	129D	54D	9-64
9450	KED	2795			572							176	167	32		B 50D	B 50D	6-66
9451	KED	3818			577					55			234	210		134X	53S	3-67
9452	KED	3202			552					27		187	205	54	358	B107S	B107X	2-60
9453	KED	3026			544					1		58	19	147	102	84S	19D	1-63
9454	KED	3242			545							154		200	17	B 11X	B 11D	1-64
9455	KED	1771			593							301	193	87		B 1X	B 1S	2-67
9456	KED	1638			588							287	177	102		B 26X	B 26S	8-65
9458	KED	2748			582							104	152	21		B 59S	B 59D	1-67
9460	KED	1548			593					28			339	68		175D	55S	12-58
9461	KED	2344			553							93	203	155	37	B 69X	B 69X	6-67
9462	KED	3119			587					60		108	401	156		133S	50X	3-63
9463	KED	3046			584					69		231	214	16		214D	50D	5-67
9464	KED	3116			553								278	57	8	B 69D	B 69S	9-66
9465	KED	1181			559								12	57		54S	12D	10-58
9466	KED	2947			572					41			478	129	180	B118X	B 53D	2-65
9467	KED	3649			558					10			252	15	5	88D	19S	3-64
9468	KED	2348			542							298	346	15	141	B 27X	B 27D	4-58
9469	KED	3387			547							243	416	33	310	71S	45X	10-67

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT		REAR
9470	KED	3271			579					2			155	144	44	97X	19X	5-65
9471	KED	3772			597								254	46		B 75X	B 75D	4-66
9472	KED	3144			599							150	493	127	383	B 8X	B 8S	10-67
9474	KED	3702			588								474	109		B 65D	B 65D	4-66
9475	KED	3638			606					35			114	118	118	114X	9D	6-67
9476	KED	3846			565							304	458	144	45	B 45X	B 45X	7-64
9477	KED	2940			584							373	70	138	355	B 70S	B 70D	9-62
9478	KED	2985			571								150	13	192	84S	25X	11-62
9480	KED	3485			599								479	58		B 48S	B 48D	10-66
9481	KED	3109			594							94	37	84	118	B 37S	B 37D	6-63
9482	KED	13			577							278	451		77	B 30X	B 30S	4-64
9483	KED	3200			574								163	9	11	B 31D	B 31S	6-63
9485	KED	3970			569					62		330	112	98		B 132S	B 132D	3-60
9486	KED	2985			586							368	222	21		B 59D	B 59D	4-66
9487	KED	2358			590					3			477	46		B 76D	B 76D	4-65
9488	KED	2919			603							251	209	173		B 29D	B 29D	9-67
9489	KED	3326			600							347	217	144		B 27D	B 27D	12-66
9490	KED	3444			582					4			95	38	56	B 77X	B 77X	12-65
9491	KED	2990			612								170	83		B 56X	B 56D	5-63
9492	KED	3392			580							332	235	224	107	74D	9S	3-67
9493	KED	3315			551								186	147		B 4D	B 4S	4-64
9494	KED	3406			591							142	371	79		B 22D	B 22X	8-67
9495	KED	3466			570					27		375	154	113		B 85X	B 85S	6-67
9496	KED	2736			594					24			268	106		103X	46S	7-67
9497	KED	1657			591								182	232	42	B 1X	B 1S	7-67
9498	KED	2985			578					5		276	234	79		76X	14X	8-67
9499	KED	3158			565							256	427	11	366	80X	16S	7-67
9500	KED	2958			597						38		296	37	128	B 29S	B 29S	11-58
9501	KED	3685			577								222	41		B 38X	B 38D	2-67
9502	KED	2816			575								220	37	2	B 26D	B 26S	11-66
9503	KED	2611			577					11		117		209	25	97D	21S	9-66
9504	KED	3671			554					19		312	434	110	327	79X	8S	1-67
9505	KED	2886			604					2		151	209	33		B 77S	B 77D	3-66
9506	KED	2588			582							261	148	143		148D	49D	7-62
9508	KED	2957			592							310	273	151		B 76D	B 76D	6-67
9509	KED	2748			583							94	467	121	47	B 20X	B 20S	6-67
9510	NAV	3531			539					8		237	247	11	67	86D	7S	1-65
9511	KED	2985			570							323	357	104		B 63X	B 63D	12-65
9512	NAV	2869			575					6		238	435	76	4	B 82S	B 82S	10-66
9513	KED	3442			594					68		359	283	35		143S	52S	3-63
9514	KED	3148			527								155	167	131	B 67S	B 67D	4-66
9515	KED	3220			602							366	170	182	159	B 56X	B 56D	5-65

BUS MILEAGE DATA

PERIOD 13 ENDING DECEMBER 30 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT		REAR
9516	KED	3356			547					10		221	220	171		B 91S	B 91X	4-64
9517	KED	4036			587					4		279	486	50	312	B 79X	B 79D	5-67
9518	KED	3832			565							216	160	73	343	B 43S	B 43D	10-67
9520	KED	4143			571					10			209	118		B 82S	B 82X	6-59
9521	KED	13			591								178	198	96	B 60X	B 60D	8-59
9522	NAV	2328			584					2		278	180	247	119	B 77X	B 77X	4-63
9523	NAV	2466			550					48			147	26		B130D	B130D	1-66
9524	NAV	2430			566					48			200			B124D	B124X	2-60
9525	NAV	3175			585					12		79	202	95		92D	10X	10-67
9526	NAV	3258			586								444	29	367	B 74X	B 74D	1-66
9527	FGL	2665			582					13		67	162	139	360	B 86S	B 86D	10-62
9528	FGL	2426			573					94		278	134	167		134X	54S	3-65
9529	FGL	2633			569								257	217		B 68D	B 68X	6-65
9530	FGL	2332			562								344	61	83	B 64D	B 64D	8-66
9531	FGL	2236			586					11		60	393	2		B 83X	B 83D	4-66
9532	NAV	2640			556					55			429	84		B124S	B124X	10-63
9533	NAV	2578			523					25		216	183	36	187	B100D	B100X	7-67
9534	NAV	2702			511					50			123	13		B123S	B123S	6-63
9535	FGL	2644			524						10		324		269	B 55S	B 55X	11-65
9536	FGL	2559			516							398	12	52	203	B 12S	B 12S	8-66
9537	FGL	2648			540					31		287	173			B106D	B106X	8-63
9538	FGL	2810			528					10		16	206	34	285	B 82S	B 82D	3-65
9539	FGL	2680			554					2			338			B 74X	B 74X	1-59
9540	FGL	2578			549							38	445	154	86	B 40X	B 40D	1-63
9541	FGL	2844			540								174	68	267	B 53D	B 53D	6-66
9542	FGL	2393			579					28		191	209	13	20	B106X	B106X	10-65
9544	NAV	3272			550					17		266	89	42	244	B 89X	B 89X	9-67
9545	FGL	2361			539									44	221	B 48X	B 48D	6-66
9546	FGL	2695			546								190	1	346	B 61X	B 61D	5-59
9547	FGL	2811			531							108	158			B 57S	B 57X	5-66
9548	FGL	1087			515					13			177	13	12	B 87S	B 87X	9-64
9549	FGL	3129			531					48			122	176		B122D	B122X	2-64
9550	NAV	3820			550					22			417	67	163	B 96S	B 96X	10-66
9551	NAV	3094			566								14	30	319	B 14X	B 14S	9-66
9552	NAV	2945			528					81			389	3	252	B156S	B156X	1-63
9553	NAV	2988			560					79		306	211	195		150S	18X	1-66
9554	NAV	2545			541					34		40	396	168	133	B108D	B108S	5-59
9555	NAV	3064			540							133	403	164	155	B 69S	B 69S	10-67
9556	NAV	2992			547					6		73	189	145		B 84X	B 84D	9-66
9557	NAV	3542			554					90		154	153		142	B153S	B153X	5-63
9559	NAV	3272			532					84			420	39	475	175D	17X	10-67
9560	NAV	3045			548					41			117	96	91	B117S	B117X	10-67

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR	
9561	NAV	3011			564					83		437	271	10	121	B158X	B158S	9-63
9562	NAV	2641			545					3		347	77	94	291	B 77X	B 77X	7-65
9563	NAV	3410			567							98	15	114		B 15X	B 15X	6-65
9564	NAV	3290			584								14	123		B 14S	B 14S	5-65
9565	NAV	1			591								134	85		B X	B X	3-58
9566	NAV	3085			597							236	113			B 26X	B 26X	9-58
9567	NAV	3486			585							451				B 53X	B 53X	6-65
9568	NAV	3433			609					81		407	12	70	17	155X	12D	2-58
9569	NAV	3076			475							261	366	56	358	B 55X	B 55X	6-65
9570	NAV	3066			589								177		353	B 52S	B 52X	2-58
9571	NAV	3121			610					15			507	94	13	B 94X	B 94X	7-65
9572	NAV	2857			580								209	128	58	B 51X	B 51S	6-66
9573	NAV	2782			560							244	162	59		B 40S	B 40X	10-67
9574	NAV	3087			587							395	466	121	437	B 63S	B 63S	12-58
9575	NAV	2388			586								214	169		B 2X	B 2X	12-62
9576	NAV	3348			609								184			B 30X	B 30X	6-66
9577	NAV				586							274	485	91	27	B 58X	B 58X	2-59
9578	NAV	2742			610								442		102	B 67X	B 67X	12-65
9579	NAV	2625			581					48			120			120S	15D	10-64
9580	NAV	2903			586					2			491	121	220	B 75D	B 75X	6-65
9581	NAV	3000			569					7			229	3	417	B 80S	B 80X	10-67
9582	NAV	2782			611					2			488	18	253	B 75X	B 75X	11-62
9583	NAV	2452			556									173	141	B 16X	B 16X	7-67
9584	NAV	2859			583					83		183	363			158D	17S	9-65
9585	NAV	2205			593								183	14	354	B 16X	B 16X	1-58
9586	NAV	1605			597								311	87		B 40X	B 40X	8-66
9587	NAV	2280			619					117		195	510			B190S	B190S	11-58
9588	NAV	2410			609							287	184	129	97	B 41X	B 41X	11-58
9589	NAV	3246			598					53			126	111	131	B126S	B126X	9-66
9591	KED	3154			590								483			B 63S	B 63X	7-67
9592	NAV	2347			591							157	134	139	492	B 44S	B 44X	11-66
9593	NAV	3013			574								158	14	249	B 29X	B 29S	8-67
9594	NAV	2760			568								61	134		B 61X	B 61X	4-66
9595	NAV	238			579					58		445	113	107		B X	B X	7-58
9596	NAV	3477			606					44		46	114	33		B114S	B114X	2-64
9597	NAV	2991			603					14		90	89	77		B 89S	B 89S	9-65
9598	NAV	2457			553					76		2	407	42		B151S	B151S	2-66
9599	NAV	2609			572					4		281	281	20		B 78X	B 78X	8-61
9600	NAV	2762			585							109	158	29		B 35X	B 35X	2-67
9601	NAV	3028			601								208			B 40X	B 40D	3-59
9602	NAV	2999			580					37			108	187		B108S	B108S	3-58
9603	NAV	3819			585					59			132	227		B132S	B132S	2-66

BUS MILEAGE DATA

PERIOD: 13 ENDING DECEMBER 30 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE										PAINTED			
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.		BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column					FRONT	REAR	
9604	NAV	2823			602							413	468	6	37	B 41X	B 41X	4-58	
9605	NAV	2240			616								358	60	285	B 68X	B 68X	2-59	
9606	NAV	2663			586					27		199	99	87	50	B 99X	B 99X	6-65	
9607	NAV	2380			589						73	402	110	73	460	B 2S	B 2X	7-58	
9608	NAV	2627			567					87		190	158	19	286	158D	16D	9-67	
9609	NAV	3468			536							320	64		426	B 5X	B 5X	10-67	
9610	NAV	3094			600							23	248	128	514	B 67X	B 67X	4-67	
9611	NAV	1876			582							278	196			B 81X	B 81X	9-65	
9612	NAV	2762			602					8		361		33	260	B 85S	B 85D	12-62	
9613	NAV	2167			581					21			442			B 99S	B 99S	6-58	
9614	NAV	3510			584								15	83	544	B 15X	B 15X	7-67	
9615	NAV	3272			578								172	146		B 67X	B 67X	3-66	
9616	NAV	3063			560								407	76		B 18X	B 18X	4-58	
9617	NAV	3234			609							106	324		173	B 55X	B 55X	4-58	
9619	NAV	3009			577							152	149	13	263	B 23X	B 23X	10-66	
9620	NAV	656			577							401	207	106	56	B 55X	B 55X	4-64	
9621	NAV	2690			570								455	208		B 26X	B 26X	9-65	
9622	NAV	1292			586							396	283	5	476	B 42X	B 42X	7-65	
9623	NAV	3194			580					19			197	82	11	B 97X	B 97X	6-67	
9624	NAV	3209			596							72	174	115	310	B 62S	B 62S	4-66	
9625	NAV	2938			598								479	111	119	B 61S	B 61X	9-66	
9626	NAV	2918			575					87			160		98	160S	18X	5-59	
9627	NAV	2472			611					80			153	39		B153S	B153S	1-59	
9628	NAV	2800			607							377	176	235	63	B 72X	B 72X	1-58	
9629	NAV	3594			595							422	135			B 3X	B 3X	11-58	
9630	NAV	3284			613								519	63		B 51X	B 51D	9-66	
9631	NAV	2557			576					16			218	64	71	B 95S	B 95X	3-58	
9632	NAV	3655			593							374	284	167	220	B 34X	B 34X	3-64	
9634	NAV	2836			584								158	112	27	340	B 49X	B 49S	5-67
9635	NAV	3828			610					51			138	228	7	263	B126X	B126X	6-58
9636	NAV	513			579								161			B X	B X	7-65	
9637	NAV	3023			578					5			284	75	37	42	B 75X	B 75X	1-59
9638	NAV	3088			610								412	174		70	B 52S	B 52D	6-62
9639	NAV	3013			578					31			335	104		269	B104X	B104X	1-66
9640	NAV	3038			580								287	293			B 24S	B 24X	5-67
9641	NAV	1			599					143			217	36	29	217D	128X	1-58	
9642	NAV	2989			588								457	442			B 39X	B 39D	1-65
9643	NAV	3115			589								302	147	9		B 29S	B 29X	11-58
9644	NAV	3029			570					6			520	85	22	291	B 85S	B 85S	1-63
9645	NAV	3634			574					49			271	185	63	87	120S	14X	8-67
9646	NAV	2521			589					51			129	215	150		B123D	B123S	4-67
9647	NAV	1320			604					17			267	224			96S	7D	6-58

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE												PAINTED
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT	REAR	
9648	NAV	2131			600											B 8X	B 8X	2-59
9649	NAV	2405			578							165	202	64		B 73X	B 73X	1-63
9650	NAV	2984			566					15			176	131	283	B 94S	B 94D	11-67
9651	NAV	2710			592								160	237	280	B 19X	B 19X	1-66
9652	NAV	2904			603					44		260	234	109		B112X	B112X	4-58
9653	NAV	2674			607								321	165		B 50X	B 50X	2-58
9654	NAV	2343			570								447	9	181	B 36S	B 36X	6-67
9655	NAV	2823			585					77		342	234	36	165	B153D	B153X	1-67
9656	NAV	3720			560								146	144		B 8X	B 8X	1-66
9657	NAV	2996			587					90		313	159	176	383	B159D	B159S	2-66
9658	NAV	2016			592					22			495	6		B105S	B105D	11-58
9659	NAV	3243			573								342	76	187	B 51S	B 51X	10-66
9660	NAV	2760			594								151	52	388	B 38X	B 38X	12-62
9661	NAV	2483			584							25	188	99		B 20X	B 20X	1-58
9662	NAV	2771			597								291	60		B 37X	B 37X	2-59
9663	NAV	2971			596							77	36	30		B 36X	B 36X	5-58
9664	NAV	2703			592					69			267	31	464	B 147X	B 51D	8-58
9665	NAV	3806			612								47	15		B 47X	B 47X	4-58
9666	NAV	3263			608					16		81	140			B 95X	B 95X	3-59
9667	NAV	2496			583					10			193	10		B 87X	B 87X	3-61
9668	NAV	3507			586							179	179	11	242	B 52X	B 52X	8-66
9669	NAV	2530			577					11		457	87			B 87X	B 87X	9-65
9670	NAV	3118			591								194	239	227	B 69S	B 69D	11-67
9671	NAV	2696			587					5		112	381	165	432	B 79X	B 79X	4-67
9672	NAV	3599			602					64			142	85	36	B142S	B142X	3-58
9673	NAV	3433			589					49			471	20		B124X	B124X	6-58
9674	NAV	2933			578								448	58		B 71X	B 71S	2-59
9675	NAV	2394			566					14		51	194	197		B 92X	B 92X	2-58
9676	NAV	3088			588					12			467	32		B 88X	B 88D	1-58
9677	NAV	3179			584								455	117	83	B 64S	B 64X	6-66
9678	NAV	2245			585								67	117	358	B 67X	B 67X	7-65
9679	NAV	2762			582								216	37	28	B 28S	B 28D	12-58
9680	NAV	3108			593					70				115		B142S	B142S	5-59
9681	NAV	2355			587					76		12	148	41	74	148S	52X	7-62
9682	NAV	3522			576					77		304	155			155D	50S	1-64
9683	NAV	17			566								53	5	323	B S	B S	1-66
9684	NAV	2750			607							173	166	247		B 22X	B 22X	6-67
9685	NAV	3310			576								440	12	311	B 72S	B 72X	9-65
9686	NAV	3090			570							78	275	31		B 21X	B 21X	1-66
9687	NAV	2857			581					43		116	115	234	528	B115D	B115X	9-58
9688	NAV	1078			548							214		29	388	B X	B X	3-66
9689	NAV	2762			542								278	53	83	B 16X	B 16X	9-67

BUS MILEAGE DATA

PERIOD 13 ENDING DECEMBER 30 1967

PAGE

BUS NO.	LOCATION	CURRENT PERIOD			ACCUMULATED MILES (000)	THOUSANDS OF MILES SINCE LAST CHANGE											PAINTED	
		MILES	FUEL MPG	OIL MPP		REBUILT ENGINE	ENGINE RE-RING	HEAD		Radiator or Wheel Pack	STEERING		FRONT AXLE	Converter or Traction Motor	DIFF.	BRAKE RELINE		
								LEFT OR SINGLE	RIGHT		Box	Column				FRONT		REAR
9690	NAV	3474			589					5		416	205	71	389	B 78S	B 78X	3-65
9691	NAV	1729			550					57		330	192	24	522	127S	16X	5-66
9692	NAV	2535			582							301	447	72		B 47X	B 47D	3-58
9693	NAV	3285			571					69		143	102	102		B143S	B143D	9-62
9695	NAV	2644			577					55		372	469	102	301	B127D	B127X	3-59
9697	NAV	2830			567					4		446	10	332		B 78X	B 78X	2-64
9698	NAV	3444			594					27		174	376	33	331	B103S	B103X	2-58
9699	NAV	2770			586							267	221		439	B 6X	B 6D	8-66
9700	NAV	2748			595					16			398	79		B 96D	B 96D	3-66
9701	FGL	2411			565								295	11	178	B 65X	B 65X	9-67
9702	FGL	3169			575							22	70	6		B 13X	B 13X	1-66
9703	FGL	2691			603					15		371	211	27		B 85X	B 85X	8-62
9704	FGL	2333			573							34	342	46		B 2S	B 2X	11-66
9705	FGL	2982			569								39	24		B 39D	B 39X	4-64
9706	FGL	2724			591					9			79	143	26	B 79X	B 79X	3-64
9707	FGL	2286			599								220	121		B 31X	B 31X	4-64
9708	FGL	2233			547							268	424			B 38X	B 38X	8-65
9709	FGL	2962			579								442	91		B 38X	B 38X	8-65
9710	FGL	2740			586								475	102		B 45X	B 45X	9-65
9711	FGL	2532			568							37	248	88		B 16X	B 16D	8-65
9712	FGL	2593			573							281	444	49		B 19X	B 19X	8-65
9713	FGL	2601			566							413	437	112	36	B 38X	B 38X	2-59
9714	FGL	2781			543					55			126			B126S	B126S	8-64
9715	FGL	2634			569							52	199	53	9	B 36X	B 36X	8-65
9716	FGL	2571			571					57			393	119		B127X	B127X	8-65
9717	FGL	2945			568					33		84	118	20		118S	15D	8-65
9718	FGL	2691			556							72	378	53	41	B 53S	B 53S	12-58
9719	FGL	2752			565							256	160		128	B 19S	B 19D	8-64
9720	FGL	3191			526					30			365	58	58	B104S	B104S	8-64
9721	FGL	2597			607					10			199	77		B 81D	B 81X	2-64
9722	FGL	2404			549								57	83	35	B 57S	B 57X	4-63
9723	FGL	2524			557					30		373	103	79		B103S	B103S	10-67
9724	FGL	2981			557								156	117	48	B 26X	B 26X	4-63
9725	FGL	2291			563					65		456	428	171		B136S	B136S	6-63
9726	FGL	2354			541							461		48		B 30X	B 30X	2-67
9727	FGL	2740			559							124	131	26		B 16X	B 16D	8-65
9728	FGL	2300			557					79		146	146	39		146D	13D	5-63
9729	FGL	2722			536					41			403	17	426	114S	10X	3-63
9730	FGL	2645			565							229	167	54		B 33X	B 33X	11-66
9732	FGL	3025			550								147	119	42	B 7X	B 7X	5-63
9733	FGL	2808			570							351		212	310	B 31X	B 31X	2-67
9734	FGL	2744			584					76			149	69		149S	15X	12-62

BUS MILEAGE DATA
PERIOD 13 ENDING DECEMBER 30 1967

[illegible]